

DiagnosticReport / B1/S2/Q1

未脱敏图形，仅供本地诊断 / B1/S2/Q1

B1/S2/Q1/O1

Table Scan ?.[SECRET_IMP22_7461_Db].[dbo].[SECRET_IMP22_7461_Table]

未脱敏：此输出可能包含 SQL、参数、对象名称、文件路径或图像中的敏感信息，仅供本地诊断；不能作为脱敏材料共享。

DiagnosticReport IMP22-1.0 | SqlXmlAnalyzer 1.0.0

Kind: ExecutionPlan | Scope: B1/S2/Q1 | CreatedAt: 2026-09-09T15:36:58.5013380+00:00

Facts: 259 | Issues: 1 | Hit: 1 | NoHit: 30 | Skipped: 3 | Failed: 0

离线静态关系图；不是实际执行时间线。图超过 80 个节点时展示前 80 个，完整节点/边仍列入正文与 JSON。HTML/PDF/Word/JSON 包含同一事实、诊断、运行记录及 XML；SVG 仅包含静态图，sqlplan 仅包含选择范围 XML；无交互回放。

=== Metadata ===

DocumentId: 7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9

SourceName: E:\SqlXmlAnalyzer\DOCS\verification\IMP-22\wpf-Release-bb8e2622c8054405b0e1d13152c4a638\synthetic-plan.sqlplan

SourceHash: 7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9

EngineBuild: 16.0.1000.6

SourceSchema: 1.571

CapturedAt: N/A

Capabilities: PlanStatements, PlanOperators, RuntimeCounters, PreservedSource

RuleProtocol: 1.0

InputDiagnostics: []

InputContext: 来源: E:\SqlXmlAnalyzer\DOCS\verification\IMP-22\wpf-Release-bb8e2622c8054405b0e1d13152c4a638\synthetic-plan.sqlplan；采集时间: 未采集；引擎: 16.0.1000.6；Schema: 1.571；能力: PlanStatements, PlanOperators, RuntimeCounters, PreservedSource；读取状态: Success

当前范围 (含文档诊断) : Hit 1 / NoHit 30 / Skipped 3 / Failed 0。部分检查缺少证据而跳过。

Configuration: {"RULE_001_IMPLICIT_CONV":

{ "RuleId": "RULE_001_IMPLICIT_CONV", "Enabled": true, "SeverityOverride": null }, "RULE_002_KEY_LOOKUP":

{ "RuleId": "RULE_002_KEY_LOOKUP", "Enabled": true, "SeverityOverride": null }, "RULE_003_PARAM_SNIFFING":

{ "RuleId": "RULE_003_PARAM_SNIFFING", "Enabled": true, "SeverityOverride": null }, "RULE_004_ESTIMATE_MISMATCH":

{ "RuleId": "RULE_004_ESTIMATE_MISMATCH", "Enabled": true, "SeverityOverride": null }, "RULE_017_LARGE_MEMORY_GRANT":

{ "RuleId": "RULE_017_LARGE_MEMORY_GRANT", "Enabled": true, "SeverityOverride": null }, "RULE_006_RESIDUAL_PREDICATE":

{ "RuleId": "RULE_006_RESIDUAL_PREDICATE", "Enabled": true, "SeverityOverride": null }, "RULE_008_SPILL_DETECTION":

{ "RuleId": "RULE_008_SPILL_DETECTION", "Enabled": true, "SeverityOverride": null }, "RULE_009_PARALLEL_SKEW":

{ "RuleId": "RULE_009_PARALLEL_SKEW", "Enabled": true, "SeverityOverride": null }, "RULE_011_UDF_TVF":

{ "RuleId": "RULE_011_UDF_TVF", "Enabled": true, "SeverityOverride": null }, "RULE_012_NESTED_LOOPS_HIGH_EXEC":

{ "RuleId": "RULE_012_NESTED_LOOPS_HIGH_EXEC", "Enabled": true, "SeverityOverride": null }, "RULE_013_ANTI_PATTERN":

{ "RuleId": "RULE_013_ANTI_PATTERN", "Enabled": true, "SeverityOverride": null }, "RULE_014_SERIAL_PLAN_REASON":

{ "RuleId": "RULE_014_SERIAL_PLAN_REASON", "Enabled": true, "SeverityOverride": null }, "RULE_015_LOCAL_VARIABLES":

{ "RuleId": "RULE_015_LOCAL_VARIABLES", "Enabled": true, "SeverityOverride": "Warning" }, "RULE_016_ZERO_ROW_ACTUALS":

{ "RuleId": "RULE_016_ZERO_ROW_ACTUALS", "Enabled": true, "SeverityOverride": null }, "RULE_036_WAIT_STATS":

{ "RuleId": "RULE_036_WAIT_STATS", "Enabled": true, "SeverityOverride": null }, "RULE_037_RESOURCE_SEMAPHORE":

{ "RuleId": "RULE_037_RESOURCE_SEMAPHORE", "Enabled": true, "SeverityOverride": null }, "RULE_018_OPTIMIZER_ABORT":

{ "RuleId": "RULE_018_OPTIMIZER_ABORT", "Enabled": true, "SeverityOverride": null }, "RULE_019_CACHE_RECOMPILE":

{ "RuleId": "RULE_019_CACHE_RECOMPILE", "Enabled": true, "SeverityOverride": null }, "RULE_020_MISSING_INDEX":

{ "RuleId": "RULE_020_MISSING_INDEX", "Enabled": true, "SeverityOverride": null }, "RULE_021_TABLE_SCAN":

{ "RuleId": "RULE_021_TABLE_SCAN", "Enabled": true, "SeverityOverride": null }, "RULE_022_HIGH_COST_OP":

{ "RuleId": "RULE_022_HIGH_COST_OP", "Enabled": true, "SeverityOverride": null }, "RULE_023_RUNNING_TOTAL_PATTERN": { "RuleId": "RULE_023_RUNNING_TOTAL_PATTERN", "Enabled": true, "SeverityOverride": null }, "RULE_024_SCALAR_SUBQUERY_PATTERN": { "RuleId": "RULE_024_SCALAR_SUBQUERY_PATTERN", "Enabled": true, "SeverityOverride": null }, "RULE_025_QUERY_REWRITE":

{ "RuleId": "RULE_025_QUERY_REWRITE", "Enabled": true, "SeverityOverride": null }, "RULE_026_IMPLICIT_CONV_DOC":

{ "RuleId": "RULE_026_IMPLICIT_CONV_DOC", "Enabled": true, "SeverityOverride": null }, "RULE_027_PARAM_SNIFFING_DOC":

{ "RuleId": "RULE_027_PARAM_SNIFFING_DOC", "Enabled": true, "SeverityOverride": null }, "RULE_028_STATS_USAGE":

{ "RuleId": "RULE_028_STATS_USAGE", "Enabled": true, "SeverityOverride": null }, "RULE_029_MEMORY_GRANT_DOC":

{ "RuleId": "RULE_029_MEMORY_GRANT_DOC", "Enabled": true, "SeverityOverride": null }, "RULE_030_CARDINALITY_ERROR":

{ "RuleId": "RULE_030_CARDINALITY_ERROR", "Enabled": true, "SeverityOverride": null }, "RULE_031_KEY_LOOKUP_OP":

{ "RuleId": "RULE_031_KEY_LOOKUP_OP", "Enabled": true, "SeverityOverride": null }, "RULE_032_MEMORY_SPILL":

{ "RuleId": "RULE_032_MEMORY_SPILL", "Enabled": true, "SeverityOverride": null }, "RULE_033_THREAD_SKEW":

{ "RuleId": "RULE_033_THREAD_SKEW", "Enabled": true, "SeverityOverride": null }, "RULE_034_RESIDUAL_PRED_OP": { "RuleId": "RULE_034_RESIDUAL_PRED_OP", "Enabled": true, "SeverityOverride": null }, "RULE_035_SARGABLE_INDEX_RECOMMENDATION":

{ "RuleId": "RULE_035_SARGABLE_INDEX_RECOMMENDATION", "Enabled": true, "SeverityOverride": null }

DocumentRefactoringNotices: 多语句计划已保留所有语句身份；自动重构需要明确选定单条语句，本次未生成跨语句改写。

DiagnosticReport / B1/S2/Q1

=== Facts ===

B1/S2 SQL: SELECT 'SECRET_IMP22_7461' FROM [SECRET_IMP22_7461_Table]

B1/S2/Q1/O1 PhysicalOp: Table Scan

B1/S2/Q1/O1 LogicalOp: Table Scan

B1/S2/Q1/O1 NodeId: 0

B1/S2/Q1/O1 Source: {"XmlPath":"/{http://schemas.microsoft.com/sqlserver/2004/07/showplan}ShowPlanXML[1]/{http://schemas.microsoft.com/sqlserver/2004/07/showplan}BatchSequence[1]/{http://schemas.microsoft.com/sqlserver/2004/07/showplan}Batch[1]/{http://schemas.microsoft.com/sqlserver/2004/07/showplan}Statements[1]/{http://schemas.microsoft.com/sqlserver/2004/07/showplan}StmtSimple[2]/{http://schemas.microsoft.com/sqlserver/2004/07/showplan}QueryPlan[1]/{http://schemas.microsoft.com/sqlserver/2004/07/showplan}RelOp[1]","Line":3,"Column":99,"EventIndex":null,"ByteOffset":null,"ByteLength":null}

B1/S2/Q1/O1 Object: ?.[SECRET_IMP22_7461_Db].[dbo].[SECRET_IMP22_7461_Table]

B1/S2/Q1/O1/Objects[1]/SourceAttributes/Field1/Name: Database

B1/S2/Q1/O1/Objects[1]/SourceAttributes/Field1: [SECRET_IMP22_7461_Db]

B1/S2/Q1/O1/Objects[1]/SourceAttributes/Field2/Name: Schema

B1/S2/Q1/O1/Objects[1]/SourceAttributes/Field2: dbo

B1/S2/Q1/O1/Objects[1]/SourceAttributes/Field3/Name: Table

B1/S2/Q1/O1/Objects[1]/SourceAttributes/Field3: [SECRET_IMP22_7461_Table]

B1/S2/Q1/O1/Objects[1]/DisplayName: [SECRET_IMP22_7461_Table]

B1/S2/Q1/O1/Partitioned: N/A

B1/S2/Q1/O1/PartitionCount: N/A

B1/S2/Q1/O1/PartitionRange: N/A

B1/S2/Q1/O1/Execution/ActualExecutionMode: N/A

B1/S2/Q1/O1/Execution/EstimatedExecutionMode: N/A

B1/S2/Q1/O1/Execution/Parallel: N/A

B1/S2/Q1/O1/Execution/Ordered: N/A

B1/S2/Q1/O1/Execution/ExecutionMode: N/A

B1/S2/Q1/O1/Execution/ParallelDisplay: N/A

B1/S2/Q1/O1/Execution/OrderedDisplay: N/A

B1/S2/Q1/O1/Threads[1]/ThreadId: 0

B1/S2/Q1/O1/Threads[1]/SourceAttributes/Field1/Name: Thread

B1/S2/Q1/O1/Threads[1]/SourceAttributes/Field1: 0

B1/S2/Q1/O1/Threads[1]/SourceAttributes/Field2/Name: ActualRows

B1/S2/Q1/O1/Threads[1]/SourceAttributes/Field2: 100

B1/S2/Q1/O1/Threads[1]/SourceAttributes/Field3/Name: ActualRowsRead

B1/S2/Q1/O1/Threads[1]/SourceAttributes/Field3: 1000

B1/S2/Q1/O1/Threads[1]/SourceAttributes/Field4/Name: ActualExecutions

B1/S2/Q1/O1/Threads[1]/SourceAttributes/Field4: 1

B1/S2/Q1/O1/Threads[1]/OutputRows/Value: 100

B1/S2/Q1/O1/Threads[1]/OutputRows/State: Available

B1/S2/Q1/O1/Threads[1]/OutputRows/Unit: rows

B1/S2/Q1/O1/Threads[1]/OutputRows/Source: RunTimeInformation/RunTimeCountersPerThread/@ActualRows

B1/S2/Q1/O1/Threads[1]/OutputRows/Kind: Actual

B1/S2/Q1/O1/Threads[1]/OutputRows/Aggregation: Attribute

B1/S2/Q1/O1/Threads[1]/OutputRows/IsPresent: True

B1/S2/Q1/O1/Threads[1]/OutputRows/IsAvailable: True

B1/S2/Q1/O1/Threads[1]/RowsRead/Value: 1000

B1/S2/Q1/O1/Threads[1]/RowsRead/State: Available

B1/S2/Q1/O1/Threads[1]/RowsRead/Unit: rows

B1/S2/Q1/O1/Threads[1]/RowsRead/Source: RunTimeInformation/RunTimeCountersPerThread/@ActualRowsRead

B1/S2/Q1/O1/Threads[1]/RowsRead/Kind: Actual

B1/S2/Q1/O1/Threads[1]/RowsRead/Aggregation: Attribute

B1/S2/Q1/O1/Threads[1]/RowsRead/IsPresent: True

B1/S2/Q1/O1/Threads[1]/RowsRead/IsAvailable: True

B1/S2/Q1/O1/Threads[1]/Executions/Value: 1

B1/S2/Q1/O1/Threads[1]/Executions/State: Available

B1/S2/Q1/O1/Threads[1]/Executions/Unit: executions

B1/S2/Q1/O1/Threads[1]/Executions/Source: RunTimeInformation/RunTimeCountersPerThread/@ActualExecutions

B1/S2/Q1/O1/Threads[1]/Executions/Kind: Actual

B1/S2/Q1/O1/Threads[1]/Executions/Aggregation: Attribute

B1/S2/Q1/O1/Threads[1]/Executions/IsPresent: True

B1/S2/Q1/O1/Threads[1]/Executions/IsAvailable: True

B1/S2/Q1/O1/Threads[1]/Rebinds/Value: N/A

DiagnosticReport / B1/S2/Q1

B1/S2/Q1/O1/Threads[1]/Rebinds/State: Missing
B1/S2/Q1/O1/Threads[1]/Rebinds/Unit: rebinds
B1/S2/Q1/O1/Threads[1]/Rebinds/Source: RunTimeInformation/RunTimeCountersPerThread/@ActualRebinds
B1/S2/Q1/O1/Threads[1]/Rebinds/Kind: Actual
B1/S2/Q1/O1/Threads[1]/Rebinds/Aggregation: Attribute
B1/S2/Q1/O1/Threads[1]/Rebinds/IsPresent: False
B1/S2/Q1/O1/Threads[1]/Rebinds/IsAvailable: False
B1/S2/Q1/O1/Threads[1]/Rewinds/Value: N/A
B1/S2/Q1/O1/Threads[1]/Rewinds/State: Missing
B1/S2/Q1/O1/Threads[1]/Rewinds/Unit: rewinds
B1/S2/Q1/O1/Threads[1]/Rewinds/Source: RunTimeInformation/RunTimeCountersPerThread/@ActualRewinds
B1/S2/Q1/O1/Threads[1]/Rewinds/Kind: Actual
B1/S2/Q1/O1/Threads[1]/Rewinds/Aggregation: Attribute
B1/S2/Q1/O1/Threads[1]/Rewinds/IsPresent: False
B1/S2/Q1/O1/Threads[1]/Rewinds/IsAvailable: False
B1/S2/Q1/O1/Threads[1]/ElapsedTime/Value: N/A
B1/S2/Q1/O1/Threads[1]/ElapsedTime/State: Missing
B1/S2/Q1/O1/Threads[1]/ElapsedTime/Unit: ms
B1/S2/Q1/O1/Threads[1]/ElapsedTime/Source: RunTimeInformation/RunTimeCountersPerThread/@ActualElapsedms
B1/S2/Q1/O1/Threads[1]/ElapsedTime/Kind: Actual
B1/S2/Q1/O1/Threads[1]/ElapsedTime/Aggregation: Attribute
B1/S2/Q1/O1/Threads[1]/ElapsedTime/IsPresent: False
B1/S2/Q1/O1/Threads[1]/ElapsedTime/IsAvailable: False
B1/S2/Q1/O1/Threads[1]/CpuTime/Value: N/A
B1/S2/Q1/O1/Threads[1]/CpuTime/State: Missing
B1/S2/Q1/O1/Threads[1]/CpuTime/Unit: ms
B1/S2/Q1/O1/Threads[1]/CpuTime/Source: RunTimeInformation/RunTimeCountersPerThread/@ActualCPUMs
B1/S2/Q1/O1/Threads[1]/CpuTime/Kind: Actual
B1/S2/Q1/O1/Threads[1]/CpuTime/Aggregation: Attribute
B1/S2/Q1/O1/Threads[1]/CpuTime/IsPresent: False
B1/S2/Q1/O1/Threads[1]/CpuTime/IsAvailable: False
B1/S2/Q1/O1/Threads[1]/LogicalReads/Value: N/A
B1/S2/Q1/O1/Threads[1]/LogicalReads/State: Missing
B1/S2/Q1/O1/Threads[1]/LogicalReads/Unit: pages
B1/S2/Q1/O1/Threads[1]/LogicalReads/Source: RunTimeInformation/RunTimeCountersPerThread/@ActualLogicalReads
B1/S2/Q1/O1/Threads[1]/LogicalReads/Kind: Actual
B1/S2/Q1/O1/Threads[1]/LogicalReads/Aggregation: Attribute
B1/S2/Q1/O1/Threads[1]/LogicalReads/IsPresent: False
B1/S2/Q1/O1/Threads[1]/LogicalReads/IsAvailable: False
B1/S2/Q1/O1/Threads[1]/PhysicalReads/Value: N/A
B1/S2/Q1/O1/Threads[1]/PhysicalReads/State: Missing
B1/S2/Q1/O1/Threads[1]/PhysicalReads/Unit: pages
B1/S2/Q1/O1/Threads[1]/PhysicalReads/Source: RunTimeInformation/RunTimeCountersPerThread/@ActualPhysicalReads
B1/S2/Q1/O1/Threads[1]/PhysicalReads/Kind: Actual
B1/S2/Q1/O1/Threads[1]/PhysicalReads/Aggregation: Attribute
B1/S2/Q1/O1/Threads[1]/PhysicalReads/IsPresent: False
B1/S2/Q1/O1/Threads[1]/PhysicalReads/IsAvailable: False
B1/S2/Q1/O1/EstimatedRows/Value: 1
B1/S2/Q1/O1/EstimatedRows/State: Available
B1/S2/Q1/O1/EstimatedRows/Unit: rows/execution
B1/S2/Q1/O1/EstimatedRows/Source: RelOp/@EstimateRows
B1/S2/Q1/O1/EstimatedRows/Kind: Estimated
B1/S2/Q1/O1/EstimatedRows/Aggregation: Attribute
B1/S2/Q1/O1/EstimatedRows/IsPresent: True
B1/S2/Q1/O1/EstimatedRows/IsAvailable: True
B1/S2/Q1/O1/EstimatedRowsRead/Value: N/A
B1/S2/Q1/O1/EstimatedRowsRead/State: Missing
B1/S2/Q1/O1/EstimatedRowsRead/Unit: rows/execution
B1/S2/Q1/O1/EstimatedRowsRead/Source: RelOp/@EstimatedRowsRead
B1/S2/Q1/O1/EstimatedRowsRead/Kind: Estimated
B1/S2/Q1/O1/EstimatedRowsRead/Aggregation: Attribute
B1/S2/Q1/O1/EstimatedRowsRead/IsPresent: False
B1/S2/Q1/O1/EstimatedRowsRead/IsAvailable: False

DiagnosticReport / B1/S2/Q1

B1/S2/Q1/O1/EstimatedCpuCost/Value: N/A
B1/S2/Q1/O1/EstimatedCpuCost/State: Missing
B1/S2/Q1/O1/EstimatedCpuCost/Unit: optimizer-cost
B1/S2/Q1/O1/EstimatedCpuCost/Source: RelOp/@EstimateCPU
B1/S2/Q1/O1/EstimatedCpuCost/Kind: Estimated
B1/S2/Q1/O1/EstimatedCpuCost/Aggregation: Attribute
B1/S2/Q1/O1/EstimatedCpuCost/IsPresent: False
B1/S2/Q1/O1/EstimatedCpuCost/IsAvailable: False
B1/S2/Q1/O1/EstimatedIloCost/Value: N/A
B1/S2/Q1/O1/EstimatedIloCost/State: Missing
B1/S2/Q1/O1/EstimatedIloCost/Unit: optimizer-cost
B1/S2/Q1/O1/EstimatedIloCost/Source: RelOp/@EstimateIO
B1/S2/Q1/O1/EstimatedIloCost/Kind: Estimated
B1/S2/Q1/O1/EstimatedIloCost/Aggregation: Attribute
B1/S2/Q1/O1/EstimatedIloCost/IsPresent: False
B1/S2/Q1/O1/EstimatedIloCost/IsAvailable: False
B1/S2/Q1/O1/AverageRowSize/Value: N/A
B1/S2/Q1/O1/AverageRowSize/State: Missing
B1/S2/Q1/O1/AverageRowSize/Unit: bytes/row
B1/S2/Q1/O1/AverageRowSize/Source: RelOp/@AvgRowSize
B1/S2/Q1/O1/AverageRowSize/Kind: Estimated
B1/S2/Q1/O1/AverageRowSize/Aggregation: Attribute
B1/S2/Q1/O1/AverageRowSize/IsPresent: False
B1/S2/Q1/O1/AverageRowSize/IsAvailable: False
B1/S2/Q1/O1/EstimatedExecutions/Value: N/A
B1/S2/Q1/O1/EstimatedExecutions/State: Missing
B1/S2/Q1/O1/EstimatedExecutions/Unit: executions
B1/S2/Q1/O1/EstimatedExecutions/Source: EstimateRebinds + EstimateRewinds + 1
B1/S2/Q1/O1/EstimatedExecutions/Kind: Estimated
B1/S2/Q1/O1/EstimatedExecutions/Aggregation: RebindsPlusRewindsPlusOne
B1/S2/Q1/O1/EstimatedExecutions/IsPresent: False
B1/S2/Q1/O1/EstimatedExecutions/IsAvailable: False
B1/S2/Q1/O1/SubtreeCost/Value: N/A
B1/S2/Q1/O1/SubtreeCost/State: Missing
B1/S2/Q1/O1/SubtreeCost/Unit: optimizer-cost
B1/S2/Q1/O1/SubtreeCost/Source: RelOp/@EstimatedTotalSubtreeCost
B1/S2/Q1/O1/SubtreeCost/Kind: Estimated
B1/S2/Q1/O1/SubtreeCost/Aggregation: Attribute
B1/S2/Q1/O1/SubtreeCost/IsPresent: False
B1/S2/Q1/O1/SubtreeCost/IsAvailable: False
B1/S2/Q1/O1/OwnCost/Value: N/A
B1/S2/Q1/O1/OwnCost/State: Missing
B1/S2/Q1/O1/OwnCost/Unit: optimizer-cost
B1/S2/Q1/O1/OwnCost/Source: EstimatedTotalSubtreeCost - direct child subtree costs
B1/S2/Q1/O1/OwnCost/Kind: Estimated
B1/S2/Q1/O1/OwnCost/Aggregation: SubtreeMinusChildren
B1/S2/Q1/O1/OwnCost/IsPresent: False
B1/S2/Q1/O1/OwnCost/IsAvailable: False
B1/S2/Q1/O1/OutputRows/Value: 100
B1/S2/Q1/O1/OutputRows/State: Available
B1/S2/Q1/O1/OutputRows/Unit: rows
B1/S2/Q1/O1/OutputRows/Source: RunTimeInformation/RunTimeCountersPerThread/@ActualRows
B1/S2/Q1/O1/OutputRows/Kind: Actual
B1/S2/Q1/O1/OutputRows/Aggregation: SumThreads
B1/S2/Q1/O1/OutputRows/IsPresent: True
B1/S2/Q1/O1/OutputRows/IsAvailable: True
B1/S2/Q1/O1/RowsRead/Value: 1000
B1/S2/Q1/O1/RowsRead/State: Available
B1/S2/Q1/O1/RowsRead/Unit: rows
B1/S2/Q1/O1/RowsRead/Source: RunTimeInformation/RunTimeCountersPerThread/@ActualRowsRead
B1/S2/Q1/O1/RowsRead/Kind: Actual
B1/S2/Q1/O1/RowsRead/Aggregation: SumThreads
B1/S2/Q1/O1/RowsRead/IsPresent: True

DiagnosticReport / B1/S2/Q1

B1/S2/Q1/O1/RowsRead/IsAvailable: True
B1/S2/Q1/O1/ThreadExecutions/Value: 1
B1/S2/Q1/O1/ThreadExecutions/State: Available
B1/S2/Q1/O1/ThreadExecutions/Unit: executions
B1/S2/Q1/O1/ThreadExecutions/Source: RuntimeInformation/RuntimeCountersPerThread/@ActualExecutions
B1/S2/Q1/O1/ThreadExecutions/Kind: Actual
B1/S2/Q1/O1/ThreadExecutions/Aggregation: SumThreads
B1/S2/Q1/O1/ThreadExecutions/IsPresent: True
B1/S2/Q1/O1/ThreadExecutions/IsAvailable: True
B1/S2/Q1/O1/LogicalExecutions/Value: 1
B1/S2/Q1/O1/LogicalExecutions/State: Available
B1/S2/Q1/O1/LogicalExecutions/Unit: executions
B1/S2/Q1/O1/LogicalExecutions/Source: serial counter or common active worker executions
B1/S2/Q1/O1/LogicalExecutions/Kind: Actual
B1/S2/Q1/O1/LogicalExecutions/Aggregation: CommonWorkerExecutions
B1/S2/Q1/O1/LogicalExecutions/IsPresent: True
B1/S2/Q1/O1/LogicalExecutions/IsAvailable: True
B1/S2/Q1/O1/RowsPerExecution/Value: 100
B1/S2/Q1/O1/RowsPerExecution/State: Available
B1/S2/Q1/O1/RowsPerExecution/Unit: rows/execution
B1/S2/Q1/O1/RowsPerExecution/Source: ActualRows / logical executions
B1/S2/Q1/O1/RowsPerExecution/Kind: Actual
B1/S2/Q1/O1/RowsPerExecution/Aggregation: RowsPerExecution
B1/S2/Q1/O1/RowsPerExecution/IsPresent: True
B1/S2/Q1/O1/RowsPerExecution/IsAvailable: True
B1/S2/Q1/O1/Rebinds/Value: N/A
B1/S2/Q1/O1/Rebinds/State: Missing
B1/S2/Q1/O1/Rebinds/Unit: rebinds
B1/S2/Q1/O1/Rebinds/Source: RuntimeInformation/RuntimeCountersPerThread/@ActualRebinds
B1/S2/Q1/O1/Rebinds/Kind: Actual
B1/S2/Q1/O1/Rebinds/Aggregation: SumThreads
B1/S2/Q1/O1/Rebinds/IsPresent: False
B1/S2/Q1/O1/Rebinds/IsAvailable: False
B1/S2/Q1/O1/Rewinds/Value: N/A
B1/S2/Q1/O1/Rewinds/State: Missing
B1/S2/Q1/O1/Rewinds/Unit: rewinds
B1/S2/Q1/O1/Rewinds/Source: RuntimeInformation/RuntimeCountersPerThread/@ActualRewinds
B1/S2/Q1/O1/Rewinds/Kind: Actual
B1/S2/Q1/O1/Rewinds/Aggregation: SumThreads
B1/S2/Q1/O1/Rewinds/IsPresent: False
B1/S2/Q1/O1/Rewinds/IsAvailable: False
B1/S2/Q1/O1/ElapsedTime/Value: N/A
B1/S2/Q1/O1/ElapsedTime/State: Missing
B1/S2/Q1/O1/ElapsedTime/Unit: ms
B1/S2/Q1/O1/ElapsedTime/Source: RuntimeInformation/RuntimeCountersPerThread/@ActualElapsedms
B1/S2/Q1/O1/ElapsedTime/Kind: Actual
B1/S2/Q1/O1/ElapsedTime/Aggregation: MaxThreads
B1/S2/Q1/O1/ElapsedTime/IsPresent: False
B1/S2/Q1/O1/ElapsedTime/IsAvailable: False
B1/S2/Q1/O1/CpuTime/Value: N/A
B1/S2/Q1/O1/CpuTime/State: Missing
B1/S2/Q1/O1/CpuTime/Unit: ms
B1/S2/Q1/O1/CpuTime/Source: RuntimeInformation/RuntimeCountersPerThread/@ActualCPUs
B1/S2/Q1/O1/CpuTime/Kind: Actual
B1/S2/Q1/O1/CpuTime/Aggregation: SumThreads
B1/S2/Q1/O1/CpuTime/IsPresent: False
B1/S2/Q1/O1/CpuTime/IsAvailable: False
B1/S2/Q1/O1/LogicalReads/Value: N/A
B1/S2/Q1/O1/LogicalReads/State: Missing
B1/S2/Q1/O1/LogicalReads/Unit: pages
B1/S2/Q1/O1/LogicalReads/Source: RuntimeInformation/RuntimeCountersPerThread/@ActualLogicalReads
B1/S2/Q1/O1/LogicalReads/Kind: Actual
B1/S2/Q1/O1/LogicalReads/Aggregation: SumThreads

DiagnosticReport / B1/S2/Q1

B1/S2/Q1/O1/LogicalReads/IsPresent: False
B1/S2/Q1/O1/LogicalReads/IsAvailable: False
B1/S2/Q1/O1/PhysicalReads/Value: N/A
B1/S2/Q1/O1/PhysicalReads/State: Missing
B1/S2/Q1/O1/PhysicalReads/Unit: pages
B1/S2/Q1/O1/PhysicalReads/Source: RunTimeInformation/RunTimeCountersPerThread/@ActualPhysicalReads
B1/S2/Q1/O1/PhysicalReads/Kind: Actual
B1/S2/Q1/O1/PhysicalReads/Aggregation: SumThreads
B1/S2/Q1/O1/PhysicalReads/IsPresent: False
B1/S2/Q1/O1/PhysicalReads/IsAvailable: False
B1/S2/Q1/O1/PhysicalOp: Table Scan
B1/S2/Q1/O1/HasResidualPredicate: False
B1/S2/Q1/O1/WorkerRows: N/A

=== Diagnostics ===

D1 | RULE_004_ESTIMATE_MISMATCH / 2.0.0 | B1/S2/Q1/O1 | Hit | Critical | High

Title: 基数估计偏差

DiagnosticId: ADD99E5D1F18B71A34352BCAE73779B8FCC628F27B30BFCD4EF120133D79A7D2

Details: [Critical] 基数估计偏差

诊断 ID: ADD99E5D1F18B71A34352BCAE73779B8FCC628F27B30BFCD4EF120133D79A7D2

来源: 7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2/Q1/N0/O1; 置信度: High

规则: RULE_004_ESTIMATE_MISMATCH v2.0.0

估算每次执行 1 行, 实际每次执行 100 行; 偏差指标 100 倍 (较小行数按至少 1 行计算)。

证据 EstimatedRows: 1 rows/execution; Available/Estimated/Attribute; RelOp/@EstimateRows;

7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2/Q1/N0/O1

证据 OutputRows: 100 rows; Available/Actual/SumThreads; RunTimeInformation/RunTimeCountersPerThread/

@ActualRows; 7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2/Q1/N0/O1

证据 LogicalExecutions: 1 executions; Available/Actual/CommonWorkerExecutions; serial counter or common active worker executions; 7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2/Q1/N0/O1

证据 RowsPerExecution: 100 rows/execution; Available/Actual/RowsPerExecution; ActualRows / logical executions;

7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2/Q1/N0/O1

证据 ComparisonDenominator: 1 rows/execution; Available//; max(1, min(EstimatedRows, RowsPerExecution));

7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2/Q1/N0/O1

证据 DeviationRatio: 100 ratio; Available//; max(EstimatedRows, RowsPerExecution) / ComparisonDenominator;

7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2/Q1/N0/O1

证据 AbsoluteRowDifference: 99 rows/execution; Available//; abs(EstimatedRows - RowsPerExecution);

7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2/Q1/N0/O1

假设: 偏差可能与统计信息、参数分布、列相关性或过滤表达式有关, 现有证据不能确定根因。

建议: 核对同次采集的谓词、参数与统计信息, 再比较调整前后的实际计划。

适用条件: RULE004: 较大单次行数至少 100; 偏差指标 ≥ 10 为 Warning、 ≥ 100 为 Critical; 估算 ≥ 1000 且实际 ≤ 100 时为 Critical。

限制: 实际总输出除以逻辑执行次数; 并行 worker 次数不相加, 次数不一致时不比较。

限制: 分母下限为 1, 零行与不足 1 行时该指标不是未经调整的数学倍数; 不能据此断定统计信息过时或连接算法错误。

Source: {"XmlPath":"/{http://schemas.microsoft.com/sqlserver/2004/07/showplan}ShowPlanXML[1]/{http://schemas.microsoft.com/sqlserver/2004/07/showplan}BatchSequence[1]/{http://schemas.microsoft.com/sqlserver/2004/07/showplan}Batch[1]/{http://schemas.microsoft.com/sqlserver/2004/07/showplan}Statements[1]/{http://schemas.microsoft.com/sqlserver/2004/07/showplan}StmtSimple[2]/{http://schemas.microsoft.com/sqlserver/2004/07/showplan}QueryPlan[1]/{http://schemas.microsoft.com/sqlserver/2004/07/showplan}RelOp[1]","Line":3,"Column":99,"EventIndex":null,"ByteOffset":null,"ByteLength":null}

Origins: [{"RuleId":"RULE_004_ESTIMATE_MISMATCH","RuleVersion":"2.0.0"}]

Evidence1/Location: B1/S2/Q1/O1

Evidence1/Name: EstimatedRows

Evidence1/Value: 1

Evidence1/State: Available

Evidence2/Location: B1/S2/Q1/O1

Evidence2/Name: OutputRows

Evidence2/Value: 100

Evidence2/State: Available

Evidence3/Location: B1/S2/Q1/O1

Evidence3/Name: LogicalExecutions

Evidence3/Value: 1

Evidence3/State: Available

Evidence4/Location: B1/S2/Q1/O1

Evidence4/Name: RowsPerExecution

DiagnosticReport / B1/S2/Q1

Evidence4/Value: 100

Evidence4/State: Available

Evidence5/Location: B1/S2/Q1/O1

Evidence5/Name: ComparisonDenominator

Evidence5/Value: 1

Evidence5/State: Available

Evidence6/Location: B1/S2/Q1/O1

Evidence6/Name: DeviationRatio

Evidence6/Value: 100

Evidence6/State: Available

Evidence7/Location: B1/S2/Q1/O1

Evidence7/Name: AbsoluteRowDifference

Evidence7/Value: 99

Evidence7/State: Available

=== Rule Runs ===

R1 | RULE_001_IMPLICIT_CONV / 1.0.0 | B1/S2/Q1/O1 | NoHit | N/A | N/A

ReasonCode: RULE_NO_HIT

Details: [NoHit] RULE_001_IMPLICIT_CONV v1.0.0

[7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2/Q1/N0/O1]: RULE_NO_HIT — 兼容规则已执行，未返回匹配结果；不表示未实现的检查也已通过。

R2 | RULE_002_KEY_LOOKUP / 1.0.0 | B1/S2/Q1/O1 | NoHit | N/A | N/A

ReasonCode: RULE_NO_HIT

Details: [NoHit] RULE_002_KEY_LOOKUP v1.0.0

[7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2/Q1/N0/O1]: RULE_NO_HIT — 兼容规则已执行，未返回匹配结果；不表示未实现的检查也已通过。

R3 | RULE_003_PARAM_SNIFFING / 1.0.0 | Document | NoHit | N/A | N/A

ReasonCode: RULE_NO_HIT

Details: [NoHit] RULE_003_PARAM_SNIFFING v1.0.0

[7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9]: RULE_NO_HIT — 兼容规则已执行，未返回匹配结果；不表示未实现的检查也已通过。

R4 | RULE_004_ESTIMATE_MISMATCH / 2.0.0 | B1/S2/Q1/O1 | Hit | N/A | N/A

ReasonCode: RULE_HIT

Details: [Hit] RULE_004_ESTIMATE_MISMATCH v2.0.0

[7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2/Q1/N0/O1]: RULE_HIT — 检测到符合条件的诊断。

R5 | RULE_017_LARGE_MEMORY_GRANT / 1.0.0 | Document | NoHit | N/A | N/A

ReasonCode: RULE_NO_HIT

Details: [NoHit] RULE_017_LARGE_MEMORY_GRANT v1.0.0

[7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9]: RULE_NO_HIT — 兼容规则已执行，未返回匹配结果；不表示未实现的检查也已通过。

R6 | RULE_006_RESIDUAL_PREDICATE / 2.0.0 | B1/S2/Q1/O1 | NoHit | N/A | N/A

ReasonCode: RULE_NO_HIT

Details: [NoHit] RULE_006_RESIDUAL_PREDICATE v2.0.0

[7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2/Q1/N0/O1]: RULE_NO_HIT — 已执行规则，未满足触发条件。

R7 | RULE_008_SPILL_DETECTION / 1.0.0 | B1/S2/Q1/O1 | NoHit | N/A | N/A

ReasonCode: RULE_NO_HIT

Details: [NoHit] RULE_008_SPILL_DETECTION v1.0.0

[7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2/Q1/N0/O1]: RULE_NO_HIT — 兼容规则已执行，未返回匹配结果；不表示未实现的检查也已通过。

R8 | RULE_009_PARALLEL_SKEW / 1.0.0 | B1/S2/Q1/O1 | Skipped | N/A | N/A

ReasonCode: RULE_MISSING_EVIDENCE

Details: [Skipped] RULE_009_PARALLEL_SKEW v1.0.0

[7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2/Q1/N0/O1]:

RULE_MISSING_EVIDENCE — 缺少可用证据: Parallel / worker 行分布

R9 | RULE_011_UDF_TVF / 1.0.0 | B1/S2/Q1/O1 | NoHit | N/A | N/A

ReasonCode: RULE_NO_HIT

Details: [NoHit] RULE_011_UDF_TVF v1.0.0

[7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2/Q1/N0/O1]: RULE_NO_HIT — 兼容规则已执行，未返回匹配结果；不表示未实现的检查也已通过。

R10 | RULE_012_NESTED_LOOPS_HIGH_EXEC / 1.0.0 | B1/S2/Q1/O1 | Skipped | N/A | N/A

ReasonCode: RULE_NOT_APPLICABLE

Details: [Skipped] RULE_012_NESTED_LOOPS_HIGH_EXEC v1.0.0

DiagnosticReport / B1/S2/Q1

[7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2/Q1/N0/O1]:

RULE_NOT_APPLICABLE — 算子不属于本规则支持的循环或查找类型。

R11 | RULE_013_ANTI_PATTERN / 1.0.0 | B1/S2/Q1/O1 | NoHit | N/A | N/A

ReasonCode: RULE_NO_HIT

Details: [NoHit] RULE_013_ANTI_PATTERN v1.0.0

[7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2/Q1/N0/O1]: RULE_NO_HIT — 兼容规则已执行，未返回匹配结果；不表示未实现的检查也已通过。

R12 | RULE_014_SERIAL_PLAN_REASON / 1.0.0 | Document | NoHit | N/A | N/A

ReasonCode: RULE_NO_HIT

Details: [NoHit] RULE_014_SERIAL_PLAN_REASON v1.0.0

[7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9]: RULE_NO_HIT — 兼容规则已执行，未返回匹配结果；不表示未实现的检查也已通过。

R13 | RULE_015_LOCAL_VARIABLES / 1.0.0 | B1/S2 | NoHit | N/A | N/A

ReasonCode: RULE_NO_HIT

Details: [NoHit] RULE_015_LOCAL_VARIABLES v1.0.0

[7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2]: RULE_NO_HIT — 兼容规则已执行，未返回匹配结果；不表示未实现的检查也已通过。

R14 | RULE_016_ZERO_ROW_ACTUALS / 1.0.0 | B1/S2/Q1/O1 | NoHit | N/A | N/A

ReasonCode: RULE_NO_HIT

Details: [NoHit] RULE_016_ZERO_ROW_ACTUALS v1.0.0

[7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2/Q1/N0/O1]: RULE_NO_HIT — 兼容规则已执行，未返回匹配结果；不表示未实现的检查也已通过。

R15 | RULE_036_WAIT_STATS / 1.0.0 | Document | NoHit | N/A | N/A

ReasonCode: RULE_NO_HIT

Details: [NoHit] RULE_036_WAIT_STATS v1.0.0

[7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9]: RULE_NO_HIT — 兼容规则已执行，未返回匹配结果；不表示未实现的检查也已通过。

R16 | RULE_037_RESOURCE_SEMAPHORE / 1.0.0 | Document | NoHit | N/A | N/A

ReasonCode: RULE_NO_HIT

Details: [NoHit] RULE_037_RESOURCE_SEMAPHORE v1.0.0

[7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9]: RULE_NO_HIT — 兼容规则已执行，未返回匹配结果；不表示未实现的检查也已通过。

R17 | RULE_018_OPTIMIZER_ABORT / 1.0.0 | B1/S2 | NoHit | N/A | N/A

ReasonCode: RULE_NO_HIT

Details: [NoHit] RULE_018_OPTIMIZER_ABORT v1.0.0

[7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2]: RULE_NO_HIT — 兼容规则已执行，未返回匹配结果；不表示未实现的检查也已通过。

R18 | RULE_019_CACHE_RECOMPILE / 1.0.0 | Document | NoHit | N/A | N/A

ReasonCode: RULE_NO_HIT

Details: [NoHit] RULE_019_CACHE_RECOMPILE v1.0.0

[7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9]: RULE_NO_HIT — 兼容规则已执行，未返回匹配结果；不表示未实现的检查也已通过。

R19 | RULE_020_MISSING_INDEX / 2.1.1 | Document | NoHit | N/A | N/A

ReasonCode: RULE_NO_HIT

Details: [NoHit] RULE_020_MISSING_INDEX v2.1.1

[7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9]: RULE_NO_HIT — 兼容规则已执行，未返回匹配结果；不表示未实现的检查也已通过。

R20 | RULE_021_TABLE_SCAN / 1.0.0 | B1/S2/Q1/O1 | NoHit | N/A | N/A

ReasonCode: RULE_NO_HIT

Details: [NoHit] RULE_021_TABLE_SCAN v1.0.0

[7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2/Q1/N0/O1]: RULE_NO_HIT — 兼容规则已执行，未返回匹配结果；不表示未实现的检查也已通过。

R21 | RULE_022_HIGH_COST_OP / 1.0.0 | Document | NoHit | N/A | N/A

ReasonCode: RULE_NO_HIT

Details: [NoHit] RULE_022_HIGH_COST_OP v1.0.0

[7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9]: RULE_NO_HIT — 兼容规则已执行，未返回匹配结果；不表示未实现的检查也已通过。

R22 | RULE_023_RUNNING_TOTAL_PATTERN / 1.0.0 | B1/S2 | NoHit | N/A | N/A

ReasonCode: RULE_NO_HIT

Details: [NoHit] RULE_023_RUNNING_TOTAL_PATTERN v1.0.0

[7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2]: RULE_NO_HIT — 兼容规则已执行，未返回匹配结果；不表示未实现的检查也已通过。

R23 | RULE_024_SCALAR_SUBQUERY_PATTERN / 1.0.0 | B1/S2 | NoHit | N/A | N/A

DiagnosticReport / B1/S2/Q1

ReasonCode: RULE_NO_HIT

Details: [NoHit] RULE_024_SCALAR_SUBQUERY_PATTERN v1.0.0

[7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2]: RULE_NO_HIT — 兼容规则已执行, 未返回匹配结果; 不表示未实现的检查也已通过。

R24 | RULE_025_QUERY_REWRITE / 1.0.0 | Document | NoHit | N/A | N/A

ReasonCode: RULE_NO_HIT

Details: [NoHit] RULE_025_QUERY_REWRITE v1.0.0

[7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9]: RULE_NO_HIT — 兼容规则已执行, 未返回匹配结果; 不表示未实现的检查也已通过。

R25 | RULE_026_IMPLICIT_CONV_DOC / 1.0.0 | Document | NoHit | N/A | N/A

ReasonCode: RULE_NO_HIT

Details: [NoHit] RULE_026_IMPLICIT_CONV_DOC v1.0.0

[7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9]: RULE_NO_HIT — 兼容规则已执行, 未返回匹配结果; 不表示未实现的检查也已通过。

R26 | RULE_027_PARAM_SNIFFING_DOC / 1.0.0 | Document | NoHit | N/A | N/A

ReasonCode: RULE_NO_HIT

Details: [NoHit] RULE_027_PARAM_SNIFFING_DOC v1.0.0

[7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9]: RULE_NO_HIT — 兼容规则已执行, 未返回匹配结果; 不表示未实现的检查也已通过。

R27 | RULE_028_STATS_USAGE / 1.0.0 | Document | NoHit | N/A | N/A

ReasonCode: RULE_NO_HIT

Details: [NoHit] RULE_028_STATS_USAGE v1.0.0

[7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9]: RULE_NO_HIT — 兼容规则已执行, 未返回匹配结果; 不表示未实现的检查也已通过。

R28 | RULE_029_MEMORY_GRANT_DOC / 1.0.0 | Document | NoHit | N/A | N/A

ReasonCode: RULE_NO_HIT

Details: [NoHit] RULE_029_MEMORY_GRANT_DOC v1.0.0

[7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9]: RULE_NO_HIT — 兼容规则已执行, 未返回匹配结果; 不表示未实现的检查也已通过。

R29 | RULE_030_CARDINALITY_ERROR / 2.0.0 | B1/S2/Q1/O1 | NoHit | N/A | N/A

ReasonCode: RULE_NO_HIT

Details: [NoHit] RULE_030_CARDINALITY_ERROR v2.0.0

[7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2/Q1/N0/O1]: RULE_NO_HIT — 已执行规则, 未满足触发条件。

R30 | RULE_031_KEY_LOOKUP_OP / 1.0.0 | B1/S2/Q1/O1 | NoHit | N/A | N/A

ReasonCode: RULE_NO_HIT

Details: [NoHit] RULE_031_KEY_LOOKUP_OP v1.0.0

[7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2/Q1/N0/O1]: RULE_NO_HIT — 兼容规则已执行, 未返回匹配结果; 不表示未实现的检查也已通过。

R31 | RULE_032_MEMORY_SPILL / 1.0.0 | B1/S2/Q1/O1 | NoHit | N/A | N/A

ReasonCode: RULE_NO_HIT

Details: [NoHit] RULE_032_MEMORY_SPILL v1.0.0

[7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2/Q1/N0/O1]: RULE_NO_HIT — 兼容规则已执行, 未返回匹配结果; 不表示未实现的检查也已通过。

R32 | RULE_033_THREAD_SKEW / 1.0.0 | B1/S2/Q1/O1 | Skipped | N/A | N/A

ReasonCode: RULE_MISSING_EVIDENCE

Details: [Skipped] RULE_033_THREAD_SKEW v1.0.0

[7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2/Q1/N0/O1]:

RULE_MISSING_EVIDENCE — 缺少可用证据: 完整且角色明确的 worker 行分布

R33 | RULE_034_RESIDUAL_PRED_OP / 2.0.0 | B1/S2/Q1/O1 | NoHit | N/A | N/A

ReasonCode: RULE_NO_HIT

Details: [NoHit] RULE_034_RESIDUAL_PRED_OP v2.0.0

[7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2/Q1/N0/O1]: RULE_NO_HIT — 已执行规则, 未满足触发条件。

R34 | RULE_035_SARGABLE_INDEX_RECOMMENDATION / 2.1.1 | B1/S2 | NoHit | N/A | N/A

ReasonCode: RULE_NO_HIT

Details: [NoHit] RULE_035_SARGABLE_INDEX_RECOMMENDATION v2.1.1

[7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2]: RULE_NO_HIT — 已执行规则, 未满足触发条件。

=== Graph nodes / edges (complete) ===

B1/S2/Q1/O1: Table Scan ?.[SECRET_IMP22_7461_Db].[dbo].[SECRET_IMP22_7461_Table]

=== Source XML (selection) ===

<ShowPlanXML xmlns="http://schemas.microsoft.com/sqlserver/2004/07/showplan" Version="1.571" Build="16.0.1000.6">

DiagnosticReport / B1/S2/Q1

```
<BatchSequence>
  <Batch>
    <Statements>
      <StmtSimple StatementText="SELECT 'SECRET_IMP22_7461' FROM [SECRET_IMP22_7461_Table]">
        <QueryPlan>
          <RelOp NodeId="0" PhysicalOp="Table Scan" LogicalOp="Table Scan" EstimateRows="1">
            <RunTimeInformation>
              <RunTimeCountersPerThread Thread="0" ActualRows="100" ActualRowsRead="1000" ActualExecutions="1" />
            </RunTimeInformation>
            <TableScan>
              <Object Database="[SECRET_IMP22_7461_Db]" Schema="dbo" Table="[SECRET_IMP22_7461_Table]" />
            </TableScan>
          </RelOp>
        </QueryPlan>
      </StmtSimple>
    </Statements>
  </Batch>
</BatchSequence>
</ShowPlanXML>
```