

# DiagnosticReport / B1/S2/Q1

未脱敏图形，仅供本地诊断 / B1/S2/Q1

B1/S2/Q1/O1  
Table Scan ?.[SECRET\_IMP22\_7461\_Db].[dbo].[SECRET\_IMP22\_7461\_Table]

未脱敏：此输出可能包含 SQL、参数、对象名称、文件路径或图像中的敏感信息，仅供本地诊断；不能作为脱敏材料共享。

DiagnosticReport IMP22-1.0 | SqlXmlAnalyzer 1.0.0

Kind: ExecutionPlan | Scope: B1/S2/Q1 | CreatedAt: 2026-09-09T15:36:58.5013380+00:00

Facts: 259 | Issues: 1 | Hit: 1 | NoHit: 30 | Skipped: 3 | Failed: 0

离线静态关系图；不是实际执行时间线。图超过 80 个节点时展示前 80 个，完整节点/边仍列入正文与 JSON。HTML/PDF/Word/JSON 包含同一事实、诊断、运行记录及 XML；SVG 仅包含静态图，sqlplan 仅包含选择范围 XML；无交互回放。

=== Metadata ===

DocumentId: 7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9

SourceName: E:\SqlXmlAnalyzer\DOCS\verification\IMP-22\wpf-Release-bb8e2622c8054405b0e1d13152c4a638\synthetic-plan.sqlplan

SourceHash: 7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9

EngineBuild: 16.0.1000.6

SourceSchema: 1.571

CapturedAt: N/A

Capabilities: PlanStatements, PlanOperators, RuntimeCounters, PreservedSource

RuleProtocol: 1.0

InputDiagnostics: []

InputContext: 来源: E:\SqlXmlAnalyzer\DOCS\verification\IMP-22\wpf-Release-bb8e2622c8054405b0e1d13152c4a638\synthetic-plan.sqlplan; 采集时间: 未采集; 引擎: 16.0.1000.6; Schema: 1.571; 能力: PlanStatements, PlanOperators, RuntimeCounters, PreservedSource; 读取状态: Success

当前范围 (含文档诊断) : Hit 1 / NoHit 30 / Skipped 3 / Failed 0。部分检查缺少证据而跳过。

Configuration: {"RULE\_001\_IMPLICIT\_CONV":{"RuleId":"RULE\_001\_IMPLICIT\_CONV","Enabled":true,"SeverityOverride":null},"RULE\_002\_KEY\_LOOKUP":{"RuleId":"RULE\_002\_KEY\_LOOKUP","Enabled":true,"SeverityOverride":null},"RULE\_003\_PARAM\_SNIFFING":{"RuleId":"RULE\_003\_PARAM\_SNIFFING","Enabled":true,"SeverityOverride":null},"RULE\_004\_ESTIMATE\_MISMATCH":{"RuleId":"RULE\_004\_ESTIMATE\_MISMATCH","Enabled":true,"SeverityOverride":null},"RULE\_017\_LARGE\_MEMORY\_GRANT":{"RuleId":"RULE\_017\_LARGE\_MEMORY\_GRANT","Enabled":true,"SeverityOverride":null},"RULE\_006\_RESIDUAL\_PREDICATE":{"RuleId":"RULE\_006\_RESIDUAL\_PREDICATE","Enabled":true,"SeverityOverride":null},"RULE\_008\_SPILL\_DETECTION":{"RuleId":"RULE\_008\_SPILL\_DETECTION","Enabled":true,"SeverityOverride":null},"RULE\_009\_PARALLEL\_SKEW":{"RuleId":"RULE\_009\_PARALLEL\_SKEW","Enabled":true,"SeverityOverride":null},"RULE\_011\_UDF\_TVF":{"RuleId":"RULE\_011\_UDF\_TVF","Enabled":true,"SeverityOverride":null},"RULE\_012\_NESTED\_LOOPS\_HIGH\_EXEC":{"RuleId":"RULE\_012\_NESTED\_LOOPS\_HIGH\_EXEC","Enabled":true,"SeverityOverride":null},"RULE\_013\_ANTI\_PATTERN":{"RuleId":"RULE\_013\_ANTI\_PATTERN","Enabled":true,"SeverityOverride":null},"RULE\_014\_SERIAL\_PLAN\_REASON":{"RuleId":"RULE\_014\_SERIAL\_PLAN\_REASON","Enabled":true,"SeverityOverride":null},"RULE\_015\_LOCAL\_VARIABLES":{"RuleId":"RULE\_015\_LOCAL\_VARIABLES","Enabled":true,"SeverityOverride":"Warning"},"RULE\_016\_ZERO\_ROW\_ACTUALS":{"RuleId":"RULE\_016\_ZERO\_ROW\_ACTUALS","Enabled":true,"SeverityOverride":null},"RULE\_036\_WAIT\_STATS":{"RuleId":"RULE\_036\_WAIT\_STATS","Enabled":true,"SeverityOverride":null}}

```
d":true,"SeverityOverride":null},"RULE_037_RESOURCE_SEMAPHORE":{"RuleId":"RULE_037_RESOURCE_SEMAPHORE","Enabled":true,"SeverityOverride":null},"RULE_018_OPTIMIZER_ABORT":{"RuleId":"RULE_018_OPTIMIZER_ABORT","Enabled":true,"SeverityOverride":null},"RULE_019_CACHE_RECOMPILE":{"RuleId":"RULE_019_CACHE_RECOMPILE","Enabled":true,"SeverityOverride":null},"RULE_020_MISSING_INDEX":{"RuleId":"RULE_020_MISSING_INDEX","Enabled":true,"SeverityOverride":null},"RULE_021_TABLE_SCAN":{"RuleId":"RULE_021_TABLE_SCAN","Enabled":true,"SeverityOverride":null},"RULE_022_HIGH_COST_OP":{"RuleId":"RULE_022_HIGH_COST_OP","Enabled":true,"SeverityOverride":null},"RULE_023_RUNNING_TOTAL_PATTERN":{"RuleId":"RULE_023_RUNNING_TOTAL_PATTERN","Enabled":true,"SeverityOverride":null},"RULE_024_SCALAR_SUBQUERY_PATTERN":{"RuleId":"RULE_024_SCALAR_SUBQUERY_PATTERN","Enabled":true,"SeverityOverride":null},"RULE_025_QUERY_REWRITE":{"RuleId":"RULE_025_QUERY_REWRITE","Enabled":true,"SeverityOverride":null},"RULE_026_IMPLICIT_CONV_DOC":{"RuleId":"RULE_026_IMPLICIT_CONV_DOC","Enabled":true,"SeverityOverride":null},"RULE_027_PARAM_SNIFFING_DOC":{"RuleId":"RULE_027_PARAM_SNIFFING_DOC","Enabled":true,"SeverityOverride":null},"RULE_028_STATS_USAGE":{"RuleId":"RULE_028_STATS_USAGE","Enabled":true,"SeverityOverride":null},"RULE_029_MEMORY_GRANT_DOC":{"RuleId":"RULE_029_MEMORY_GRANT_DOC","Enabled":true,"SeverityOverride":null},"RULE_030_CARDINALITY_ERROR":{"RuleId":"RULE_030_CARDINALITY_ERROR","Enabled":true,"SeverityOverride":null},"RULE_031_KEY_LOOKUP_OP":{"RuleId":"RULE_031_KEY_LOOKUP_OP","Enabled":true,"SeverityOverride":null},"RULE_032_MEMORY_SPILL":{"RuleId":"RULE_032_MEMORY_SPILL","Enabled":true,"SeverityOverride":null},"RULE_033_THREAD_SKEW":{"RuleId":"RULE_033_THREAD_SKEW","Enabled":true,"SeverityOverride":null},"RULE_034_RESIDUAL_PRED_OP":{"RuleId":"RULE_034_RESIDUAL_PRED_OP","Enabled":true,"SeverityOverride":null},"RULE_035_SARGABLE_INDEX_RECOMMENDATION":{"RuleId":"RULE_035_SARGABLE_INDEX_RECOMMENDATION","Enabled":true,"SeverityOverride":null}}
```

DocumentRefactoringNotices: 多语句计划已保留所有语句身份; 自动重构需要明确选定单条语句, 本次未生成跨语句改写。

=== Facts ===

B1/S2 SQL: SELECT 'SECRET\_IMP22\_7461' FROM [SECRET\_IMP22\_7461\_Table]

B1/S2/Q1/O1 PhysicalOp: Table Scan

B1/S2/Q1/O1 LogicalOp: Table Scan

B1/S2/Q1/O1 NodeId: 0

B1/S2/Q1/O1 Source: {"XmlPath":"/{http://schemas.microsoft.com/sqlserver/2004/07/showplan}ShowPlanXML[1]/{http://schemas.microsoft.com/sqlserver/2004/07/showplan}BatchSequence[1]/{http://schemas.microsoft.com/sqlserver/2004/07/showplan}Batch[1]/{http://schemas.microsoft.com/sqlserver/2004/07/showplan}Statements[1]/{http://schemas.microsoft.com/sqlserver/2004/07/showplan}StmtSimple[2]/{http://schemas.microsoft.com/sqlserver/2004/07/showplan}QueryPlan[1]/{http://schemas.microsoft.com/sqlserver/2004/07/showplan}RelOp[1]","Line":3,"Column":99,"EventIndex":null,"ByteOffset":null,"ByteLength":null}

B1/S2/Q1/O1 Object: ?.[SECRET\_IMP22\_7461\_Db].[dbo].[SECRET\_IMP22\_7461\_Table]

B1/S2/Q1/O1/Objects[1]/SourceAttributes/Field1/Name: Database

B1/S2/Q1/O1/Objects[1]/SourceAttributes/Field1: [SECRET\_IMP22\_7461\_Db]

B1/S2/Q1/O1/Objects[1]/SourceAttributes/Field2/Name: Schema

B1/S2/Q1/O1/Objects[1]/SourceAttributes/Field2: dbo

B1/S2/Q1/O1/Objects[1]/SourceAttributes/Field3/Name: Table

B1/S2/Q1/O1/Objects[1]/SourceAttributes/Field3: [SECRET\_IMP22\_7461\_Table]

B1/S2/Q1/O1/Objects[1]/DisplayName: [SECRET\_IMP22\_7461\_Table]

B1/S2/Q1/O1/Partitioned: N/A

B1/S2/Q1/O1/PartitionCount: N/A  
B1/S2/Q1/O1/PartitionRange: N/A  
B1/S2/Q1/O1/Execution/ActualExecutionMode: N/A  
B1/S2/Q1/O1/Execution/EstimatedExecutionMode: N/A  
B1/S2/Q1/O1/Execution/Parallel: N/A  
B1/S2/Q1/O1/Execution/Ordered: N/A  
B1/S2/Q1/O1/Execution/ExecutionMode: N/A  
B1/S2/Q1/O1/Execution/ParallelDisplay: N/A  
B1/S2/Q1/O1/Execution/OrderedDisplay: N/A  
B1/S2/Q1/O1/Threads[1]/ThreadId: 0  
B1/S2/Q1/O1/Threads[1]/SourceAttributes/Field1/Name: Thread  
B1/S2/Q1/O1/Threads[1]/SourceAttributes/Field1: 0  
B1/S2/Q1/O1/Threads[1]/SourceAttributes/Field2/Name: ActualRows  
B1/S2/Q1/O1/Threads[1]/SourceAttributes/Field2: 100  
B1/S2/Q1/O1/Threads[1]/SourceAttributes/Field3/Name: ActualRowsRead  
B1/S2/Q1/O1/Threads[1]/SourceAttributes/Field3: 1000  
B1/S2/Q1/O1/Threads[1]/SourceAttributes/Field4/Name: ActualExecutions  
B1/S2/Q1/O1/Threads[1]/SourceAttributes/Field4: 1  
B1/S2/Q1/O1/Threads[1]/OutputRows/Value: 100  
B1/S2/Q1/O1/Threads[1]/OutputRows/State: Available  
B1/S2/Q1/O1/Threads[1]/OutputRows/Unit: rows  
B1/S2/Q1/O1/Threads[1]/OutputRows/Source: RunTimeInformation/RunTimeCountersPerThread/@ActualRows  
B1/S2/Q1/O1/Threads[1]/OutputRows/Kind: Actual  
B1/S2/Q1/O1/Threads[1]/OutputRows/Aggregation: Attribute  
B1/S2/Q1/O1/Threads[1]/OutputRows/IsPresent: True  
B1/S2/Q1/O1/Threads[1]/OutputRows/IsAvailable: True  
B1/S2/Q1/O1/Threads[1]/RowsRead/Value: 1000  
B1/S2/Q1/O1/Threads[1]/RowsRead/State: Available  
B1/S2/Q1/O1/Threads[1]/RowsRead/Unit: rows  
B1/S2/Q1/O1/Threads[1]/RowsRead/Source: RunTimeInformation/RunTimeCountersPerThread/@ActualRowsRead  
B1/S2/Q1/O1/Threads[1]/RowsRead/Kind: Actual  
B1/S2/Q1/O1/Threads[1]/RowsRead/Aggregation: Attribute  
B1/S2/Q1/O1/Threads[1]/RowsRead/IsPresent: True  
B1/S2/Q1/O1/Threads[1]/RowsRead/IsAvailable: True  
B1/S2/Q1/O1/Threads[1]/Executions/Value: 1  
B1/S2/Q1/O1/Threads[1]/Executions/State: Available  
B1/S2/Q1/O1/Threads[1]/Executions/Unit: executions  
B1/S2/Q1/O1/Threads[1]/Executions/Source: RunTimeInformation/RunTimeCountersPerThread/@ActualExecutions  
B1/S2/Q1/O1/Threads[1]/Executions/Kind: Actual  
B1/S2/Q1/O1/Threads[1]/Executions/Aggregation: Attribute  
B1/S2/Q1/O1/Threads[1]/Executions/IsPresent: True  
B1/S2/Q1/O1/Threads[1]/Executions/IsAvailable: True

B1/S2/Q1/O1/Threads[1]/Rebinds/Value: N/A  
B1/S2/Q1/O1/Threads[1]/Rebinds/State: Missing  
B1/S2/Q1/O1/Threads[1]/Rebinds/Unit: rebinds  
B1/S2/Q1/O1/Threads[1]/Rebinds/Source: RunTimeInformation/RunTimeCountersPerThread/@ActualRebinds  
B1/S2/Q1/O1/Threads[1]/Rebinds/Kind: Actual  
B1/S2/Q1/O1/Threads[1]/Rebinds/Aggregation: Attribute  
B1/S2/Q1/O1/Threads[1]/Rebinds/IsPresent: False  
B1/S2/Q1/O1/Threads[1]/Rebinds/IsAvailable: False  
B1/S2/Q1/O1/Threads[1]/Rewinds/Value: N/A  
B1/S2/Q1/O1/Threads[1]/Rewinds/State: Missing  
B1/S2/Q1/O1/Threads[1]/Rewinds/Unit: rewinds  
B1/S2/Q1/O1/Threads[1]/Rewinds/Source: RunTimeInformation/RunTimeCountersPerThread/@ActualRewinds  
B1/S2/Q1/O1/Threads[1]/Rewinds/Kind: Actual  
B1/S2/Q1/O1/Threads[1]/Rewinds/Aggregation: Attribute  
B1/S2/Q1/O1/Threads[1]/Rewinds/IsPresent: False  
B1/S2/Q1/O1/Threads[1]/Rewinds/IsAvailable: False  
B1/S2/Q1/O1/Threads[1]/ElapsedTime/Value: N/A  
B1/S2/Q1/O1/Threads[1]/ElapsedTime/State: Missing  
B1/S2/Q1/O1/Threads[1]/ElapsedTime/Unit: ms  
B1/S2/Q1/O1/Threads[1]/ElapsedTime/Source: RunTimeInformation/RunTimeCountersPerThread/@ActualElapsedms  
B1/S2/Q1/O1/Threads[1]/ElapsedTime/Kind: Actual  
B1/S2/Q1/O1/Threads[1]/ElapsedTime/Aggregation: Attribute  
B1/S2/Q1/O1/Threads[1]/ElapsedTime/IsPresent: False  
B1/S2/Q1/O1/Threads[1]/ElapsedTime/IsAvailable: False  
B1/S2/Q1/O1/Threads[1]/CpuTime/Value: N/A  
B1/S2/Q1/O1/Threads[1]/CpuTime/State: Missing  
B1/S2/Q1/O1/Threads[1]/CpuTime/Unit: ms  
B1/S2/Q1/O1/Threads[1]/CpuTime/Source: RunTimeInformation/RunTimeCountersPerThread/@ActualCPUMs  
B1/S2/Q1/O1/Threads[1]/CpuTime/Kind: Actual  
B1/S2/Q1/O1/Threads[1]/CpuTime/Aggregation: Attribute  
B1/S2/Q1/O1/Threads[1]/CpuTime/IsPresent: False  
B1/S2/Q1/O1/Threads[1]/CpuTime/IsAvailable: False  
B1/S2/Q1/O1/Threads[1]/LogicalReads/Value: N/A  
B1/S2/Q1/O1/Threads[1]/LogicalReads/State: Missing  
B1/S2/Q1/O1/Threads[1]/LogicalReads/Unit: pages  
B1/S2/Q1/O1/Threads[1]/LogicalReads/Source: RunTimeInformation/RunTimeCountersPerThread/@ActualLogicalReads  
B1/S2/Q1/O1/Threads[1]/LogicalReads/Kind: Actual  
B1/S2/Q1/O1/Threads[1]/LogicalReads/Aggregation: Attribute  
B1/S2/Q1/O1/Threads[1]/LogicalReads/IsPresent: False  
B1/S2/Q1/O1/Threads[1]/LogicalReads/IsAvailable: False

B1/S2/Q1/O1/Threads[1]/PhysicalReads/Value: N/A  
B1/S2/Q1/O1/Threads[1]/PhysicalReads/State: Missing  
B1/S2/Q1/O1/Threads[1]/PhysicalReads/Unit: pages  
B1/S2/Q1/O1/Threads[1]/PhysicalReads/Source: RunTimeInformation/RunTimeCountersPerThread/@ActualPhysicalReads  
B1/S2/Q1/O1/Threads[1]/PhysicalReads/Kind: Actual  
B1/S2/Q1/O1/Threads[1]/PhysicalReads/Aggregation: Attribute  
B1/S2/Q1/O1/Threads[1]/PhysicalReads/IsPresent: False  
B1/S2/Q1/O1/Threads[1]/PhysicalReads/IsAvailable: False  
B1/S2/Q1/O1/EstimatedRows/Value: 1  
B1/S2/Q1/O1/EstimatedRows/State: Available  
B1/S2/Q1/O1/EstimatedRows/Unit: rows/execution  
B1/S2/Q1/O1/EstimatedRows/Source: RelOp/@EstimateRows  
B1/S2/Q1/O1/EstimatedRows/Kind: Estimated  
B1/S2/Q1/O1/EstimatedRows/Aggregation: Attribute  
B1/S2/Q1/O1/EstimatedRows/IsPresent: True  
B1/S2/Q1/O1/EstimatedRows/IsAvailable: True  
B1/S2/Q1/O1/EstimatedRowsRead/Value: N/A  
B1/S2/Q1/O1/EstimatedRowsRead/State: Missing  
B1/S2/Q1/O1/EstimatedRowsRead/Unit: rows/execution  
B1/S2/Q1/O1/EstimatedRowsRead/Source: RelOp/@EstimatedRowsRead  
B1/S2/Q1/O1/EstimatedRowsRead/Kind: Estimated  
B1/S2/Q1/O1/EstimatedRowsRead/Aggregation: Attribute  
B1/S2/Q1/O1/EstimatedRowsRead/IsPresent: False  
B1/S2/Q1/O1/EstimatedRowsRead/IsAvailable: False  
B1/S2/Q1/O1/EstimatedCpuCost/Value: N/A  
B1/S2/Q1/O1/EstimatedCpuCost/State: Missing  
B1/S2/Q1/O1/EstimatedCpuCost/Unit: optimizer-cost  
B1/S2/Q1/O1/EstimatedCpuCost/Source: RelOp/@EstimateCPU  
B1/S2/Q1/O1/EstimatedCpuCost/Kind: Estimated  
B1/S2/Q1/O1/EstimatedCpuCost/Aggregation: Attribute  
B1/S2/Q1/O1/EstimatedCpuCost/IsPresent: False  
B1/S2/Q1/O1/EstimatedCpuCost/IsAvailable: False  
B1/S2/Q1/O1/EstimatedIoCost/Value: N/A  
B1/S2/Q1/O1/EstimatedIoCost/State: Missing  
B1/S2/Q1/O1/EstimatedIoCost/Unit: optimizer-cost  
B1/S2/Q1/O1/EstimatedIoCost/Source: RelOp/@EstimateIO  
B1/S2/Q1/O1/EstimatedIoCost/Kind: Estimated  
B1/S2/Q1/O1/EstimatedIoCost/Aggregation: Attribute  
B1/S2/Q1/O1/EstimatedIoCost/IsPresent: False  
B1/S2/Q1/O1/EstimatedIoCost/IsAvailable: False  
B1/S2/Q1/O1/AverageRowSize/Value: N/A  
B1/S2/Q1/O1/AverageRowSize/State: Missing  
B1/S2/Q1/O1/AverageRowSize/Unit: bytes/row  
B1/S2/Q1/O1/AverageRowSize/Source: RelOp/@AvgRowSize

B1/S2/Q1/O1/AverageRowSize/Kind: Estimated  
B1/S2/Q1/O1/AverageRowSize/Aggregation: Attribute  
B1/S2/Q1/O1/AverageRowSize/IsPresent: False  
B1/S2/Q1/O1/AverageRowSize/IsAvailable: False  
B1/S2/Q1/O1/EstimatedExecutions/Value: N/A  
B1/S2/Q1/O1/EstimatedExecutions/State: Missing  
B1/S2/Q1/O1/EstimatedExecutions/Unit: executions  
B1/S2/Q1/O1/EstimatedExecutions/Source: EstimateRebinds + EstimateRewinds + 1  
B1/S2/Q1/O1/EstimatedExecutions/Kind: Estimated  
B1/S2/Q1/O1/EstimatedExecutions/Aggregation: RebindsPlusRewindsPlusOne  
B1/S2/Q1/O1/EstimatedExecutions/IsPresent: False  
B1/S2/Q1/O1/EstimatedExecutions/IsAvailable: False  
B1/S2/Q1/O1/SubtreeCost/Value: N/A  
B1/S2/Q1/O1/SubtreeCost/State: Missing  
B1/S2/Q1/O1/SubtreeCost/Unit: optimizer-cost  
B1/S2/Q1/O1/SubtreeCost/Source: RelOp/@EstimatedTotalSubtreeCost  
B1/S2/Q1/O1/SubtreeCost/Kind: Estimated  
B1/S2/Q1/O1/SubtreeCost/Aggregation: Attribute  
B1/S2/Q1/O1/SubtreeCost/IsPresent: False  
B1/S2/Q1/O1/SubtreeCost/IsAvailable: False  
B1/S2/Q1/O1/OwnCost/Value: N/A  
B1/S2/Q1/O1/OwnCost/State: Missing  
B1/S2/Q1/O1/OwnCost/Unit: optimizer-cost  
B1/S2/Q1/O1/OwnCost/Source: EstimatedTotalSubtreeCost - direct child subtree costs  
B1/S2/Q1/O1/OwnCost/Kind: Estimated  
B1/S2/Q1/O1/OwnCost/Aggregation: SubtreeMinusChildren  
B1/S2/Q1/O1/OwnCost/IsPresent: False  
B1/S2/Q1/O1/OwnCost/IsAvailable: False  
B1/S2/Q1/O1/OutputRows/Value: 100  
B1/S2/Q1/O1/OutputRows/State: Available  
B1/S2/Q1/O1/OutputRows/Unit: rows  
B1/S2/Q1/O1/OutputRows/Source: RunTimeInformation/RunTimeCountersPerThread/@ActualRows  
B1/S2/Q1/O1/OutputRows/Kind: Actual  
B1/S2/Q1/O1/OutputRows/Aggregation: SumThreads  
B1/S2/Q1/O1/OutputRows/IsPresent: True  
B1/S2/Q1/O1/OutputRows/IsAvailable: True  
B1/S2/Q1/O1/RowsRead/Value: 1000  
B1/S2/Q1/O1/RowsRead/State: Available  
B1/S2/Q1/O1/RowsRead/Unit: rows  
B1/S2/Q1/O1/RowsRead/Source: RunTimeInformation/RunTimeCountersPerThread/@ActualRowsRead  
B1/S2/Q1/O1/RowsRead/Kind: Actual  
B1/S2/Q1/O1/RowsRead/Aggregation: SumThreads  
B1/S2/Q1/O1/RowsRead/IsPresent: True  
B1/S2/Q1/O1/RowsRead/IsAvailable: True  
B1/S2/Q1/O1/ThreadExecutions/Value: 1

B1/S2/Q1/O1/ThreadExecutions/State: Available  
B1/S2/Q1/O1/ThreadExecutions/Unit: executions  
B1/S2/Q1/O1/ThreadExecutions/Source: RunTimeInformation/RunTimeCountersPerThread/@ActualExecutions  
B1/S2/Q1/O1/ThreadExecutions/Kind: Actual  
B1/S2/Q1/O1/ThreadExecutions/Aggregation: SumThreads  
B1/S2/Q1/O1/ThreadExecutions/IsPresent: True  
B1/S2/Q1/O1/ThreadExecutions/IsAvailable: True  
B1/S2/Q1/O1/LogicalExecutions/Value: 1  
B1/S2/Q1/O1/LogicalExecutions/State: Available  
B1/S2/Q1/O1/LogicalExecutions/Unit: executions  
B1/S2/Q1/O1/LogicalExecutions/Source: serial counter or common active worker executions  
B1/S2/Q1/O1/LogicalExecutions/Kind: Actual  
B1/S2/Q1/O1/LogicalExecutions/Aggregation: CommonWorkerExecutions  
B1/S2/Q1/O1/LogicalExecutions/IsPresent: True  
B1/S2/Q1/O1/LogicalExecutions/IsAvailable: True  
B1/S2/Q1/O1/RowsPerExecution/Value: 100  
B1/S2/Q1/O1/RowsPerExecution/State: Available  
B1/S2/Q1/O1/RowsPerExecution/Unit: rows/execution  
B1/S2/Q1/O1/RowsPerExecution/Source: ActualRows / logical executions  
B1/S2/Q1/O1/RowsPerExecution/Kind: Actual  
B1/S2/Q1/O1/RowsPerExecution/Aggregation: RowsPerExecution  
B1/S2/Q1/O1/RowsPerExecution/IsPresent: True  
B1/S2/Q1/O1/RowsPerExecution/IsAvailable: True  
B1/S2/Q1/O1/Rebinds/Value: N/A  
B1/S2/Q1/O1/Rebinds/State: Missing  
B1/S2/Q1/O1/Rebinds/Unit: rebinds  
B1/S2/Q1/O1/Rebinds/Source: RunTimeInformation/RunTimeCountersPerThread/@ActualRebinds  
B1/S2/Q1/O1/Rebinds/Kind: Actual  
B1/S2/Q1/O1/Rebinds/Aggregation: SumThreads  
B1/S2/Q1/O1/Rebinds/IsPresent: False  
B1/S2/Q1/O1/Rebinds/IsAvailable: False  
B1/S2/Q1/O1/Rewinds/Value: N/A  
B1/S2/Q1/O1/Rewinds/State: Missing  
B1/S2/Q1/O1/Rewinds/Unit: rewinds  
B1/S2/Q1/O1/Rewinds/Source: RunTimeInformation/RunTimeCountersPerThread/@ActualRewinds  
B1/S2/Q1/O1/Rewinds/Kind: Actual  
B1/S2/Q1/O1/Rewinds/Aggregation: SumThreads  
B1/S2/Q1/O1/Rewinds/IsPresent: False  
B1/S2/Q1/O1/Rewinds/IsAvailable: False  
B1/S2/Q1/O1/ElapsedTime/Value: N/A  
B1/S2/Q1/O1/ElapsedTime/State: Missing  
B1/S2/Q1/O1/ElapsedTime/Unit: ms  
B1/S2/Q1/O1/ElapsedTime/Source: RunTimeInformation/RunTimeCountersPerThread/@ActualElapsedms

B1/S2/Q1/O1/ElapsedTime/Kind: Actual  
B1/S2/Q1/O1/ElapsedTime/Aggregation: MaxThreads  
B1/S2/Q1/O1/ElapsedTime/IsPresent: False  
B1/S2/Q1/O1/ElapsedTime/IsAvailable: False  
B1/S2/Q1/O1/CpuTime/Value: N/A  
B1/S2/Q1/O1/CpuTime/State: Missing  
B1/S2/Q1/O1/CpuTime/Unit: ms  
B1/S2/Q1/O1/CpuTime/Source: RunTimeInformation/RunTimeCountersPerThread/@ActualCPUs  
B1/S2/Q1/O1/CpuTime/Kind: Actual  
B1/S2/Q1/O1/CpuTime/Aggregation: SumThreads  
B1/S2/Q1/O1/CpuTime/IsPresent: False  
B1/S2/Q1/O1/CpuTime/IsAvailable: False  
B1/S2/Q1/O1/LogicalReads/Value: N/A  
B1/S2/Q1/O1/LogicalReads/State: Missing  
B1/S2/Q1/O1/LogicalReads/Unit: pages  
B1/S2/Q1/O1/LogicalReads/Source: RunTimeInformation/RunTimeCountersPerThread/@ActualLogicalReads  
B1/S2/Q1/O1/LogicalReads/Kind: Actual  
B1/S2/Q1/O1/LogicalReads/Aggregation: SumThreads  
B1/S2/Q1/O1/LogicalReads/IsPresent: False  
B1/S2/Q1/O1/LogicalReads/IsAvailable: False  
B1/S2/Q1/O1/PhysicalReads/Value: N/A  
B1/S2/Q1/O1/PhysicalReads/State: Missing  
B1/S2/Q1/O1/PhysicalReads/Unit: pages  
B1/S2/Q1/O1/PhysicalReads/Source: RunTimeInformation/RunTimeCountersPerThread/@ActualPhysicalReads  
B1/S2/Q1/O1/PhysicalReads/Kind: Actual  
B1/S2/Q1/O1/PhysicalReads/Aggregation: SumThreads  
B1/S2/Q1/O1/PhysicalReads/IsPresent: False  
B1/S2/Q1/O1/PhysicalReads/IsAvailable: False  
B1/S2/Q1/O1/PhysicalOp: Table Scan  
B1/S2/Q1/O1/HasResidualPredicate: False  
B1/S2/Q1/O1/WorkerRows: N/A

=== Diagnostics ===

D1 | RULE\_004\_ESTIMATE\_MISMATCH / 2.0.0 | B1/S2/Q1/O1 | Hit | Critical | High

Title: 基数估计偏差

DiagnosticId: ADD99E5D1F18B71A34352BCAE73779B8FCC628F27B30BFCD4EF120133D79A7D2

Details: [Critical] 基数估计偏差

诊断 ID: ADD99E5D1F18B71A34352BCAE73779B8FCC628F27B30BFCD4EF120133D79A7D2

来源: 7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2/Q1/N0/O1; 置信度: High

规则: RULE\_004\_ESTIMATE\_MISMATCH v2.0.0

估算每次执行 1 行, 实际每次执行 100 行; 偏差指标 100 倍 (较小行数按至少 1 行计算)。

证据 EstimatedRows: 1 rows/execution; Available/Estimated/Attribute; RelOp/@EstimateRows; 7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2/Q1/N0/O1



证据 OutputRows: 100 rows; Available/Actual/SumThreads; RunTimeInformation/RunTimeCountersPerThread/@ActualRows; 7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2/Q1/N0/O1

证据 LogicalExecutions: 1 executions; Available/Actual/CommonWorkerExecutions; serial counter or common active worker executions; 7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2/Q1/N0/O1

证据 RowsPerExecution: 100 rows/execution; Available/Actual/RowsPerExecution; ActualRows / logical executions; 7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2/Q1/N0/O1

证据 ComparisonDenominator: 1 rows/execution; Available//; max(1, min(EstimatedRows, RowsPerExecution)); 7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2/Q1/N0/O1

证据 DeviationRatio: 100 ratio; Available//; max(EstimatedRows, RowsPerExecution) / ComparisonDenominator; 7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2/Q1/N0/O1

证据 AbsoluteRowDifference: 99 rows/execution; Available//; abs(EstimatedRows - RowsPerExecution); 7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2/Q1/N0/O1

假设: 偏差可能与统计信息、参数分布、列相关性或过滤表达式有关, 现有证据不能确定根因。

建议: 核对同次采集的谓词、参数与统计信息, 再比较调整前后的实际计划。

适用条件: RULE004: 较大单次行数至少 100; 偏差指标  $\geq 10$  为 Warning、 $\geq 100$  为 Critical; 估算  $\geq 100$  且实际  $\leq 100$  时为 Critical。

限制: 实际总输出除以逻辑执行次数; 并行 worker 次数不相加, 次数不一致时不比较。

限制: 分母下限为 1, 零行与不足 1 行时该指标不是未经调整的数学倍数; 不能据此断定统计信息过时或连接算法错误。

Source: {"XmlPath": "http://schemas.microsoft.com/sqlserver/2004/07/showplan>ShowPlanXML[1]/http://schemas.microsoft.com/sqlserver/2004/07/showplan'BatchSequence[1]/http://schemas.microsoft.com/sqlserver/2004/07/showplan'Batch[1]/http://schemas.microsoft.com/sqlserver/2004/07/showplan'Statements[1]/http://schemas.microsoft.com/sqlserver/2004/07/showplan'StmtSimple[2]/http://schemas.microsoft.com/sqlserver/2004/07/showplan'QueryPlan[1]/http://schemas.microsoft.com/sqlserver/2004/07/showplan'RelOp[1]"; "Line": 3, "Column": 99, "EventIndex": null, "ByteOffset": null, "ByteLength": null}

Origins: [{"RuleId": "RULE\_004\_ESTIMATE\_MISMATCH", "RuleVersion": "2.0.0"}]

Evidence1/Location: B1/S2/Q1/O1

Evidence1/Name: EstimatedRows

Evidence1/Value: 1

Evidence1/State: Available

Evidence2/Location: B1/S2/Q1/O1

Evidence2/Name: OutputRows

Evidence2/Value: 100

Evidence2/State: Available

Evidence3/Location: B1/S2/Q1/O1

Evidence3/Name: LogicalExecutions

Evidence3/Value: 1

Evidence3/State: Available

Evidence4/Location: B1/S2/Q1/O1

Evidence4/Name: RowsPerExecution

Evidence4/Value: 100

Evidence4/State: Available

Evidence5/Location: B1/S2/Q1/O1

Evidence5/Name: ComparisonDenominator

Evidence5/Value: 1

Evidence5/State: Available

Evidence6/Location: B1/S2/Q1/O1

Evidence6/Name: DeviationRatio

Evidence6/Value: 100

Evidence6/State: Available

Evidence7/Location: B1/S2/Q1/O1

Evidence7/Name: AbsoluteRowDifference

Evidence7/Value: 99

Evidence7/State: Available

=== Rule Runs ===

R1 | RULE\_001\_IMPLICIT\_CONV / 1.0.0 | B1/S2/Q1/O1 | NoHit | N/A | N/A

ReasonCode: RULE\_NO\_HIT

Details: [NoHit] RULE\_001\_IMPLICIT\_CONV v1.0.0 [7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2/Q1/N0/O1]: RULE\_NO\_HIT — 兼容规则已执行，未返回匹配结果；不表示未实现的检查也已通过。

R2 | RULE\_002\_KEY\_LOOKUP / 1.0.0 | B1/S2/Q1/O1 | NoHit | N/A | N/A

ReasonCode: RULE\_NO\_HIT

Details: [NoHit] RULE\_002\_KEY\_LOOKUP v1.0.0 [7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2/Q1/N0/O1]: RULE\_NO\_HIT — 兼容规则已执行，未返回匹配结果；不表示未实现的检查也已通过。

R3 | RULE\_003\_PARAM\_SNIFFING / 1.0.0 | Document | NoHit | N/A | N/A

ReasonCode: RULE\_NO\_HIT

Details: [NoHit] RULE\_003\_PARAM\_SNIFFING v1.0.0 [7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9]: RULE\_NO\_HIT — 兼容规则已执行，未返回匹配结果；不表示未实现的检查也已通过。

R4 | RULE\_004\_ESTIMATE\_MISMATCH / 2.0.0 | B1/S2/Q1/O1 | Hit | N/A | N/A

ReasonCode: RULE\_HIT

Details: [Hit] RULE\_004\_ESTIMATE\_MISMATCH v2.0.0 [7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2/Q1/N0/O1]: RULE\_HIT — 检测到符合条件的诊断。

R5 | RULE\_017\_LARGE\_MEMORY\_GRANT / 1.0.0 | Document | NoHit | N/A | N/A

ReasonCode: RULE\_NO\_HIT

Details: [NoHit] RULE\_017\_LARGE\_MEMORY\_GRANT v1.0.0 [7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9]: RULE\_NO\_HIT — 兼容规则已执行，未返回匹配结果；不表示未实现的检查也已通过。

R6 | RULE\_006\_RESIDUAL\_PREDICATE / 2.0.0 | B1/S2/Q1/O1 | NoHit | N/A | N/A

ReasonCode: RULE\_NO\_HIT

Details: [NoHit] RULE\_006\_RESIDUAL\_PREDICATE v2.0.0 [7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2/Q1/N0/O1]: RULE\_NO\_HIT — 已执行规则，未满足触发条件。

R7 | RULE\_008\_SPILL\_DETECTION / 1.0.0 | B1/S2/Q1/O1 | NoHit | N/A | N/A

ReasonCode: RULE\_NO\_HIT

Details: [NoHit] RULE\_008\_SPILL\_DETECTION v1.0.0 [7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2/Q1/N0/O1]: RULE\_NO\_HIT — 兼容规则已执行，未返回匹配结果；不表示未实现的检查也已通过。

R8 | RULE\_009\_PARALLEL\_SKEW / 1.0.0 | B1/S2/Q1/O1 | Skipped | N/A | N/A

ReasonCode: RULE\_MISSING\_EVIDENCE

Details: [Skipped] RULE\_009\_PARALLEL\_SKEW v1.0.0 [7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2/Q1/N0/O1]: RULE\_MISSING\_EVIDENCE — 缺少可用证据: Parallel / worker 行分布

R9 | RULE\_011\_UDF\_TVF / 1.0.0 | B1/S2/Q1/O1 | NoHit | N/A | N/A

ReasonCode: RULE\_NO\_HIT

Details: [NoHit] RULE\_011\_UDF\_TVF v1.0.0 [7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2/Q1/N0/O1]: RULE\_NO\_HIT — 兼容规则已执行，未返回匹配结果；不表示未实现的检查也已通过。

R10 | RULE\_012\_NESTED\_LOOPS\_HIGH\_EXEC / 1.0.0 | B1/S2/Q1/O1 | Skipped | N/A | N/A

ReasonCode: RULE\_NOT\_APPLICABLE

Details: [Skipped] RULE\_012\_NESTED\_LOOPS\_HIGH\_EXEC v1.0.0 [7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2/Q1/N0/O1]: RULE\_NOT\_APPLICABLE — 算子不属于本规则支持的循环或查找类型。

R11 | RULE\_013\_ANTI\_PATTERN / 1.0.0 | B1/S2/Q1/O1 | NoHit | N/A | N/A

ReasonCode: RULE\_NO\_HIT

Details: [NoHit] RULE\_013\_ANTI\_PATTERN v1.0.0 [7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2/Q1/N0/O1]: RULE\_NO\_HIT — 兼容规则已执行，未返回匹配结果；不表示未实现的检查也已通过。

R12 | RULE\_014\_SERIAL\_PLAN\_REASON / 1.0.0 | Document | NoHit | N/A | N/A

ReasonCode: RULE\_NO\_HIT

Details: [NoHit] RULE\_014\_SERIAL\_PLAN\_REASON v1.0.0 [7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9]: RULE\_NO\_HIT — 兼容规则已执行，未返回匹配结果；不表示未实现的检查也已通过。

R13 | RULE\_015\_LOCAL\_VARIABLES / 1.0.0 | B1/S2 | NoHit | N/A | N/A

ReasonCode: RULE\_NO\_HIT

Details: [NoHit] RULE\_015\_LOCAL\_VARIABLES v1.0.0 [7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2]: RULE\_NO\_HIT — 兼容规则已执行，未返回匹配结果；不表示未实现的检查也已通过。

R14 | RULE\_016\_ZERO\_ROW\_ACTUALS / 1.0.0 | B1/S2/Q1/O1 | NoHit | N/A | N/A

ReasonCode: RULE\_NO\_HIT

Details: [NoHit] RULE\_016\_ZERO\_ROW\_ACTUALS v1.0.0 [7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2/Q1/N0/O1]: RULE\_NO\_HIT — 兼容规则已执行，未返回匹配结果；不表示未实现的检查也已通过。

R15 | RULE\_036\_WAIT\_STATS / 1.0.0 | Document | NoHit | N/A | N/A

ReasonCode: RULE\_NO\_HIT

Details: [NoHit] RULE\_036\_WAIT\_STATS v1.0.0 [7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9]: RULE\_NO\_HIT — 兼容规则已执行，未返回匹配结果；不表示未实现的检查也已通过。

R16 | RULE\_037\_RESOURCE\_SEMAPHORE / 1.0.0 | Document | NoHit | N/A | N/A

ReasonCode: RULE\_NO\_HIT

Details: [NoHit] RULE\_037\_RESOURCE\_SEMAPHORE v1.0.0 [7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9]: RULE\_NO\_HIT — 兼容规则已执行，未返回匹配结果；不表示未实现的检查也已通过。

R17 | RULE\_018\_OPTIMIZER\_ABORT / 1.0.0 | B1/S2 | NoHit | N/A | N/A

ReasonCode: RULE\_NO\_HIT

Details: [NoHit] RULE\_018\_OPTIMIZER\_ABORT v1.0.0 [7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2]: RULE\_NO\_HIT — 兼容规则已执行，未返回匹配结果；不表示未实现的检查也已通过。

R18 | RULE\_019\_CACHE\_RECOMPILE / 1.0.0 | Document | NoHit | N/A | N/A

ReasonCode: RULE\_NO\_HIT

Details: [NoHit] RULE\_019\_CACHE\_RECOMPILE v1.0.0 [7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9]: RULE\_NO\_HIT — 兼容规则已执行，未返回匹配结果；不表示未实现的检查也已通过。

R19 | RULE\_020\_MISSING\_INDEX / 2.1.1 | Document | NoHit | N/A | N/A

ReasonCode: RULE\_NO\_HIT

Details: [NoHit] RULE\_020\_MISSING\_INDEX v2.1.1 [7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9]: RULE\_NO\_HIT — 兼容规则已执行，未返回匹配结果；不表示未实现的检查也已通过。

R20 | RULE\_021\_TABLE\_SCAN / 1.0.0 | B1/S2/Q1/O1 | NoHit | N/A | N/A

ReasonCode: RULE\_NO\_HIT

Details: [NoHit] RULE\_021\_TABLE\_SCAN v1.0.0 [7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2/Q1/N0/O1]: RULE\_NO\_HIT — 兼容规则已执行，未返回匹配结果；不表示未实现的检查也已通过。

R21 | RULE\_022\_HIGH\_COST\_OP / 1.0.0 | Document | NoHit | N/A | N/A

ReasonCode: RULE\_NO\_HIT

Details: [NoHit] RULE\_022\_HIGH\_COST\_OP v1.0.0 [7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9]: RULE\_NO\_HIT — 兼容规则已执行，未返回匹配结果；不表示未实现的检查也已通过。

R22 | RULE\_023\_RUNNING\_TOTAL\_PATTERN / 1.0.0 | B1/S2 | NoHit | N/A | N/A

ReasonCode: RULE\_NO\_HIT

Details: [NoHit] RULE\_023\_RUNNING\_TOTAL\_PATTERN v1.0.0 [7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2]: RULE\_NO\_HIT — 兼容规则已执行，未返回匹配结果；不表示未实现的检查也已通过。

R23 | RULE\_024\_SCALAR\_SUBQUERY\_PATTERN / 1.0.0 | B1/S2 | NoHit | N/A | N/A

ReasonCode: RULE\_NO\_HIT

Details: [NoHit] RULE\_024\_SCALAR\_SUBQUERY\_PATTERN v1.0.0 [7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2]: RULE\_NO\_HIT — 兼容规则已执行，未返回匹配结果；不表示未实现的检查也已通过。

R24 | RULE\_025\_QUERY\_REWRITE / 1.0.0 | Document | NoHit | N/A | N/A

ReasonCode: RULE\_NO\_HIT

Details: [NoHit] RULE\_025\_QUERY\_REWRITE v1.0.0 [7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9]: RULE\_NO\_HIT — 兼容规则已执行，未返回匹配结果；不表示未实现的检查也已通过。

R25 | RULE\_026\_IMPLICIT\_CONV\_DOC / 1.0.0 | Document | NoHit | N/A | N/A

ReasonCode: RULE\_NO\_HIT

Details: [NoHit] RULE\_026\_IMPLICIT\_CONV\_DOC v1.0.0 [7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9]: RULE\_NO\_HIT — 兼容规则已执行, 未返回匹配结果; 不表示未实现的检查也已通过。

R26 | RULE\_027\_PARAM\_SNIFFING\_DOC / 1.0.0 | Document | NoHit | N/A | N/A

ReasonCode: RULE\_NO\_HIT

Details: [NoHit] RULE\_027\_PARAM\_SNIFFING\_DOC v1.0.0 [7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9]: RULE\_NO\_HIT — 兼容规则已执行, 未返回匹配结果; 不表示未实现的检查也已通过。

R27 | RULE\_028\_STATS\_USAGE / 1.0.0 | Document | NoHit | N/A | N/A

ReasonCode: RULE\_NO\_HIT

Details: [NoHit] RULE\_028\_STATS\_USAGE v1.0.0 [7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9]: RULE\_NO\_HIT — 兼容规则已执行, 未返回匹配结果; 不表示未实现的检查也已通过。

R28 | RULE\_029\_MEMORY\_GRANT\_DOC / 1.0.0 | Document | NoHit | N/A | N/A

ReasonCode: RULE\_NO\_HIT

Details: [NoHit] RULE\_029\_MEMORY\_GRANT\_DOC v1.0.0 [7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9]: RULE\_NO\_HIT — 兼容规则已执行, 未返回匹配结果; 不表示未实现的检查也已通过。

R29 | RULE\_030\_CARDINALITY\_ERROR / 2.0.0 | B1/S2/Q1/O1 | NoHit | N/A | N/A

ReasonCode: RULE\_NO\_HIT

Details: [NoHit] RULE\_030\_CARDINALITY\_ERROR v2.0.0 [7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2/Q1/N0/O1]: RULE\_NO\_HIT — 已执行规则, 未满足触发条件。

R30 | RULE\_031\_KEY\_LOOKUP\_OP / 1.0.0 | B1/S2/Q1/O1 | NoHit | N/A | N/A

ReasonCode: RULE\_NO\_HIT

Details: [NoHit] RULE\_031\_KEY\_LOOKUP\_OP v1.0.0 [7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2/Q1/N0/O1]: RULE\_NO\_HIT — 兼容规则已执行, 未返回匹配结果; 不表示未实现的检查也已通过。

R31 | RULE\_032\_MEMORY\_SPILL / 1.0.0 | B1/S2/Q1/O1 | NoHit | N/A | N/A

ReasonCode: RULE\_NO\_HIT

Details: [NoHit] RULE\_032\_MEMORY\_SPILL v1.0.0 [7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2/Q1/N0/O1]: RULE\_NO\_HIT — 兼容规则已执行, 未返回匹配结果; 不表示未实现的检查也已通过。

R32 | RULE\_033\_THREAD\_SKEW / 1.0.0 | B1/S2/Q1/O1 | Skipped | N/A | N/A

ReasonCode: RULE\_MISSING\_EVIDENCE

Details: [Skipped] RULE\_033\_THREAD\_SKEW v1.0.0 [7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2/Q1/N0/O1]: RULE\_MISSING\_EVIDENCE — 缺少可用证据: 完整且角色明确的 worker 行分布

R33 | RULE\_034\_RESIDUAL\_PRED\_OP / 2.0.0 | B1/S2/Q1/O1 | NoHit | N/A | N/A

ReasonCode: RULE\_NO\_HIT

Details: [NoHit] RULE\_034\_RESIDUAL\_PRED\_OP v2.0.0 [7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2/Q1/N0/O1]: RULE\_NO\_HIT — 已执行规则, 未满足触发条件。

R34 | RULE\_035\_SARGABLE\_INDEX\_RECOMMENDATION / 2.1.1 | B1/S2 | NoHit | N/A | N/A

ReasonCode: RULE\_NO\_HIT

Details: [NoHit] RULE\_035\_SARGABLE\_INDEX\_RECOMMENDATION v2.1.1 [7DBC76A7C9681AD0E5B7D0C7D26557182A38F24E9F0882C936A1639AADAA03A9/B1/S2]: RULE\_NO\_HIT — 已执行规则，未满足触发条件。

=== Graph nodes / edges (complete) ===

B1/S2/Q1/O1: Table Scan ?.[SECRET\_IMP22\_7461\_Db].[dbo].[SECRET\_IMP22\_7461\_Table]

=== Source XML (selection) ===

```
<ShowPlanXML xmlns="http://schemas.microsoft.com/sqlserver/2004/07/showplan" Version="1.571" Build="16.0.1000.6">
  <BatchSequence>
    <Batch>
      <Statements>
        <StmtSimple StatementText="SELECT 'SECRET_IMP22_7461' FROM [SECRET_IMP22_7461_Table]">
          <QueryPlan>
            <RelOp NodeId="0" PhysicalOp="Table Scan" LogicalOp="Table Scan" EstimateRows="1">
              <RunTimeInformation>
                <RunTimeCountersPerThread Thread="0" ActualRows="100" ActualRowsRead="1000" ActualExecutions="1" />
              </RunTimeInformation>
              <TableScan>
                <Object Database="[SECRET_IMP22_7461_Db]" Schema="dbo" Table="[SECRET_IMP22_7461_Table]" />
              </TableScan>
            </RelOp>
          </QueryPlan>
        </StmtSimple>
      </Statements>
    </Batch>
  </BatchSequence>
</ShowPlanXML>
```