

# Lab: Stacks and Queues

Problems for exercises and homework for the ["CSharp Advanced" course @ Software University](#).

You can check your solutions here: <https://judge.softuni.bg/Contests/Practice/Index/925>.

## I. Working with Stacks

### 1. Reverse Strings

Write program that:

- Reads an input string
- Reverses it using a `Stack<T>`
- Prints the result back at the terminal

#### Examples

Input	Output
Learning Java	avaJ gninraeL
Stacks and Queues	seueuQ dna skcatS

#### Hints

- Use a `Stack<string>`
- Use the methods `Push()`, `Pop()`

### 2. Simple Calculator

Create a simple calculator that can evaluate simple expressions with only addition and subtraction. There will not be any parentheses.

Solve the problem using a Stack.

#### Examples

Input	Output
2 + 5 + 10 - 2 - 1	14
2 - 2 + 5	5

#### Hints

- Use a `Stack<string>`
- You can either
  - add the elements and then `Pop()` them out
  - or `Push()` them and reverse the stack

### 3. Decimal to Binary Converter

Create a simple program that can convert a decimal number to its binary representation. Implement an elegant solution using a Stack.

Print the binary representation back at the terminal.

## Examples

Input	Output
10	1010
1024	100000000000

## Hints

- If the given number is 0, just print 0
- Else, while the number is greater than zero, divide it by 2 and push the remainder into the stack
- When you are done dividing, pop all remainders from the stack – that is the binary representation

## 4. Matching Brackets

We are given an arithmetic expression with brackets. Scan through the string and extract each sub-expression.

Print the result back at the terminal.

## Examples

Input	Output
$1 + (2 - (2 + 3) * 4 / (3 + 1)) * 5$	$(2 + 3)$ $(3 + 1)$ $(2 - (2 + 3) * 4 / (3 + 1))$
$(2 + 3) - (2 + 3)$	$(2 + 3)$ $(2 + 3)$

## Hints

- Scan through the expression searching for brackets
  - If you find an opening bracket, push the index into the stack
  - If you find a closing bracket pop the topmost element from the stack. This is the index of the opening bracket.
  - Use the current and the popped index to extract the sub-expression

## II. Working with Queues

### 5. Hot Potato

Hot potato is a game in which **children form a circle and start passing a hot potato**. The counting starts with the first kid. **Every  $n^{\text{th}}$  toss the child left with the potato leaves the game**. When a kid leaves the game, it passes the potato along. This continues **until there is only one kid left**.

Create a program that simulates the game of Hot Potato. **Print every kid that is removed from the circle**. In the end, **print the kid that is left last**.

## Examples

Input	Output
Mimi Pepi Toshko 2	Removed Pepi Removed Mimi Last is Toshko

Gosho Pescho Misho Stefan Krasi 10	Removed Krasi Removed Pescho Removed Misho Removed Gosho Last is Stefan
Gosho Pescho Misho Stefan Krasi 1	Removed Gosho Removed Pescho Removed Misho Removed Stefan Last is Krasi

## 6. Traffic Light

Create a program that simulates the **queue** that forms during a **traffic jam**. During a traffic jam only **N** cars can **pass** the crossroads when the **light goes green**. Then the program reads the **vehicles** that **arrive** one by one and **adds** them to the **queue**. When the light **goes green** **N** number of cars **pass** the crossroads and **for each** a message "{car} passed!" is displayed. When the **"end"** command is given, **terminate** the program and **display** a **message** with the **total number** of cars that **passed** the crossroads.

### Input

- On the **first line** you will receive **N** – the number of cars that can pass during a green light
- On the **next lines**, until the **"end"** command is given, you will receive **commands** – a **single string**, either a **car** or **"green"**

### Output

- Every time the **"green"** command is given, **print out** a message for **every car** that **passes** the crossroads in the format "{car} passed!"
- When the **"end"** command is given, **print out** a message in the format "{number of cars} cars passed the crossroads."

### Examples

Input	Output
4 Hummer H2 Audi Lada Tesla Renault Trabant Mercedes MAN Truck green green Tesla Renault Trabant end	Hummer H2 passed! Audi passed! Lada passed! Tesla passed! Renault passed! Trabant passed! Mercedes passed! MAN Truck passed! 8 cars passed the crossroads.
3 Pescho's car Gosho's car	Pescho's car passed! Gosho's car passed! Mercedes CLS passed!

Mercedes CLS Nekva troshka green BMW X5 green end	Nekva troshka passed! BMW X5 passed! 5 cars passed the crossroads.
--	--