

Movera Driver

Global audit: screens, lifecycle, sheets, buttons, dead code

Repository: [baccarisverige-ux/Movera-driver](#) - Date: 29 Sep 2026

1. What this audit is

This is a static audit of the live driver app. The app starts at DriverHome (lib/main.dart). Last green CI and Pages deploy on this branch is commit 5015977. dart analyze lib reports 0 errors, 9 warnings, and 112 infos. Widget tests on that commit passed. This is not a phone walkthrough of every screen, and it is not a backend audit. There is no real dispatch server in this demo.

Verdict

The demo can be shown for about a minute. After that, Slide to complete trip does not finish the ride. Tests hide this because they always finish in under 90 seconds. Stops use invented pins, the last stop never drives to drop-off, and a second old onboarding app is still compiled next to the new documents and vehicles screens.

2. How the app actually starts

- main.dart builds DriverHome with accountPending: true. Sign-in is not the first screen.
- First radar tap does not go online. The sheet slides up a little, turns red, and shows Contact support and Skip demo.
- Contact support opens DriverDocuments. Skip demo marks the account active and closes the sheet.
- After skip, going online washes the lowered sheet green for 2 seconds. Going offline washes it red for 2 seconds. The expanded sheet does not change color.
- Logout from Profile opens DriverStarter. That is the only normal way into the old sign-in and create-account stack.
- Almost every offer, wait, fare, and document status is local demo data. Nothing is saved to a driver backend.

3. Screen map

Reachable means a driver can open it from Home, the drawer, Profile, Settings, or the ride, without using logout.

Reachable and in the current product

- Home sheet and radar orb. The home file is 5,321 lines.
- Active ride, waiting sheet, compact dock, completed ride, waybill. The ride file is 4,079 lines.
- Drawer: Profile, Wallet, Ride history, Scheduled rides, Preferences, Promotions, Driving logs, Support, Settings.
- Profile: Vehicles, Add vehicle, Analytics, Documents, Settings, legal text, logout.
- Settings: Sound and voice, Accessibility, Pin verification, Emergency contacts, Safety toolkit.
- Analytics then opens earnings stats, acceptance rate, and cancellation rate.
- Wallet opens My bank and the withdraw success screen.
- Dock icons: menu, wallet, inbox, scheduled rides.
- Safety and location buttons on the map. Destination picker.

Reachable only after logout, or leftover

- Auth starter, sign in, sign in phone, create account, phone verify, and the old additional-detail wizard (old add vehicle, old insurance, old registration, upload ID, take ID photo, select document type). These are a second onboarding product.
- Search pickup location is never opened. Its CURRENT button has onPressed: () {} so it does nothing even if opened.
- Confirm pickup location and search drop-off call each other, but nothing in Home or the ride opens that pair.
- My queue position is only opened from InAirportQueue.

4. Lifecycle, from radar to drop-off

4.1 Radar and account

P1 First tap is a demo gate, not going online.

accountPending is hard-coded true. A new tester who taps the radar gets the red contact sheet, not the green online flash. That has already been mistaken for a broken flash. Skip demo is the only exit, and it is easy to miss if the sheet overlap clips the words.

P1 Online and offline color only the collapsed sheet.

That matches the last request. If the sheet is up, the driver sees no color. The flash is a 2 second overlay, then it fades. It does not change trip state.

- Suspended drivers still cannot go online. A suspended sheet is shown instead.
- Going offline clears offers, destination mode, and the route, then closes the sheet.
- Offers are timers in the client: an exclusive offer, then radar offers, then a late reservation. They are not live trips.

4.2 Active ride stages

The controller only allows three stages: heading to pickup, waiting for the rider, on trip. Stops are not a stage. They are two local flags on the ride screen: a stop index and a paid-wait flag. Neither flag is written into the saved snapshot, so a reload always resumes at the first stop.

P0 Slide to complete trip does not complete the trip after 90 seconds.

_advanceRide sets _stageTransitioning to true and then calls _completeCurrentTrip. That method returns immediately if the flag is already true. The only path that clears the flag first is the short-trip popup, which only appears if the trip is finished in under 90 seconds. Widget tests always take that path, so CI stays green. On a normal trip the slider shows Trip completed and the ride stays open. Later slides do nothing. A restored on-trip ride has no start time, so it hits the same lock.

P0 The slide says Start trip while the driver is only heading to pickup, and then it locks.

Waiting starts only from I've arrived. The heading slide returns without changing stage, but the confirmed label is Waiting and the label text does not change, so the thumb stays on the checkmark until arrival rebuilds the control. The driver cannot use the real Start trip slide until then.

P0 Stop locations are invented.

_stopPoint interpolates a point between pickup and drop-off. The address text is the real stop name, but the pin, the route target, and the 100 m circle are not. Arriving at a stop in the demo is not arriving at that address.

P1 The last stop never drives to drop-off, and that complete also deadlocks.

After the paid wait on the last stop, the slide calls complete immediately. It does not route to the drop-off pin, and it does not pass the short-trip check. The journey card still lists a real drop-off underneath. The map only marks the drop-off, never the stop pins.

P1 A paid stop still looks like a pickup wait.

The sheet text says every minute is paid, and no-show is hidden. The clock colors still use the pickup windows: dark under 2 minutes, green until 5, then red. The expanded trip does not show the wait clock at all. Only the collapsed dock can open the stop-wait sheet. The title stays Dropping off for the whole trip, including while waiting at a stop.

P1 I've arrived is always allowed on the web demo.

_arrivalDemo is true when kIsWeb or the binding name contains Test. The 100 m rule never runs on GitHub Pages. On a real device build it would apply to the pickup and to the fake stop pin. The button stays visible when the driver is far, but it only shows a snackbar.

- Pickup wait: first 2 minutes are inside the fare. After that the wait is billed. No-show cancel appears at 5 minutes. That

part matches the requested pickup rule.

- Stop wait: the sheet says every minute is paid. There is no 2 free minutes and no no-show. That part matches the requested stop rule.
- A trip completed less than 90 seconds after Start trip opens a short-finish question before it really ends.
- Every document row, including tax and terms, opens the old Select document type screen (passport, license, national ID). It does not open the document named on the row.
- No-show cancel is listed after 5 minutes, but the ride is cancelled as cancelled by driver. The controller rejects a real no-show status. The 65 kr fee is never added. A second reason, Rider not at pickup, is available even before arrival.
- Call rider is a snackbar. Message opens a local chat. Map layers is a snackbar. Rider profile says the backend profile is not connected.
- On-trip radar is a hardcoded offer. The near-drop-off check is 30 km, and if GPS never arrives the check is skipped, so the offer always shows. While it is up, the ride sheet height is forced to zero.

4.3 What the slide is supposed to say

- No stops: I've arrived, then Slide to start trip, then Slide to complete trip.
- With stops: I've arrived at pickup, Slide to start first stop, I've arrived at the stop, Slide to second stop, and so on, then Slide to complete trip.
- While driving toward a stop the slide says Arrive at the stop and does nothing. That is easy to read as a broken button.

5. Sheets, scroll, and animation

Home and the active ride both use SlidingUpPanel plus MoveraSnapSheetController. panelSnapping is off. The package still starts its own 410 ms fling. The controller stops that by rewriting panelPosition, then runs a spring. Two animations can fight for one frame.

P1 Sheet drag and the list inside the sheet share one gesture.

Home listens to pointer down, move, and up on both the collapsed dock and the panel. A slow drag inside the expanded list can be read as a sheet drag. A fast flick can snap the sheet while the list is still scrolling. That is the scroll versus sheet fight.

P1 The activation sheet and the dock are two shapes stacked.

The red contact face uses the same notch clipper as the panel, and the collapsed dock is also red. Contact support is padded 72 px from the top. On a short phone the radar and the dock cover the words. Skip demo can sit under the dock. This is the shape and text bug already seen on device.

P1 Destination confirm and the airport queue are dead, not a live screen.

openDestinationPanel is the only code that sets hideMainPanel, and nothing calls it. DestinationSetPanel, InAirportQueue, and MyQueuePosition never open. Join Queue on that sheet has an empty onPressed. The live destination control is the picker and the On your way chip, not this panel.

- An exclusive offer sets the home sheet min height to 0 so the sheet disappears. Deny, accept, or timeout is supposed to bring it back. If a timer and a gesture land together, the sheet can return at the wrong snap.
- The green and red online flashes are drawn inside the dock clip. They do not change the notch geometry. They do cover the dock icons in white while the color is showing.
- Active ride opens with the panel already open (defaultPanelState OPEN). Home opens collapsed. The same snap helper does not mean the same first frame.
- Map gestures are blocked while a finger is on the ride slide. Home uses a separate block flag. A stuck true value would freeze the map until the next pointer up.

6. Buttons that lie or do nothing

- Slide to start trip during heading to pickup. Label is live. Action returns.

- Arrive at the stop while already driving to that stop. Label is live. Action returns.
- I've arrived on the web demo. Looks gated. The distance check is skipped.
- Call rider. Snackbar only.
- Settings dark mode. A local switch. ThemeData in main stays light. Nothing else reads the switch.
- Settings language. A local picker. No translations are applied.
- Pickup search CURRENT. onPressed is an empty function. The screen is also never opened.
- Promotions, preferences, driving logs, pin, emergency contacts, and sound screens save into widget state or a snackbar. A reload forgets them.
- Add vehicle photos can fall back to a demo file when the picker fails. The list then shows a photo that was never taken.
- Document rows say Completed. They are not uploaded, reviewed, or tied to an admin panel.

7. Dead code and wrong code

Analyzer warnings that are real unused code, not style:

- accept_ride.dart: unused _mint, _routeDistanceText, _nextTripMeta, _compactDockDetail.
- home.dart: unused _openDriverSheet, _driverStatCard, _showSuccessSnackbar. Optional driverSigned is never passed.
- destination_picker.dart: unused _green.

The 112 infos are mostly withOpacity, which Flutter now wants as withValues, plus a few print calls in the old insurance and registration screens. They do not fail CI. They are not the product bugs.

Duplicate products in one app

- New documents screen versus the old additional-detail upload wizard.
- New AddVehicle (make, model, year, plate, photos, remove) versus AdditionDetailAddVehicle.
- New destination picker versus the old search pickup, confirm, and drop-off sheets.
- Home radar offers versus the older ride request list. Both still exist.
- GetX is still used by the old additional-detail navigator. The rest of the driver app is not GetX. Two state styles in one binary.

8. Nonsense that will confuse a driver

- Airport queue and destination confirm panel are compiled and never opened. Join Queue does nothing.
- A slide labelled Start trip before the driver has arrived.
- Stop names on the sheet, and a pin that is only a fraction of the way to drop-off.
- Complete trip from the last stop, with the drop-off never driven.
- Documents marked Completed on an account that the radar still treats as not active.
- Green sheet for online and red sheet for offline, and also a red sheet for not active. The same red means two different things.
- Home is one 5,321 line state object. A sheet fix, an offer timer, and a document tap all live there. That is why one request keeps breaking another.

9. What is actually in good shape

- The three-stage ride controller rejects illegal jumps. That is also why stop wait cannot be a real stage yet.
- Pickup wait timing in the sheet (2 minutes included, no-show button at 5 minutes) is implemented. The complete-trip slide after 90 seconds is not.
- Stop wait copy is paid-only. The clock colors still follow the pickup clock.
- Drawer, profile, vehicles, documents, analytics, wallet, history, settings, and support all open.

- Latest CI is green. There is no analyzer error.

10. Fix order, if this is cleaned up

Do these in order. Do not restyle the app while doing them.

- 1. Make complete trip actually complete. `_advanceRide` must not call `_completeCurrentTrip` while `_stageTransitioning` is already true. Cover it with a test that waits past 90 seconds.
- 2. While heading to pickup, do not show a slide. Show only I've arrived. Show Start trip only after the wait has started.
- 3. Give every stop a real `LatLng`. After the last stop, drive to drop-off, then complete. Do not complete from the stop.
- 4. Put Contact support and Skip demo where the radar and the dock cannot cover them. Same sheet shape.
- 5. Document rows must open the document they name, not the old ID type picker.
- 6. Use a different red for not-active versus going offline.
- 7. Delete the dead destination panel, airport queue, old location search, unused analytics parts, and the unused methods in section 7. Keep sign-in only if logout still needs it.
- 8. One I've arrived widget. Persist stop index and trip start time.
- 9. Dark mode and language either work or they are not switches.
- 10. Do not split the 5,321 line home file until the behavior above is stable.

11. Limits

- No iPhone walk of every menu screen was done for this PDF.
- Google routing, GPS, and camera permissions can still fail in Safari even when the Dart path is correct.
- Fares, wait prices, and document statuses are copy. They are not a tariff engine.
- Rider app was out of scope. This audit is movera-drider only.

Bottom line

Fix complete-trip first. Then the slide label, the stop pins, and the drop-off leg. Do not start visual work until a trip that lasts more than 90 seconds can actually end.