

```
(kali@kali)-[~]
└─$ sudo apt update
sudo apt install docker.io -y
[sudo] password for kali:
Get:1 http://kali.download/kali kali-rolling InRelease [34.0 kB]
Get:2 http://kali.download/kali kali-rolling/main amd64 Packages [21.6 MB]
Get:3 http://kali.download/kali kali-rolling/main amd64 Contents (deb) [54.1 MB]
Get:4 http://kali.download/kali kali-rolling/contrib amd64 Packages [184 kB]
Get:5 http://kali.download/kali kali-rolling/contrib amd64 Contents (deb) [183 kB]
Get:6 http://kali.download/kali kali-rolling/non-free amd64 Packages [170 kB]
Get:7 http://kali.download/kali kali-rolling/non-free amd64 Contents (deb) [893 kB]
Get:8 http://kali.download/kali kali-rolling/non-free-firmware amd64 Packages [16.0 kB]
Get:9 http://kali.download/kali kali-rolling/non-free-firmware amd64 Contents (deb) [41.8 kB]
Fetched 77.2 MB in 26s (2,986 kB/s)
2000 packages can be upgraded. Run 'apt list --upgradable' to see them.
Installing:
  docker.io

Installing dependencies:
  containerd criu docker-buildx docker-cli libcpanperl python3-protobuf python3-pycrui runc tini-static

Suggested packages:
  containernetworking-plugins docker-doc btrfs-progs debootstrap rinse rootlesskit xfsprogs zfs-fuse | zfsutils-linux


Recommended packages:
  needrestart

Summary:
  Upgrading: 0, Installing: 10, Removing: 0, Not Upgrading: 2000
  Download size: 78.8 MB
  Space needed: 333 MB / 12.6 GB available

Get:1 http://http.kali.org/kali kali-rolling/main amd64 runc amd64 1.3.6+ds1-1 [6,708 kB]
Get:2 http://http.kali.org/kali kali-rolling/main amd64 containerd amd64 2.1.9+ds1-3 [29.4 MB]
Get:4 http://kali.download/kali kali-rolling/main amd64 criu amd64 4.2.1-1 [557 kB]
Get:5 http://http.kali.org/kali kali-rolling/main amd64 docker-buildx amd64 0.29.1+ds1-4 [14.3 MB]
Get:6 http://http.kali.org/kali kali-rolling/main amd64 docker-cli amd64 28.5.2+dfsg4-4 [8,049 kB]
Get:7 http://http.kali.org/kali kali-rolling/main amd64 tini-static amd64 0.19.0-6+b2 [280 kB]
Get:8 http://http.kali.org/kali kali-rolling/main amd64 docker.io amd64 28.5.2+dfsg4-4 [19.1 MB]
Get:9 http://kali.download/kali kali-rolling/main amd64 python3-protobuf amd64 3.21.12-16 [156 kB]
Get:10 http://kali.download/kali kali-rolling/main amd64 python3-pycrui all 4.2.1-1 [43.7 kB]
Get:3 http://mirrors.esto.network/kali kali-rolling/main amd64 libcpanperl amd64 4.2.1-1 [64.4 kB]
Fetched 78.8 MB in 15s (5,374 kB/s)
Preconfiguring packages ...
Configuring docker.io









This package can be configured to automatically delete all Docker images, containers, and volumes in /var/lib/docker if you ever "purge" the docker.io package from your system.

Standard package removal uninstalls the package but leaves configuration files on the system. Purging a package removes it along with any configuration files.

If you choose "yes", purging docker.io will additionally destroy all Docker data. If you choose "no" (recommended if you might switch to another Docker distribution or want to keep data safe), the data will be left intact on your disk even after a purge.
```

```
Session Actions Edit View Help
(kali@kali)-[~]
└─$ sudo systemctl enable --now docker
Synchronizing state of docker.service with SysV service script with /usr/lib/systemd/systemd-sysv-install.
Executing: /usr/lib/systemd/systemd-sysv-install enable docker

(kali@kali)-[~]
└─$ sudo systemctl status docker
● docker.service - Docker Application Container Engine
   Loaded: loaded (/usr/lib/systemd/system/docker.service; enabled; preset: enabled)
   Active: active (running) since Fri 2026-10-02 09:55:37 IST; 1min 28s ago
     Invocation: 5c95a79d8a0e4668be036689086996e
   TriggeredBy: ● docker.socket
       Docs: https://docs.docker.com
    Main PID: 5826 (dockerd)
       Tasks: 9
      Memory: 28.2M (peak: 30.9M)
         CPU: 1.005s
      CGroup: /system.slice/docker.service
              └─5826 /usr/sbin/dockerd -H fd:// --containerd=/run/containerd/containerd.sock


Oct 02 09:55:36 kali dockerd[5826]: time="2026-10-02T09:55:36.039486905+05:30" level=info msg="CDI directory does not exist, skipping: failed to monitor for changes: no such file or directory" dir=/var/run/cdi
Oct 02 09:55:36 kali dockerd[5826]: time="2026-10-02T09:55:36.11325588+05:30" level=info msg="Creating a containerd client" address=/run/containerd/containerd.sock timeout=1m0s
Oct 02 09:55:36 kali dockerd[5826]: time="2026-10-02T09:55:36.347098466+05:30" level=info msg="Loading containers: start."
Oct 02 09:55:37 kali dockerd[5826]: time="2026-10-02T09:55:37.582815383+05:30" level=info msg="Loading containers: done."
Oct 02 09:55:37 kali dockerd[5826]: time="2026-10-02T09:55:37.778483143+05:30" level=info msg="Docker daemon" commit=3ef3c07c883be49a2e8097bcfd2952fced70eb containerd-snapshotter=false storage-driver=overlay2 version=20.5.2+dfsg4
Oct 02 09:55:37 kali dockerd[5826]: time="2026-10-02T09:55:37.779437475+05:30" level=info msg="Initializing buildkit"
Oct 02 09:55:37 kali dockerd[5826]: time="2026-10-02T09:55:37.824382816+05:30" level=info msg="Completed buildkit initialization"
Oct 02 09:55:37 kali dockerd[5826]: time="2026-10-02T09:55:37.842231541+05:30" level=info msg="Daemon has completed initialization"
Oct 02 09:55:37 kali dockerd[5826]: time="2026-10-02T09:55:37.842476676+05:30" level=info msg="API listen on /run/docker.sock"
Oct 02 09:55:37 kali systemd[1]: Started docker.service - Docker Application Container Engine.

(kali@kali)-[~]
└─$ sudo docker pull opensecurity/mobile-security-framework-mobsf:latest
latest: Pulling from opensecurity/mobile-security-framework-mobsf
774043ccc8cc: Pull complete
43dcef5051b0: Pull complete
2e57034c052c: Pull complete
5483d02a330: Pull complete
af4a3f3a7fdd: Pull complete
f3fbf31c4d3a: Pull complete
37bc851e5b0e: Pull complete
4f3e249a46af: Pull complete
c866c083ca0: Pull complete
6d00f1bb8b37: Pull complete
7da5a512dd26: Pull complete
f1dd33fb110d: Pull complete
00e28de52f83: Pull complete
Digest: sha256:83bc8aaf940d66344b7c10ebc12e921086bec43369a8259582e6dc258f2924b0
Status: Downloaded newer image for opensecurity/mobile-security-framework-mobsf:latest
docker.io/opensecurity/mobile-security-framework-mobsf:latest
```

```
kali@kali:~$ sudo docker run -it --rm -p 8000:8000 opensecurity/mobile-security-framework-mobsf:latest
[INFO] 02/Oct/2026 04:32:13 - Downloading JADX from https://github.com/skylot/jadx/releases/download/v1.5.0/jadx-1.5.0.zip
[INFO] 02/Oct/2026 04:32:13 - Loading User config from: /home/mobsf/.MobSF/config.py
[INFO] 02/Oct/2026 04:32:20 -

[INFO] 02/Oct/2026 04:32:20 - Author: Ajin Abraham | opensecurity.in
[INFO] 02/Oct/2026 04:32:20 - Mobile Security Framework v4.5.4
REST API Key: 1947fe864a0f788e41a642f148967c1f5fa62f162009911fb29e6015c366e2f8
Default Credentials: mobsf/mobsf
[INFO] 02/Oct/2026 04:32:20 - OS Environment: Linux (debian 12 bookworm) Linux-6.18.12+kali-amd64-x86_64-with-glibc2.36
[INFO] 02/Oct/2026 04:32:20 - Python Version: 3.13.15
[INFO] 02/Oct/2026 04:32:20 - CPU Cores: 2, Threads: 2, RAM: 3.83 GB
[INFO] 02/Oct/2026 04:32:20 - MobSF Basic Environment Check
[INFO] 02/Oct/2026 04:32:21 - Checking for Update.
No changes detected
[INFO] 02/Oct/2026 04:32:22 - No updates available.
[INFO] 02/Oct/2026 04:32:49 - Extracting JADX to /home/mobsf/.MobSF/tools/jadx/jadx-1.5.0
[INFO] 02/Oct/2026 04:32:55 - Setting execute permission for JADX directory
[INFO] 02/Oct/2026 04:32:55 - JADX installed successfully
[INFO] 02/Oct/2026 04:33:04 - Loading User config from: /home/mobsf/.MobSF/config.py
[INFO] 02/Oct/2026 04:33:10 -

[INFO] 02/Oct/2026 04:33:10 - Author: Ajin Abraham | opensecurity.in
[INFO] 02/Oct/2026 04:33:10 - Mobile Security Framework v4.5.4
REST API Key: 1947fe864a0f788e41a642f148967c1f5fa62f162009911fb29e6015c366e2f8
Default Credentials: mobsf/mobsf
[INFO] 02/Oct/2026 04:33:10 - OS Environment: Linux (debian 12 bookworm) Linux-6.18.12+kali-amd64-x86_64-with-glibc2.36
[INFO] 02/Oct/2026 04:33:10 - Python Version: 3.13.15
[INFO] 02/Oct/2026 04:33:10 - CPU Cores: 2, Threads: 2, RAM: 3.83 GB
[INFO] 02/Oct/2026 04:33:10 - MobSF Basic Environment Check
Migrations for 'StaticAnalyzer':
mobsf/StaticAnalyzer/migrations/0001_initial.py
+ Create model EnqueuedTask
+ Create model RecentScansDB
+ Create model StaticAnalyzerAndroid
+ Create model StaticAnalyzerIOS
+ Create model StaticAnalyzerWindows
+ Create model SuppressFindings
[INFO] 02/Oct/2026 04:33:11 - Checking for Update.
[INFO] 02/Oct/2026 04:33:12 - No updates available.
[INFO] 02/Oct/2026 04:33:15 - Loading User config from: /home/mobsf/.MobSF/config.py
```

```
kali@kali: ~  
Session Actions Edit View Help  
Operations to perform:  
Apply all migrations: StaticAnalyzer, auth, contenttypes, django_q, sessions  
Running migrations:  
Applying StaticAnalyzer.0001_initial ... OK  
Applying contenttypes.0001_initial ... OK  
Applying contenttypes.0002_remove_content_type_name ... OK  
Applying auth.0001_initial ... OK  
Applying auth.0002_alter_permission_name_max_length ... OK  
Applying auth.0003_alter_user_email_max_length ... OK  
Applying auth.0004_alter_user_username_opts ... OK  
Applying auth.0005_alter_user_last_login_null ... OK  
Applying auth.0006_require_contenttypes_0002 ... OK  
Applying auth.0007_alter_validators_add_error_messages ... OK  
Applying auth.0008_alter_user_username_max_length ... OK  
Applying auth.0009_alter_user_last_name_max_length ... OK  
Applying auth.0010_alter_group_name_max_length ... OK  
Applying auth.0011_update_proxy_permissions ... OK  
Applying auth.0012_alter_user_first_name_max_length ... OK  
Applying django_q.0001_initial ... OK  
Applying django_q.0002_auto_20150630_1624 ... [INFO] 02/Oct/2026 04:33:22 - No updates available.  
OK  
Applying django_q.0003_auto_20150708_1326 ... OK  
Applying django_q.0004_auto_20150718_1043 ... OK  
Applying django_q.0005_auto_20150718_1806 ... OK  
Applying django_q.0006_auto_20150805_1817 ... OK  
Applying django_q.0007_ormq ... OK  
Applying django_q.0008_auto_20160224_1026 ... OK  
Applying django_q.0009_auto_20171009_0915 ... OK  
Applying django_q.0010_auto_20200618_0856 ... OK  
Applying django_q.0011_auto_20200628_1055 ... OK  
Applying django_q.0012_auto_20200702_1608 ... OK  
Applying django_q.0013_task_attempt_count ... OK  
Applying django_q.0014_schedule_cluster ... OK  
Applying django_q.0015_alter_schedule_schedule_type ... OK  
Applying django_q.0016_schedule_intended_date_kwarg ... OK  
Applying django_q.0017_task_cluster_alter ... OK  
Applying django_q.0018_task_success_index ... OK  
Applying django_q.0019_alter_task_options_alter_ormq_key_alter_ormq_lock_and_more ... OK  
Applying sessions.0001_initial ... OK  
[INFO] 02/Oct/2026 04:33:25 - Loading User config from: /home/mobsf/.Mobsf/config.py  
[INFO] 02/Oct/2026 04:33:32 -  
  
[INFO] 02/Oct/2026 04:33:32 - Author: Ajin Abraham | opensecurity.in  
[INFO] 02/Oct/2026 04:33:32 - Mobile Security Framework v4.5.4  
REST API Key: 1947fe864a0f788e41a642f148967c1f5fa62f162009911fb29e6015c366e2f8  
Default Credentials: mobsf/mobsf  
[INFO] 02/Oct/2026 04:33:32 - OS Environment: Linux (debian 12 bookworm) Linux-6.18.12+kali-amd64-x86_64-with-glibc2.36  
[INFO] 02/Oct/2026 04:33:32 - Python Version: 3.13.15  
[INFO] 02/Oct/2026 04:33:32 - Environment: /home/mobsf/.Mobsf/venv/bin/python3
```

```
kali@kali: ~  
Session Actions Edit View Help  
[INFO] 02/Oct/2026 04:33:48 - Loading User config from: /home/mobsf/.MobsSF/config.py  
[INFO] 02/Oct/2026 04:36:41 -  
  
[INFO] 02/Oct/2026 04:36:41 - Author: Ajin Abraham | opensecurity.in  
[INFO] 02/Oct/2026 04:36:41 - Mobile Security Framework v4.5.4  
REST API Key: 1947fe864a0f788e41a642f148967c1f5fa62f162009911fb29e6015c366e2f8  
Default Credentials: mobsf/mobsf  
[INFO] 02/Oct/2026 04:36:41 - OS Environment: Linux (debian 12 bookworm) Linux-6.18.12+kali-amd64-x86_64-with-glibc2.36  
[INFO] 02/Oct/2026 04:36:41 - Python Version: 3.13.15  
[INFO] 02/Oct/2026 04:36:41 - CPU Cores: 2, Threads: 2, RAM: 3.83 GB  
[INFO] 02/Oct/2026 04:36:41 - MobsSF Basic Environment Check  
[INFO] 02/Oct/2026 04:36:42 - Checking for Update.  
[INFO] 02/Oct/2026 04:36:42 - No updates available.  
[INFO] 02/Oct/2026 04:43:31 - MIME Type: application/vnd.android.package-archive FILE: DivaApplication.apk  
[INFO] 02/Oct/2026 04:43:31 - Android APK uploaded  
[INFO] 02/Oct/2026 04:43:32 - Scan Hash: 82ab8b2193b3cfb1c737e3a786be363a  
[INFO] 02/Oct/2026 04:43:32 - Starting Analysis on: DivaApplication.apk  
[INFO] 02/Oct/2026 04:43:32 - Generating Hashes  
[INFO] 02/Oct/2026 04:43:32 - Extracting APK  
[INFO] 02/Oct/2026 04:43:33 - Unzipping  
[INFO] 02/Oct/2026 04:43:33 - Parsing APK with androguard  
[INFO] 02/Oct/2026 04:43:33 - Extracting APK features using aapt/aapt2  
[INFO] 02/Oct/2026 04:43:34 - Getting Hardcoded Certificate/Keystores  
[INFO] 02/Oct/2026 04:43:34 - Getting AndroidManifest.xml from APK  
[INFO] 02/Oct/2026 04:43:34 - Converting AXML to XML with apktool  
[INFO] 02/Oct/2026 04:43:46 - Parsing AndroidManifest.xml  
[INFO] 02/Oct/2026 04:43:46 - Extracting Manifest Data  
[INFO] 02/Oct/2026 04:43:46 - Manifest Analysis Started  
[INFO] 02/Oct/2026 04:43:46 - Performing Static Analysis on: Diva (jakhar.aseem.diva)  
[INFO] 02/Oct/2026 04:43:47 - Fetching Details from Play Store: jakhar.aseem.diva  
[INFO] 02/Oct/2026 04:43:48 - Checking for Malware Permissions  
[INFO] 02/Oct/2026 04:43:48 - Fetching Icon path  
[INFO] 02/Oct/2026 04:43:48 - Library Binary Analysis Started  
[INFO] 02/Oct/2026 04:43:48 - Analyzing apktool_out/lib/arm64-v8a/libdivajni.so  
[INFO] 02/Oct/2026 04:43:48 - Analyzing apktool_out/lib/armeabi-v7a/libdivajni.so  
[INFO] 02/Oct/2026 04:43:48 - Analyzing apktool_out/lib/mips/libdivajni.so  
[INFO] 02/Oct/2026 04:43:48 - Analyzing apktool_out/lib/mips64/libdivajni.so  
[INFO] 02/Oct/2026 04:43:48 - Analyzing apktool_out/lib/x86_64/libdivajni.so  
[INFO] 02/Oct/2026 04:43:48 - Analyzing apktool_out/lib/x86/libdivajni.so  
[INFO] 02/Oct/2026 04:43:48 - Analyzing lib/arm64-v8a/libdivajni.so  
[INFO] 02/Oct/2026 04:43:48 - Analyzing lib/armeabi-v7a/libdivajni.so  
[INFO] 02/Oct/2026 04:43:48 - Analyzing lib/mips/libdivajni.so  
[INFO] 02/Oct/2026 04:43:48 - Analyzing lib/mips64/libdivajni.so  
[INFO] 02/Oct/2026 04:43:48 - Analyzing lib/x86_64/libdivajni.so  
[INFO] 02/Oct/2026 04:43:48 - Analyzing lib/x86/libdivajni.so  
[INFO] 02/Oct/2026 04:43:48 - Reading Code Signing Certificate
```

← → ↺ 🏠

🔍 http://127.0.0.1:8000/static_analyzer/82ab8b2193b3cfb1c737e3a786be363a/

📄 ☆ ⬇️ 🔄 📁 ☰

🔖 Import bookmarks... 🌐 OffSec 🐧 Kali Linux 🛠️ Kali Tools 📄 Kali Docs 📖 Kali Forums 🕸️ Kali NetHunter 🔥 Exploit-DB 🌐 Google Hacking DB

🏠 MobSF

Static Analyzer

📄 Information

⚙️ Scan Options

🔑 Signer Certificate

🔐 Permissions

📱 Android API

📄 Browseable Activities

🔍 Security Analysis <

🦋 Malware Analysis <

➕ Reconnaissance <

🧩 Components <

📄 PDF Report

🖨️ Print Report

🔄 Start Dynamic Analysis

☰

RECENT SCANS

STATIC ANALYZER

DYNAMIC ANALYZER

API

DONATE ▾

DOCS

ABOUT

🔍 Search

🏆 APP SCORES



Security Score

36/100

Trackers Detection

0/432



📁 FILE INFORMATION

File Name

DivyaApplication.apk

Size

1.43MB

SHA1

82ab8b2193b3cfb1c737e3a786be363a

SHA1

27e849d9d7b86a3a3357fb3e980433a91d416801

SHA256

5cef651fce9bd760b92ab2340477f4dda94b4ae0c5d04a8c9493e4fc34fab7c5

📄 APP INFORMATION

App Name

Divya

Package Name

jakhar.aseem.diva

Main Activity

jakhar.aseem.diva.MainActivity

Target SDK

23

Min SDK

15

Max SDK

Android Version Name

1.0

Android Version Code

1

2 / 17

EXPORTED ACTIVITIES



View All

0 / 0

EXPORTED SERVICES



View All

0 / 0

EXPORTED RECEIVERS



View All

1 / 1

EXPORTED PROVIDERS



View All

⚙️ SCAN OPTIONS

🔄 Rescan

🗑️ Manage Suppressions

🔄 Start Dynamic Analysis

📄 Scan Logs

📄 DECOMPILED CODE

🔗 View AndroidManifest.xml

🔗 View Source

🔗 View Smali

📄 Download Java Code

📄 Download Smali Code

📄 Download APK

🔑 SIGNER CERTIFICATE

Binary is signed
v1 signature: True
v2 signature: False
v3 signature: False
v4 signature: False
v3.1 signature: False
v1.2 signature: False

← → ↺ 🏠

🔒 http://127.0.0.1:8000/static_analyzer/82ab8b2193b3cfb1c737e3a786be363a/#permissions

📄 ☆ ⬇️ 🔄 🏠 ☰

🔖 Import bookmarks... 🌐 OffSec 🐧 Kali Linux 🛠️ Kali Tools 📄 Kali Docs 🌐 Kali Forums 🕸️ Kali NetHunter 🔥 Exploit-DB 🗄️ Google Hacking DB

🏠 MobSF

Static Analyzer

📄 Information

⚙️ Scan Options

📜 Signer Certificate

🔑 Permissions

📱 Android API

📁 Browseable Activities

🛡️ Security Analysis

🔍 Malware Analysis

➕ Reconnaissance

🧩 Components

📄 PDF Report

🖨️ Print Report

🔄 Start Dynamic Analysis

☰

RECENT SCANS

STATIC ANALYZER

DYNAMIC ANALYZER

API

DONATE

DOCS

ABOUT

🔍 Search

🔑 APPLICATION PERMISSIONS

🔍 Search:

PERMISSION	STATUS	INFO	DESCRIPTION	CODE MAPPINGS
android.permission.INTERNET	Normal	full Internet access	Allows an application to create network sockets.	
android.permission.READ_EXTERNAL_STORAGE	Dangerous	read external storage contents	Allows an application to read from external storage.	
android.permission.WRITE_EXTERNAL_STORAGE	Dangerous	read/modify/delete external storage contents	Allows an application to write to external storage.	

Showing 1 to 3 of 3 entries

Previous 1 Next

🔑 ANDROID API

🔍 Search:

API	FILES
Content Provider	Show Files
Inter Process Communication	Show Files
Loading Native Code (Shared Library)	Show Files
Local File I/O Operations	Show Files
Starting Activity	Show Files

Showing 1 to 5 of 5 entries

Previous 1 Next

← → ↺ 🏠

🔍 http://127.0.0.1:8000/static_analyzer/82ab8b2193b3cfb1c737e3a786be363a/#manifest

📄 ☆ ⬇️ 🔔 📁 ☰

🔖 Import bookmarks... 🇺🇸 OffSec 🇺🇸 Kali Linux 🇺🇸 Kali Tools 🇺🇸 Kali Docs 🇺🇸 Kali Forums 🇺🇸 Kali NetHunter 🇺🇸 Exploit-DB 🇺🇸 Google Hacking DB

🏠 MobSF

Static Analyzer

📄 Information

⚙️ Scan Options

🔑 Signer Certificate

🔐 Permissions

📱 Android API

📄 Browserable Activities

🔍 Security Analysis

🔒 Network Security

📄 Certificate Analysis

🔍 Manifest Analysis

🔗 Code Analysis

📄 Binary Analysis

📄 NIAP Analysis

📄 File Analysis

📄 Firebase Analysis

🔍 Malware Analysis

➕ Reconnaissance

📄 Components

📄 PDF Report

🖨️ Print Report

RECENT SCANS

STATIC ANALYZER

DYNAMIC ANALYZER

API

DONATE

DOCS

ABOUT

🔍 Search

🔍 MANIFEST ANALYSIS

HIGH2

WARNING4

INFO0

SUPPRESSED0

🔍 Search:

NO	ISSUE	SEVERITY	DESCRIPTION	OPTIONS
1	App can be installed on a vulnerable unpatched Android version 4.0.3-4.0.4, [minSdk<15]	High	This application can be installed on an older version of android that has multiple unfixed vulnerabilities. These devices won't receive reasonable security updates from Google. Support an Android version >= 10, API 29 to receive reasonable security updates.	🔍
2	Debug Enabled For App [android:debuggable=true]	High	Debugging was enabled on the app which makes it easier for reverse engineers to hook a debugger to it. This allows dumping a stack trace and accessing debugging helper classes.	🔍
3	Application Data can be Backed up [android:allowBackup=true]	Warning	This flag allows anyone to backup your application data via adb. It allows users who have enabled USB debugging to copy application data off of the device.	🔍
4	Activity [jakhar.aseem.diva.APICredsActivity] is not Protected. An intent-filter exists.	Warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. The presence of intent-filter indicates that the Activity is explicitly exported.	🔍
5	Activity [jakhar.aseem.diva.APICreds2Activity] is not Protected. An intent-filter exists.	Warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. The presence of intent-filter indicates that the Activity is explicitly exported.	🔍
6	Content Provider [jakhar.aseem.diva.NotesProvider] is not Protected. [android:exported=true]	Warning	A Content Provider is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.	🔍

Showing 1 to 6 of 6 entries

Previous1Next

🔍 CODE ANALYSIS

HIGH1

WARNING3

INFO1

SECURE0

SUPPRESSED0

🔍 Search:

← → ↺ 🏠

🔍 http://127.0.0.1:8000/static_analyzer/82ab8b2193b3cfb1c737e3a786be363a/#code_analysis

📄 ☆ ⬇️ 🔄 📁 ☰

🔖 Import bookmarks... 🌐 OffSec 🐧 Kali Linux 🛠️ Kali Tools 📄 Kali Docs 🌐 Kali Forums 🕸️ Kali NetHunter 🔥 Exploit-DB 🗄️ Google Hacking DB

🏠 MobSF

Static Analyzer

📄 Information

⚙️ Scan Options

📜 Signer Certificate

⚙️ Permissions

🔌 Android API

📄 Browseable Activities

🔒 Security Analysis

🔒 Network Security

📄 Certificate Analysis

🔍 Manifest Analysis

🔌 Code Analysis

📄 Binary Analysis

📄 NIAP Analysis

📄 File Analysis

📄 Firebase Analysis

🕸️ Malware Analysis

➕ Reconnaissance

📄 Components

📄 PDF Report

🖨️ Print Report

RECENT SCANS

STATIC ANALYZER

DYNAMIC ANALYZER

API

DONATE

DOCS

ABOUT

🔍 Search

🔌 CODE ANALYSIS

HIGH1

WARNING3

INFO1

SECURE0

SUPPRESSED0

🔍 Search:

NO	ISSUE	SEVERITY	STANDARDS	FILES	OPTIONS
1	The App logs information. Sensitive information should never be logged.	info	CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSGT-STORAGE-3	Show Files	🔍
2	App can read/write to External Storage. Any App can read data written to External Storage.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSGT-STORAGE-2	jakhar/suven/dhwa/InsecureDataStorage/MainActivity.java	🔍
3	App uses SQLite Database and execute raw SQL query. Untrusted user input in raw SQL queries can cause SQL Injection. Also sensitive information should be encrypted and written to the database.	warning	CWE: CWE-89: Improper Neutralization of Special Elements used in an SQL Command ("SQL Injection") OWASP Top 10: M7: Client Code Quality	jakhar/suven/dhwa/InsecureDataStorage/MainActivity.java jakhar/suven/dhwa/NotesProvider.java jakhar/suven/dhwa/SQLInjectionActivity.java	🔍
4	App creates temp file. Sensitive information should never be written into a temp file.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSGT-STORAGE-2	jakhar/suven/dhwa/InsecureDataStorage/MainActivity.java	🔍
5	Debug configuration enabled. Production builds must not be debuggable.	high	CWE: CWE-919: Weaknesses in Mobile Applications OWASP Top 10: M1: Improper Platform Usage OWASP MASVS: MSGT-RESILIENCE-2	jakhar/suven/dhwa/BuildConfig.java	🔍

Showing 1 to 5 of 5 entries

Previous 1 Next

🔌 SHARED LIBRARY BINARY ANALYSIS

🔍 Search:

←→↺🏠

🔍 http://127.0.0.1:8000/static_analyzer/82ab8b2193b3cfc1c737e3a786be363a/#binary_analysis

📄🔖📄📄📄

🔖 Import bookmarks...🔌 OffSec🔌 Kali Linux🔌 Kali Tools🔌 Kali Docs🔌 Kali Forums🔌 Kali NetHunter🔌 Exploit-DB🔌 Google Hacking DB

🔌 MobSF

Static Analyzer

🔌 Information

⚙️ Scan Options

🔌 Signer Certificate

🔌 Permissions

🔌 Android API

🔌 Browseable Activities

🔌 Security Analysis

🔌 Network Security

🔌 Certificate Analysis

🔌 Manifest Analysis

🔌 Code Analysis

🔌 Binary Analysis

🔌 NIAP Analysis

🔌 File Analysis

🔌 Firebase Analysis

🔌 Malware Analysis

🔌 Reconnaissance

🔌 Components

🔌 PDF Report

RECENT SCANSSTATIC ANALYZERDYNAMIC ANALYZERAPIDONATE▼DOCSABOUT🔍

🔍

🔌🔌🔌🔌🔌

SHARED LIBRARY BINARY ANALYSIS

🔍

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
1	arm64-v8a/libdivajni.so info	False high The binary does not have NX bit set. NX bit offer protection against exploitation of memory corruption vulnerabilities by marking memory page as non-executable. Use option --noexecstack or -z noexecstack to mark stack as non executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position Independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
2	armeabi/libdivajni.so info	False high The binary does not have NX bit set. NX bit offer protection against exploitation of memory corruption vulnerabilities by marking memory page as non-executable. Use option --noexecstack or -z noexecstack to mark stack as non executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position Independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
3	armeabi-v7a/libdivajni.so info	False high The binary does not have NX bit set. NX bit offer protection against exploitation of memory corruption vulnerabilities by marking memory page as non-executable. Use option --noexecstack or -z noexecstack to mark stack as non executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position Independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

← → ↺ 🏠

🔒 http://127.0.0.1:8000/static_analyzer/82ab8b2193b3cfb1c737e3a786be363a/#niap_analysis

📄 ☆ ⬇️ 🗨️ 📁 ☰

🔖 Import bookmarks... 🇺🇸 OffSec 🇺🇸 Kali Linux 🇺🇸 Kali Tools 🇺🇸 Kali Docs 🇺🇸 Kali Forums 🇺🇸 Kali NetHunter 🇺🇸 Exploit-DB 🇺🇸 Google Hacking DB

🏠 MobSF

Static Analyzer

🔔 Information

⚙️ Scan Options

📜 Signer Certificate

🔐 Permissions

📱 Android API

📄 Browsable Activities

🔒 Security Analysis ▾

🔒 Network Security

📄 Certificate Analysis

🔍 Manifest Analysis

🔗 Code Analysis

📁 Binary Analysis

📄 NIAP Analysis

📄 File Analysis

📄 Firebase Analysis

🔒 Malware Analysis <

➕ Reconnaissance <

📄 Components <

📄 PDF Report

🖨️ Print Report

☰

RECENT SCANS

STATIC ANALYZER

DYNAMIC ANALYZER

API

DONATE ▾

DOCS

ABOUT

🔍 Search

📄 NIAP ANALYSIS v1.3

🔍 Search:

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
No data available in table				

Showing 0 to 0 of 0 entries

Previous Next

📄 FILE ANALYSIS

🔍 Search:

NO	ISSUE	FILES
No data available in table		

Showing 0 to 0 of 0 entries

Previous Next

📄 FIREBASE DATABASE ANALYSIS

🔍 Search:

TITLE	SEVERITY	DESCRIPTION
No data available in table		

Showing 0 to 0 of 0 entries

Previous Next

← → ↺ 🏠

🔍 http://127.0.0.1:8000/static_analyzer/82ab8b2193b3cfb1c737e3a786be363a/#apkid

📄 ⭐ ⬇️ 🗨️ 🏠 ☰

🔗 Import bookmarks... 🇺🇸 OffSec 🇺🇸 Kali Linux 🇺🇸 Kali Tools 🇺🇸 Kali Docs 🇺🇸 Kali Forums 🇺🇸 Kali NetHunter 🔥 Exploit-DB 🔥 Google Hacking DB

📱 MobSF

Static Analyzer

📄 Information

⚙️ Scan Options

📜 Signer Certificate

🔑 Permissions

📱 Android API

📄 Browseable Activities

🛡️ Security Analysis <

🏠 Malware Analysis ▾

🕒 Malware Lookup

🔍 APKID Analysis

👤 Behaviour Analysis

🚫 Abused Permissions

📍 Server Locations

🔍 Domain Malware Check

+ Reconnaissance <

🧩 Components <

📄 PDF Report

🖨️ Print Report

🔄 Start Dynamic Analysis

RECENT SCANS

STATIC ANALYZER

DYNAMIC ANALYZER

API

DONATE ▾

DOCS

ABOUT

🔍 Search

🔍 APKID ANALYSIS

📄 📄 📄 📄 📄

Search:

DEX

↑

classes.dex

DETECTIONS

📄 📄 📄 📄 📄

Search:

FINDINGS

↑

Compiler

Manipulator Permit

Showing 1 to 2 of 2 entries

DETAILS

↓

dx (possible dexmerge)

dexmerge

Previous 1 Next

Showing 1 to 1 of 1 entries

Previous 1 Next

🔍 BEHAVIOUR ANALYSIS

📄 📄 📄 📄 📄

Search:

RULE ID

↑

00022

BEHAVIOUR

↓

Open a file from given absolute path of the file

LABEL

↓

file

FILES

↓

jshar/aseem/dva/InsecureDataStorageActivity.java

Showing 1 to 1 of 1 entries

Previous 1 Next