Exercise: Learning Batch Computing on OSCER's Linux Cluster Supercomputer

This exercise will help you learn to use Schooner, the Linux cluster supercomputer administered by the OU Supercomputing Center for Education & Research (OSCER), a division of the University of Oklahoma (OU) Information Technology (IT).

Actions and commands that you should perform or enter are in the `computer boldface` font.

After each Unix command you type at the Unix prompt (explained below), press the `Enter` key.

An account has been set up for you. Your user name is denoted here as `yourusername`.

If you have any difficulty with this exercise, then please send e-mail to:

support@oscer.ou.edu

The steps for this exercise are listed on the following pages.

There are actually two versions of this exercise: a version in C, and a version in Fortran90. Where possible, descriptions of both will be given, but in some cases, only the C description will be given, with the Fortran90 version assumed.

HOW TO USE THIS DOCUMENT
1. **READ**.
2. **OBEY**.
3. **After** you read and obey, then feel free to ask questions. (If what you read doesn't make clear what you should do, then you can ask questions before you obey.)

We **STRONGLY URGE** that you read each numbered item **all the way through** before you obey that item.

I. LOG IN

1. Request your assigned user account in the format of **oucspdn###** by following the instructions provided in the Project Assignment page.

2. From the PC of your choice (Windows, MacOS, Linux or whatever), bring up your web browser (Internet Explorer, Firefox, Opera, Safari, Chrome or whatever) and go to:

   http://www.oscer.ou.edu/ssh_install.php

   NOTICE the underscore in the URL, between `ssh` and `install`.

   Following the instructions on that page, log in to:

   schooner.oscer.ou.edu

3. If you cannot log in to `schooner.oscer.ou.edu`, then try logging in to one of the following:

   ```
   schooner1.oscer.ou.edu
   schooner2.oscer.ou.edu
   schooner3.oscer.ou.edu
   ```

   It turns out that `schooner.oscer.ou.edu` is an _alias_ for these other computers; that is, when you log in to `schooner.oscer.ou.edu`, you'll actually get logged into one of these.

4. Once you log in, you'll get some text, and then you **MAY** be prompted to change your password.

   If you **ARE** asked to change your password, go to the link below, which has password rules:

   http://www.oscer.ou.edu/password_change.php

   NOTICE the underscore in the URL, between `password` and `change`.

   On that webpage, **FOLLOW ONLY STEPS 3 AND 4.**

5. If you **AREN'T** prompted to change your password, then you'll have a chance to do so in section II, below.

6. If you've been asked to change your password, then once you've done so, you **MAY** be automatically logged out. If you **AREN'T** automatically logged out, then log out manually, by entering the following command at the Unix prompt (see item I.8, below):

   exit

7. Log in again, as in item I.1, above.

8. Next, you'll get a _Unix prompt_ – possibly but not necessarily a dollar sign – with the cursor after it, like so:

   ```
   $ █
   ```

   There **MAY** be some information before the prompt character, such as the name of the computer that you've logged in to (which may be different from `schooner.oscer.ou.edu`), your user name, etc. For purposes of these materials, we'll generally use the dollar sign to indicate the Unix prompt.

9. Check the lines of text immediately above the Unix prompt. If there are lines of text that read something like:

   ```
   No directory /home/yourusername! Logging in with home = "/".
   ```

   then you should log out immediately by entering

   exit

and then log back in.

10. If you repeatedly have this problem, then please send e-mail to:

    support@oscer.ou.edu

11. Check to be sure that you're in your *home directory* (a *directory* in Unix is like a folder in Windows, and your *home directory* in Unix is like your desktop in Windows):

    pwd
    /home/yourusername

    This command is short for "Print working directory;" that is, "print the full name of the directory that I'm currently in." The output is the name of the directory that you're currently in.

    If your current working directory is just a slash (which means the *root directory*, which is like C:\ in Windows), rather than something like /home/yourusername, then you should log out immediately (as above), then log back in.

    If you repeatedly have this problem, then please send e-mail to:

    support@oscer.ou.edu

II. SET UP (FIRST TIME LOGGING IN ONLY)

1. You **MAY** have been prompted to change your password when you first logged in.

   If you **WERE** already prompted to change your password, then skip this step.

   If you **WEREN'T** already prompted to change your password, then please **IMMEDIATELY** do the following:

   a. From the PC of your choice (Windows, MacOS, Linux or whatever), bring up your web browser (Internet Explorer, Firefox, Opera, Safari, Chrome or whatever) and go to:

      `http://www.oscer.ou.edu/password_change.php`

      (NOTICE the underscore in the URL, between `password` and `change`.)

   b. Follow the instructions on that page to change your OSCER password. **(DO ALL STEPS.)**

      Please note that this password change will affect only your accounts on OSCER computers, but not anywhere else (including not affecting any other OU IT accounts if you're an OU student or an OU employee).

   You **WON'T** have to do this for future logins.

2. At the Unix prompt, enter exactly the bold text below:

   `echo  youremailaddress@yourinstitution.edu  >  ~/.forward`

   except replacing **`youremailaddress@yourinstitution.edu`** with your e-mail address.

   You **WON'T** have to do this for future logins.

   NOTES

   a. After your e-mail address comes a blank space, then a greater-than symbol, then a blank space, then tilde slash period **`forward`** with no spaces between them.

   b. On most keyboards, the tilde `~` is in the upper left, just above the Tab key.

3. At the Unix prompt, enter exactly the bold text below:

   `cp  ~hneeman/.nanorc  ~`

   This command means:

   "Copy the file named `.nanorc` that's in Henry Neeman's home directory into my home directory."

   You **WON'T** have to do this for future logins.

   NOTICE:

   a. The Unix copy command is `cp`.

   b. The first filename after `cp` is the _source_ (the thing that you're making a copy of); the second is the _destination_ (the name and/or location of the copy).

   c. Henry Neeman's username on OSCER supercomputers is `hneeman`.

   d. The filename `.nanorc` begins with a period (<u>very important</u>). The filename is pronounced "dot nano-are-see."

   e. In Unix, filenames are _case sensitive_, meaning that it matters whether you use _upper case_ (capital) or _lower case_ (small) for each letter in a filename.

f. In Unix, pieces of a filename (or actually of the directory that a file is in) are separated by slashes, **NOT** by backslashes as in Windows.

g. The symbol ˜ (known as a *tilde*, pronounced "TILL-duh") denotes your home directory (another way to denote your home directory is `˜yourusername`).

h. On most keyboards, the tilde ~ is in the upper left, just above the Tab key.

i. The substring `˜hneeman` means "the home directory of the user named `hneeman`."

j. There are no spaces between the slash and the `.nanorc`.

k. If for some reason this doesn't work, try:

    cp /home/hneeman/.nanorc /home/yourusername

4. Enter the following command:

    cp ~hneeman/.vimrc ~

    You **WON'T** have to do this for future logins.

5. Create a *subdirectory* of your home directory named SIPE, like so:

    mkdir ~/SIPE

    NOTICE: In the subdirectory name, SIPE **MUST BE CAPITALIZED**; that is, the directory name is "capital-S capital-I capital-P capital-E" with no spaces or other characters in between.

    This command means:

    "Create a directory named SIPE as a subdirectory inside my home directory."

    (It's like creating a new folder named SIPE on your desktop in Windows).

    You **WON'T** have to do this for future logins.

6. Confirm that you have successfully created your SIPE directory by listing the contents of the current working directory:

    ls
    SIPE

    This command means:

    "List the names of the files and subdirectories in my current working directory."

    NOTICE that the command is "ell ess" – that is, small-L small-S – rather than "one ess" and that ls is short for "list."

7. Set the *permissions* on your SIPE directory so that only you can access it:

    chmod u=rwx,go= SIPE

    This command means:

    "Change the *mode* (list of permissions) on my subdirectory named SIPE so that I (the user) can read files in it, write files in it, and go into (execute) it, but nobody else can."

    Your SIPE directory is now accessible only to you. The only other people who can access it are the *system* administrators (*sysadmins* for short) of this Linux cluster supercomputer; that is, OSCER operations staff (which doesn't include Henry).

    You **WON'T** have to do this for future logins.

8. Log out of the Linux cluster supercomputer by entering the following command:

   `exit`

   Once you have completed the setup steps in this section, you **<u>WON'T</u>** have to do them again when you log in later.

III. COPY HENRY'S `Intro` DIRECTORY INTO YOUR `SIPE` DIRECTORY

1. Log in again, using the password you changed to, rather than your original password.

2. Confirm that you're in your home directory:

   pwd
   /home/yourusername

3. Check that you have a `SIPE` subdirectory inside your home directory:

   ls
   SIPE

4. Go into your `SIPE` subdirectory:

   cd SIPE

   This command means:

   "Change the working directory to `SIPE`, which is a subdirectory of my current working directory."

   (This is like double-clicking on a folder in Windows.)

   Note that `cd` is short for "change directory."

5. Confirm that you're in your `SIPE` subdirectory:

   pwd
   /home/yourusername/SIPE

6. See what files or subdirectories (if any) are in the current working directory:

   ls

   You may get no output, just the Unix prompt; if so, that indicates that your current working directory has no files or subdirectories in it.

7. **SIDEBAR**: To learn more about a particular Unix command, enter:

   man *commandname*

   for some command. For example, try

   man chmod

   which will give you the online *manual page* for the `chmod` command.

   The output of `man` goes through another command, `more`, which shows one screenful at a time. To get the next screenful, press the spacebar; to get the next line, press the **Enter** key. To quit the more command, press the **Q** key.

8. Copy the subdirectory named `Intro` from Henry's `SIPE` directory into your `SIPE` directory:

   cp -r ~hneeman/SIPE/Intro ~/SIPE/

   This command means:

   "Copy the subdirectory named `Intro` inside the directory named `SIPE` under the home directory of user `hneeman` into my directory `SIPE` under my home directory."

9. Confirm that the `Intro` subdirectory was copied into your `SIPE` directory:

    ls
    Intro

10. Go into your `Intro` subdirectory:

    cd Intro

11. Confirm that you're in your `Intro` subdirectory:

    pwd
    /home/yourusername/SIPE/Intro

12. See what files or subdirectories (if any) are in the current working directory (`Intro`):

    ls
    C   Fortran90

13. Go into either your `C` subdirectory or your `Fortran90` subdirectory (**<u>BUT NOT BOTH</u>**):

    cd C

    OR

    cd Fortran90

14. Confirm that you're in your `C` or `Fortran90` subdirectory:

    pwd
    /home/yourusername/SIPE/Intro/C

    OR the output of the `pwd` command might be:

    /home/yourusername/SIPE/Intro/Fortran90

15. See what files or subdirectories (if any) are in the current working directory:

    ls
    makefile   my_number.c   my_number_input.txt my_number.sbatch

    OR the source file might be named `my_number.f90` instead of `my_number.c`.

IV. EDIT THE BATCH SCRIPT FILE TO CREATE YOUR OWN UNIQUE VERSION

1. Before you can run the original version of the program, you need to modify your copy of the batch script file `my_number.sbatch` to create a version that's uniquely yours.

   Using your preferred Unix text editor (whether `nano`, `vim`, `vi`, `emacs` or whatever), edit your copy of `my_number.sbatch`.

   For example, if you're using `nano`, then the edit command would be:

   `nano   my_number.sbatch`

   This command means:

   "Edit the text in the file named `my_number.sbatch` that's in my current working directory, using the text editor program named `nano`."

   If you need help using `nano`, please send e-mail to:

   support@oscer.ou.edu

2. If you're using `nano`, notice the little help messages at the bottom of the screen:

   ```
   ^G Get Help ^O WriteOut ^R Read File ^Y Prev Pg ^K Cut Text   ^C Cur Pos
   ^X Exit     ^J Justify  ^W Where is  ^V Next Pg ^U UnCut Text ^T To Spell
   ```

   For example, consider

   ```
   ^W Where is
   ```

   This means that you should press **`Ctrl-W`** (the caret `^` indicates the Ctrl key) to search for a particular string of characters.

   Another example:

   ```
   ^C Cur Pos
   ```

   This means "Cursor Position" and causes `nano` to tell you the line number the cursor is on.

   Another example:

   ```
   ^K Cut Text
   ```

   This means "delete the line that the cursor is currently on."

3. Using the text editor, make the following changes to `my_number.sbatch`:

   (a) Everywhere throughout the file, change `yourusername` to your user name. **THIS IS EXTREMELY IMPORTANT!**

   (b) Everywhere throughout the file, change

   youremailaddress@yourinstitution.edu

   to your full e-mail address. **THIS IS EXTREMELY IMPORTANT!**

9

4. **<u>IMPORTANT!</u>** Every few minutes while you're editing, you should save the work that you've done so far, in case your work is interrupted by a computer crashing.

   For example, in `nano`, enter **`Ctrl-O`** (the letter oh), at which point `nano` will ask you, near the bottom of the screen:

   ```
   File Name to write : my_number.sbatch
   ```

   That is, `nano` wants to know what filename to save the edited text into, with a default filename of `my_number.sbatch`). Press **`Enter`** to save to the default filename `my_number.sbatch`.

5. The lines of text in the batch script file `my_number.sbatch` should be less than 80 characters long, and ideally at most 72 characters long, each line. (Your `PuTTY` window should be 80 characters wide.)

6. Some text editors, for example `nano`, try to help keep text lines short, by breaking a long line into multiple short lines. For example, `nano` might break a line like the following into two separate lines:

   ```
   #SBATCH
   --output=/home/yourusername/SIPE/Intro/C/my_number_$J_stdout.txt
   ```
   That is, `nano` automatically puts a carriage return when the line starts getting too long for its taste.

   Unfortunately, the batch scheduler (Slurm, which originally was short for "Simple Linux Utility for Resource Management," but now isn't short for anything, it's just a nonsense word) will consider this to be an error. Why? Because the batch scheduler cannot allow an individual batch directive – that is, a line starting with `#SBATCH` – to use more than one line.

   For example, the batch script directive above should be on a single line:

   ```
   #SBATCH --output=/home/yourusername/SIPE/Intro/C/my_number_$J_stdout.txt
   ```

   So, you'll need to correct any such occurrences.

7. If you find that your batch job waits in the batch queue for more than a few minutes, you can edit your batch script to use the batch queue (partition) named `debug`.

   Specifically, in your batch script, replace this:

   ```
   #SBATCH --partition=normal
   ```

   with this:

   ```
   #SBATCH --partition=debug
   ```


   In this course, you also have access to two special queues that may have higher priorities and lower wait time:

   This queue contains CPU-only nodes. Your job can request only up to 2 nodes and can run only for 15 minutes:

   ```
   #SBATCH --partition= oucspdn_cpu
   ```

   This queue contains GPU nodes. Your job can request only up to 1 nodes and can run only for 15 minutes:

   ```
   #SBATCH --partition= oucdpdn_gpu
   ```

8. **<u>Understanding batch computing</u>**:

    As an analogy, imagine that you're at a football game and you want a drink. You get up and walk to the concession stand. If there are a lot of people at the concession stand, then you're going to have to wait a while before a server serves you, but if you're the only person in line, or more generally if there are at least as many servers behind the counter as customers lined up to buy, then you'll be served quickly.

    Batch computing is analogous, except that, instead of food and drink, you and the other users want your jobs to be run, and instead of food servers, the servers are computers that can run jobs. Typically, for a production cluster supercomputer, the number of resources requested by the users – that is, total servers requested – is much larger than the number of available resources (servers).

    In the case of OSCER's Linux cluster supercomputer, Schooner, the number of users is more than a thousand, and the number of servers (computers) is 499 – but most users want to use many servers at the same time. The only way to make this work is for a program known as a *scheduler* – in this case, Slurm – to decide whose jobs run on which servers, and when.

    Compare getting food at a football game to getting food at home, where you just walk up to your fridge or cupboard, and take out what you want. But if you've got hundreds of people getting food, that method won't work: it doesn't *scale* to hundreds of people sharing one source of food, because you can't fit all of them in front of the one fridge; instead, everyone has to wait their turn at the counter, and work with a server to get served.

    Likewise with computing: your normal way of interacting with your laptop won't work when hundreds of people are sharing one source of computing.

9. After you've finished editing, go back up to the top of the batch script file, and **<u>CAREFULLY READ THE ENTIRE BATCH SCRIPT FILE FROM START TO FINISH.</u>** This will give you a much clearer understanding of what batch computing is and how it works.

10. After you've finished editing and reading the batch script file, exit the text editor.

    For example, in `nano`, enter **`Ctrl-X`**. If you have made any changes since the last time you entered `Ctrl-O`, then `nano` will ask you, near the bottom of the screen,

    `Save modified buffer (ANSWERING "No" WILL DESTROY CHANGES)?`

    To save your most recent changes to the file (which is probably what you want to do), press the **`Y`** key; to avoid saving your most recent changes, press the **`N`** key.

    After that, `nano` will behave the same as if you had entered **`Ctrl-O`**.

V. LOOK AT, MAKE (COMPILE) AND RUN THE ORIGINAL VERSION

1. For your own understanding, look at the contents of the source file:

   `cat  my_number.c`

   OR:

   `cat  my_number.f90`

   This command means:

   "Output the contents of the text file named `my_number.c` (or `my_number.f90`) to the terminal screen."

   <u>NOTICE</u> that the command to output the contents of a text file to the terminal screen <u>without</u> using the `more` command is `cat`, which is short for "concatenate," a word that means "output one text file after another in sequence."

   The output of the `cat` command goes to the terminal screen (known as "standard output," or "standard out" for short, abbreviated `stdout`), and in this case, we are only concatenating a single text file, so we're simply outputting the text file's contents to the terminal screen.

   If you're using `PuTTY` as your SSH client, and the contents of the file exceeds the height of the `PuTTY` window, then you can scroll up or down using the scrollbar on the right side of the window; most other SSH clients have similar capability.

2. For your own understanding, look at the contents of the input file:

   `cat  my_number_input.txt`

3. For your own understanding, look at the contents of the makefile:

   `cat makefile`

4. *<u>Make</u>* (compile) the *<u>executable</u>* program for the original version of `my_number.c` (or `my_number.f90`):

   ```
   make  my_number
   gcc -O -c my_number.c
   gcc -O -o my_number my_number.o
   ```

   (It could be the case that the compiler is `gfortran` and the source file is `my_number.f90`.)

   <u>NOTICE</u>:

   a. In the `make` command, the *<u>command line argument</u>* `my_number` is the name of the *<u>executable</u>* (the file that can actually be run) that you are making.

   b. The `make` command runs the C compiler `gcc` (OR the Fortran90 compiler `gfortran`) to compile the source file named `my_number.c` (OR `my_number.f90`).

   c. In the compile command, the *<u>command line option</u>*

   ```
   -o my_number
   ```

   indicates that `my_number` is to be the name of the executable.

   If that option had been left out, then by default the name of the executable would be `a.out` ("the output of the assembler"), **<u>WHICH WOULD BE BAD</u>**, because then the executable's filename wouldn't explain the executable's purpose.

5. Submit the batch script file `my_number.sbatch` to the batch scheduler:

   `sbatch  my_number.sbatch`

   You should get back output something like this:

   `Submitted batch job #######`

   where `#######` is replaced by the batch job ID for the batch job that you've just submitted, and you may have a different queue name.

6. Check the status of your batch job:

   `squeue  -u  yourusername`

   ```
    JOBID PARTITION      NAME         USER ST TIME NODES NODELIST(REASON)
   #######    normal  my_numbe yourusername PD 0:00     1 (Resources)
   ```

   where `#######` is replaced by a batch job ID number, and `yourusername` is replaced by your user name, and where `PD` is short for "pending," meaning that your job is waiting to start,

   OR something like this:

   ```
    JOBID PARTITION      NAME         USER ST TIME NODES NODELIST(REASON)
   #######    normal  my_numbe yourusername R  0:05     1 c###
   ```

   where `R` is short for "running" and `c###` is replaced by the name of a "compute node" (a server PC for doing number crunching) – most compute node names on Schooner are of the form c###, where ### is a 3 digit number.

7. You may need to check the status of your batch job repeatedly, using the `squeue` command above, until it runs to completion. **This may take several minutes (occasionally much longer).**

   You'll know that the batch job has finished running when it no longer appears in the list of your batch jobs, in which case it may just say:

   ```
    JOBID PARTITION      NAME         USER ST TIME NODES NODELIST(REASON)
   ```

8. Once your job has finished running, find the *standard output* and *standard error* files from your job:

   `ls  -ltr`

   <u>NOTICE</u> that the command is "ell ess space hyphen ell tee are" – that is, small-L small-S blank hyphen small-L small-T small-R – rather than "one ess" or "one tee are" and that `ls` is short for "list" and `-ltr` is short for "long detailed listing, sorted by time of most recent modification, in reverse order so that the most recently modified file is at the bottom."

   Using this command, you should see files named

   `my_number_#######_stdout.txt`

   and

   `my_number_#######_stderr.txt`

   (where `#######` is replaced by the batch job ID).

   These files should contain the output of `my_number`. Ideally, the file length of `my_number_#######_stderr.txt` should be zero.

9. Look at the contents of the standard output file:

    `cat  my_number_######_stdout.txt`

   (where `#######` is replaced by the batch job ID).

   You may want to look at the stderr file as well, if its length is greater than zero (as shown in the `ls -ltr` command, above):

    `cat  my_number_######_stderr.txt`

10. Also check your e-mail, at the e-mail address that you put in your batch script file `my_number.sbatch`, to see whether you got an e-mail about the completed job. If so, examine that e-mail.

11. If this run had **<u>ANY</u>** problems, then send e-mail to:

    support@oscer.ou.edu

   which reaches all OSCER operations staff plus Henry and others, and attach the following files:

    ```
    makefile
    my_number.c
    my_number.sbatch
    my_number_######_stdout.txt
    my_number_######_stderr.txt
    ```

If things went well, then congratulations! You've just run your first batch job. Now continue on.

VI. EDIT THE C SOURCE FILE TO CREATE YOUR OWN UNIQUE VERSION

1. Now that you've run the original version of the program, it's time to modify your copy of the source file `my_number.c` (or `my_number.f90`) to create a version that's uniquely yours.

   Using your preferred Unix text editor (whether `nano`, `vim`, `vi`, `emacs` or whatever), edit your copy of `my_number.c` (or `my_number.f90`).

   For example, if you're using `nano`, then the edit command would be:

   nano my_number.c
   OR
   nano my_number.f90

2. Using the text editor, make the following changes to `my_number.c` (or `my_number.f90`):

   a. In the *declaration section*, change the constant values assigned to the following named constants:

   ```
   minimum_number
   maximum_number
   close_distance
   computers_number
   ```

   DON'T CHANGE THE VALUES OF ANY OTHER CONSTANTS, ESPECIALLY maximum_guesses!!!

   You may select any <u>integer</u> values you want, but these values must be different from 1, 5, 10 and 1 respectively, and

   `minimum_number < computers_number < maximum_number`

   and these values must be sufficiently spread out that you can actually do the runs properly.

   BE CAREFUL about the values that you choose for these named constants.

   b. In the *execution section* (also known as the *body* of the program), change the following sequences of character text to your own words:

   - `Hey!`
   - `That's amazing!`
   - `Close, but no cigar.`
   - `Bzzzt! Not even close.`

3. Every few minutes while you're editing, you should save the work that you've done so far, in case your work is interrupted by a computer crashing.

   For example, in `nano`, enter **Ctrl-O** (the letter oh), at which point `nano` will ask you, near the bottom of the screen:

   `File Name to Write [Backup]: my_number.c`

   That is, `nano` wants to know what filename to save the edited text into, with a default filename of `my_number.c` (or `my_number.f90`). Press **Enter** to save to the default filename `my_number.c` (or `my_number.f90`).

4. A *character string literal constant*, also known as a *character string literal* or a *string literal* for short, is a sequence of characters between a pair of double quotes.

For example, in the C `printf` statement

```
printf("This is a printf statement.\n");
```

the following is a string literal:

```
"This is a printf statement.\n"
```

Likewise, in the Fortran90 `PRINT` statement

```
PRINT *, "This is a PRINT statement."
```

the following is a string literal:

```
"This is a PRINT statement."
```

We say that the pair of double quotes *delimits* the sequence of characters in the string literal. Note that, in C, the `\n` at the end of the string literal tells the program to output a carriage return (also known as a *newline*) at the end of the line of output text. (In Fortran90, outputting the carriage return is implied by the end of the `PRINT` statement.)

5. The lines of text in the source file `my_number.c` (or `my_number.f90`) should be less than 80 characters long, and ideally no more than 72 characters long, each line. (Your `PuTTY` window should be 80 characters wide.)

6. Some text editors, for example `nano`, try to help keep text lines short, by breaking a long line into multiple short lines. For example, `nano` might break a line like:

```
  printf("This is a long line and nano will probably break part of it off.\n");
```

into two separate lines:

```
    printf("This is a long line and nano will probably break part
  of it off.\n");
```

That is, `nano` automatically puts a carriage return when the line starts getting too long for `nano`'s taste.

Unfortunately, the C compiler (or the Fortran90 compiler) will consider this to be an error. Why? Because C (or Fortran90) cannot allow an individual string literal to use more than one line (in Fortran90, there's a goofy way to do it, but it's bad practice). So, the correct way to write the above example is:

```
printf("This is a long line and nano will probably");
printf(" break part of it off.\n");
```

OR:

```
PRINT *, "This is a long line and nano will probably"
PRINT *, " break part of it off."
```

7. Like the lines of source text, the lines of output text should be less than 80 characters long, and ideally no more than 72 characters long, each line. You can break a long line of output text into shorter pieces by making it into two `printf` (or `PRINT`) statements.

   For example:

   ```
   printf("Why you big old stinker! That's not between $d and $d!\n",
       minimum_number, maximum_number);
   ```

   This single `printf` statement can be converted into two `printf` statements, like so:

   ```
   printf("Why you big old stinker! That's not between\n");
   printf(" $d and $d!\n", minimum_number, maximum_number);
   ```

   OR:

   ```
   PRINT *, "Why you big old stinker! That's not between"
   PRINT *, minimum_number, " and ", maximum_number, "!"
   ```

8. After you've finished editing, exit the text editor. For example, in `nano`, enter **Ctrl-X**.

   If you have made any changes since the last time you entered **Ctrl-O**, then `nano` will ask you, near the bottom of the screen:

   ```
   Save modified buffer (ANSWERING "No" WILL DESTROY CHANGES)?
   ```

   To save your most recent changes to the file (which is probably what you want to do), press the **Y** key; to avoid saving your most recent changes, press the **N** key. After that, `nano` will behave the same as if you had entered **Ctrl-O**.

9. **IMPORTANT IMPORTANT IMPORTANT IMPORTANT IMPORTANT IMPORTANT!**
   Edit the input file `my_number_input.txt` to replace the original input values with input values relevant to your new unique version of the program, specifically:

   a. an integer value less than your value for `minimum_number`;

   b. an integer value greater than your value for `maximum_number`;

   c. an integer value between your value for `minimum_number` and your value for `maximum_number` (inclusive), but far from your value for `computers_number`;

   d. an integer value close to your value for `computers_number` (that is, within your value for `close_distance` of your value for `computers_number`);

   e. your value for `computers_number`.

VII. MAKE (COMPILE), RUN AND DEBUG YOUR OWN UNIQUE VERSION

1. Make (compile) your own unique version of the executable program:

   ```
   make  my_number
   gcc -O -c my_number.c
   gcc -O -o my_number my_number.o
   ```

   (It could be the case that the compiler is `gfortran` and the source file is `my_number.f90`.)

2. If the program doesn't compile, then you'll need to edit it and figure out where things went wrong. In the worst case, if you're totally stumped, then copy the original from Henry's directory again, and start editing from the beginning.

3. Repeat the instructions in section V, items 5-11, above.

Congratulations! You've just completed this exercise, and you're now a supercomputer user.