Markdown to Jupyter notebook example

Here is a SugarTeX example with eq. 1 and fig. 1.

See PDF of this source if you do not have excellent Unicode support.

$$\begin{aligned}
\nabla \times \mathbf{B} - \frac{1}{c}\frac{\partial \mathbf{E}}{\partial t} &= \frac{4\pi}{c}\mathbf{j} \\
\nabla \cdot \mathbf{E} &= 4\pi\rho \\
\nabla \times \mathbf{E} + \frac{1}{c}\frac{\partial \mathbf{B}}{\partial t} &= \mathbf{0} \\
\nabla \cdot \mathbf{B} &= 0
\end{aligned} \quad , \qquad (1)$$

where $\mathbf{B}, \mathbf{E}, \mathbf{j} \colon \mathbb{R}^4 \to \mathbb{R}^3$ – vector functions of the form $(t, x, y, z) \mapsto \mathbf{f}(t, x, y, z), \mathbf{f} = (f_x, f_y, f_z)$.


Figure 1: Sample image with cross-references.

In this version of Pandoc image caption fig. 1 works.

```python
from IPython.display import Markdown
import pandas as pd
import numpy as np
import tabulatehelper as th

df = pd.DataFrame(np.random.random(16).reshape(4, 4))

Markdown(f'''
{th.md_table(df)}
: Table {{#tbl:table1}}
''')
```

Table 1: Table

0	1	2	3
0.130602	0.325401	0.59664	0.511042
0.71138	0.0901464	0.215287	0.375636
0.579257	0.955004	0.413457	0.550747
0.942878	0.205129	0.237819	0.64275

Text and tbl. 1

```python
import pandas as pd
import numpy as np
df = pd.DataFrame(np.random.random(16).reshape(4, 4))
df
```

```
# R cell:
x <- c(10, 20)
x[1]
```

10

Header

```
x <- c(10, 20)
x[1]
```

10

```
import math
Markdown(f'''
Markdown text with SugarTeX formula: $α^˱{math.pi:1.3f}˲$.
It works because of the Markdown display option and
SugarTeX Pandoc filter.
''')
```

Markdown text with SugarTeX formula: $\alpha^{3.142}$. It works because of the Markdown display option and SugarTeX Pandoc filter.

```
print('Hello!')
```