

Markdown to Jupyter notebook example

Here is a SugarTeX example with eq. 1 and fig. 1.

See [PDF of this source](#) if you do not have [excellent Unicode support](#).

$$\begin{aligned} \nabla \times \mathbf{B} - \frac{1}{c} \frac{\partial \mathbf{E}}{\partial t} &= \frac{4\pi}{c} \mathbf{j} \\ \nabla \cdot \mathbf{E} &= 4\pi \rho \\ \nabla \times \mathbf{E} + \frac{1}{c} \frac{\partial \mathbf{B}}{\partial t} &= 0 \\ \nabla \cdot \mathbf{B} &= 0 \end{aligned}, \quad (1)$$

where $\mathbf{B}, \mathbf{E}, \mathbf{j} : \mathbb{R}^4 \rightarrow \mathbb{R}^3$ – vector functions of the form $(t, x, y, z) \mapsto \mathbf{f}(t, x, y, z)$, $\mathbf{f} = (f_x, f_y, f_z)$.




Figure 1: Sample image with cross-references.

In this version of Pandoc image caption fig. 1 works.

```

from IPython.display import Markdown
import pandas as pd
import numpy as np
import tabulatehelper as th

df = pd.DataFrame(np.random.random(16).reshape(4, 4))

Markdown(f'''
{th.md_table(df)}
: Table {{#tbl:table1}}
''')

```

Table 1: Table

| 0 | 1 | 2 | 3 |
|----------|-----------|-----------|-----------|
| 0.103841 | 0.420008 | 0.0103423 | 0.395553 |
| 0.760076 | 0.827141 | 0.811338 | 0.0830372 |
| 0.91571 | 0.635037 | 0.936611 | 0.730335 |
| 0.107863 | 0.0360118 | 0.981606 | 0.317605 |

Text and tbl. 1

```

import pandas as pd
import numpy as np
df = pd.DataFrame(np.random.random(16).reshape(4, 4))
df

```

Title

Text and tbl. 2

Table 2: Table

| a | b | c | d |
|---|---|---|---|
| 1 | 2 | 3 | 4 |

```
print('Hello!')
```