

# Markdown to Jupyter notebook example

---

Here is a SugarTeX example with eq. 1 and fig. 1.

See [PDF of this source](#) if you do not have [excellent Unicode support](#).

$$\begin{aligned}\nabla \times \mathbf{B} - \frac{1}{c} \frac{\partial \mathbf{E}}{\partial t} &= \frac{4\pi}{c} \mathbf{j} \\ \nabla \cdot \mathbf{E} &= 4\pi \rho \\ \nabla \times \mathbf{E} + \frac{1}{c} \frac{\partial \mathbf{B}}{\partial t} &= \mathbf{0} \\ \nabla \cdot \mathbf{B} &= 0\end{aligned}, \quad (1)$$

where  $\mathbf{B}, \mathbf{E}, \mathbf{j}: \mathbb{R}^4 \rightarrow \mathbb{R}^3$  – vector functions of the form  $(t, x, y, z) \mapsto \mathbf{f}(t, x, y, z)$ ,  $\mathbf{f} = (f_x, f_y, f_z)$  .




Figure 1: Sample image with cross-references.

In this version of Pandoc image caption fig. 1 works.

```

from IPython.display import Markdown
import pandas as pd
import numpy as np
import tabulatehelper as th

df = pd.DataFrame(np.random.random(16).reshape(4, 4))

Markdown(f'''
{th.md_table(df)}
: Table {{#tbl:table1}}
''')

```

Table 1: Table

0	1	2	3
0.372763	0.0474227	0.693755	0.17106
0.869696	0.760334	0.012208	0.441367
0.535048	0.289908	0.119991	0.745741
0.0987555	0.786062	0.91236	0.0718006

Text and tbl. 1

```

import pandas as pd
import numpy as np
df = pd.DataFrame(np.random.random(16).reshape(4, 4))
df

```

# Title

---

Text and tbl. 2

Table 2: Table

a	b	c	d
1	2	3	4

```
print('Hello!')
```