## Markdown to Jupyter notebook example

Here is a SugarTeX example with eq. 1 and fig. 1.

See PDF of this source if you do not have excellent Unicode support.

$$\nabla \times \mathbf{B} - \frac{1}{c} \frac{\partial \mathbf{E}}{\partial t} = \frac{4\pi}{c} \mathbf{j}$$

$$\nabla \cdot \mathbf{E} = 4\pi \rho$$

$$\nabla \times \mathbf{E} + \frac{1}{c} \frac{\partial \mathbf{B}}{\partial t} = \mathbf{0}$$

$$\nabla \cdot \mathbf{B} = 0$$
(1)

where  ${f B},{f E},{f j}:\mathbb{R}^4 o\mathbb{R}^3$  - vector functions of the form  $(t,x,y,z)\mapsto{f f}(t,x,y,z),\,{f f}=(f_{
m x},f_{
m y},f_{
m z})$  .



Figure 1: Sample image with cross-references.

In this version of Pandoc image caption fig. 1 works.

```
from IPython.display import Markdown
import pandas as pd
```

```
import numpy as np
import tabulatehelper as th

df = pd.DataFrame(np.random.random(16).reshape(4, 4))

Markdown(f'''
{th.md_table(df)}
: Table {{#tbl:table1}}
'''')
```

Table 1: Table

0	1	2	3
0.741952	0.119605	0.120971	0.281765
0.642366	0.594879	0.302491	0.056077
0.966508	0.00274186	0.583068	0.454445
0.276526	0.533035	0.899069	0.750201

Text and tbl. 1

```
import pandas as pd
import numpy as np
df = pd.DataFrame(np.random.random(16).reshape(4, 4))
df
```

## **Title**

Text and tbl. 2

Table 2: Table

|--|

a	b	С	d
1	2	3	4

print('Hello!')