Markdown to Jupyter notebook example

Here is a SugarTeX example with eq. 1 and fig. 1.

See PDF of this source if you do not have excellent Unicode support.

$$abla imes \mathbf{B} - rac{1}{c} rac{\partial \mathbf{E}}{\partial t} = rac{4\pi}{c} \mathbf{j}$$

$$abla abla \cdot \mathbf{E} = 4\pi \rho$$

$$abla imes \mathbf{E} + rac{1}{c} rac{\partial \mathbf{B}}{\partial t} = \mathbf{0}$$

$$abla abla \cdot \mathbf{B} = \mathbf{0}$$

$$abla abla \cdot \mathbf{B} = \mathbf{0}$$

$$(1)$$

where $\mathbf{B},\mathbf{E},\mathbf{j}:\mathbb{R}^4 o\mathbb{R}^3$ – vector functions of the form $(t,x,y,z)\mapsto \mathbf{f}(t,x,y,z),\,\mathbf{f}=(f_{\mathrm{x}},f_{\mathrm{y}},f_{\mathrm{z}})$.




Figure 1: Sample image with cross-references.

In this version of Pandoc image caption fig. 1 works.

```
from IPython.display import Markdown
import pandas as pd
import numpy as np
import tabulatehelper as th

df = pd.DataFrame(np.random.random(16).reshape(4, 4))

Markdown(f'''
{th.md_table(df)}
: Table {{#tbl:table1}}
'''')
```

Table 1: Table

| 0 | 1 | 2 | 3 |
|----------|----------|----------|----------|
| 0.613619 | 0.981648 | 0.194916 | 0.285061 |
| 0.279343 | 0.28879 | 0.635898 | 0.782863 |
| 0.372876 | 0.755004 | 0.966327 | 0.590535 |
| 0.511342 | 0.555024 | 0.312377 | 0.499564 |

Text and tbl. 1

```
import pandas as pd
import numpy as np
df = pd.DataFrame(np.random.random(16).reshape(4, 4))
df
```

```
# R cell:
x <- c(10, 20)
x[1]
```

10

Header

```
x <- c(10, 20)
x[1]
```

10

```
import math
Markdown(f'''
Markdown text with SugarTeX formula: $\alpha^{\text{math.pi:1.3f}},$.
It works because of the Markdown display option and
SugarTeX Pandoc filter.
''')
```

Markdown text with SugarTeX formula: $\alpha^{3.142}$. It works because of the Markdown display option and SugarTeX Pandoc filter.

```
print('Hello!')
```