Markdown to Jupyter notebook example

Here is a SugarTeX example with eq. 1 and fig. 1.

See PDF of this source if you do not have excellent Unicode support.

$$\nabla \times \mathbf{B} - \frac{1}{c} \frac{\partial \mathbf{E}}{\partial t} = \frac{4\pi}{c} \mathbf{j}$$

$$\nabla \cdot \mathbf{E} = 4\pi \rho$$

$$\nabla \times \mathbf{E} + \frac{1}{c} \frac{\partial \mathbf{B}}{\partial t} = \mathbf{0}$$

$$\nabla \cdot \mathbf{B} = 0$$
(1)

where ${f B},{f E},{f j}:\mathbb{R}^4 o\mathbb{R}^3$ – vector functions of the form $(t,x,y,z)\mapsto {f f}(t,x,y,z),\,{f f}=(f_{
m x},f_{
m y},f_{
m z})$.



Figure 1: Sample image with cross-references.

In this version of Pandoc image caption fig. 1 works.

```
from IPython.display import Markdown
import pandas as pd
import numpy as np
import tabulatehelper as th

df = pd.DataFrame(np.random.random(16).reshape(4, 4))

Markdown(f'''
{th.md_table(df)}
: Table {{#tbl:table1}}
'''')
```

Table 1: Table

0	1	2	3
0.733726	0.965354	0.264002	0.986044
0.439818	0.46789	0.053392	0.485941
0.609233	0.309588	0.454868	0.349784
0.0867415	0.224583	0.637223	0.416915

Text and tbl. 1

```
import pandas as pd
import numpy as np
df = pd.DataFrame(np.random.random(16).reshape(4, 4))
df
```

Title

Table 2: Table

а	b	С	d
1	2	3	4

print('Hello!')