Markdown to Jupyter notebook example

Here is a SugarTeX example with eq. 1 and fig. 1.

See PDF of this source if you do not have excellent Unicode support.

$$\nabla \times \mathbf{B} - \frac{1}{c} \frac{\partial \mathbf{E}}{\partial t} = \frac{4\pi}{c} \mathbf{j}$$

$$\nabla \cdot \mathbf{E} = 4\pi \rho$$

$$\nabla \times \mathbf{E} + \frac{1}{c} \frac{\partial \mathbf{B}}{\partial t} = 0$$

$$\nabla \cdot \mathbf{B} = 0$$

$$(1)$$

where $B, E, j: R^4 \to R^3$ – vector functions of the form $(t,x,y,z) \mapsto f(t,x,y,z), \ f=(f_x,f_y,f_z).$



Figure 1: Sample image with cross-references.

In this version of Pandoc image caption fig. 1 works.

```
from IPython.display import Markdown
import pandas as pd
import numpy as np
import tabulatehelper as th

df = pd.DataFrame(np.random.random(16).reshape(4, 4))

Markdown(f'''
{th.md_table(df)}
: Table {{#tbl:table1}}
'''')
```

Table 1: Table

0	1	2	3
0.95795	0.392092	0.252044	0.461905
0.0137792	0.100195	0.483127	0.914163
0.314078	0.985689	0.14374	0.432348
0.840484	0.605611	0.963999	0.0163415

Text and tbl. 1

```
import pandas as pd
import numpy as np
df = pd.DataFrame(np.random.random(16).reshape(4, 4))
df
```

Title

Text and tbl. 2

Table 2: Table

a	b	С	d
1	2	3	4

print('Hello!')