



01	--/--/14	-----	JL
A	22/1/15	-----	JL

NOTE

- 1. MATERIAL IS NITRILE RUBBER OR EPDM
- 2. FINISH IS HIGH GLOSS
- 3. COLOUR IS PANTONE 485c, TRIGGERTRAP RED, OR APPROVED MATCH
- 4. SIZES BELOW ARE 'INSTALLED SIZE' RECOMMEND UNINSTALLED ID OF 26,5mm, 2.5MM CIRCULAR SECTION (OD 31,5)
- 5. SHORE HARDNESS 60 ± 5




SECTION A-A

DRAWING IS NOT FOR RELEASE TO PARTIES OTHER THAN Triggertrap AND THEIR APPROVED SUPPLIERS

IF IN DOUBT ASK.

LAMB INDUSTRIES LIMITED | 47 MIDFORD ROAD | BATH | UK | BA2 5RW
JAMES@LAMBINDUSTRIES.CO.UK

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ± 0,15 ANGULAR: ± 0,5°				FINISH: SEE NOTES		DEBUR AND BREAK SHARP EDGES		DO NOT SCALE DRAWING		REVISION	
DRAWN JAMES LAMB				SIGNATURE		DATE --/--/--		 DRAWING IS THE COPYRIGHT OF LAMB INDUSTRIES LIMITED. DO NOT REPRODUCE WITHOUT PERMISSION		TITLE: O-RING	
CHK'D											
APPV'D											
MFG											
Q.A											
3RD ANGLE PROJECTION						MATERIAL: SEE NOTES		DWG NO. TT-121-A_ADA_O-RING DRG		A3	
						WEIGHT:		SCALE:2:1		SHEET 1 OF 1	