Title:

Certificate of Analysis (CoA)

Date: 11/2/2026
Date Tested: 11/1/2026
Customer: P3 Labz
Testing material: KPV
Lot Number: 023-T86-TSX
Sample ID: BTL261028-016-004
Content/Potency: 100 mg
Storage: R.T.
Visual Description: 1.5 mL cryo vial: white sample, silver label, no crimp, clear plastic cap.
Labeled as: KPV
Manufacturer: Lotus Bio
Testing Purpose: FTIR and HPLC analysis for the identification, purity, potency and composition of a peptide product. It does not provide information on particulate matter, microbial contamination or presence of endotoxins.



Test	Method	Specification	Result
General Appearance	USP <630>	white powder	white powder
Mass	USP <41>	As recorded	36.5 mg
FTIR Identification and Composition Analysis	USP <197A>	Sample spectrum should confirm the content of peptide via characteristic bands	FTIR sample spectrum confirms the presence of KPV with addition of excipient(s)/fillers.
HPLC Purity of Peptide Assay	USP <621>	Specifications: ≥ 98 %	99.6 %
HPLC Potency Assay	USP <621>	Specifications: 90 – 110% of 100 mg	35.2 mg (35.2 %)
Peptide-to-Excipients Ratio	USP <1151>	Recommended ratios of (1:0) to (1:10) for (peptide: excipients)	35.2 : 1.3 mg (1:0)

The results of the CoA relate only to the item(s) tested and applied to the sample as received.

Andrea Castro, BS
Scientist-II
BTLabs


Escarlet Cabrieles, BS
Scientist-II
BTLabs

5601 Corporate Way | Suite 206 | West Palm Beach, FL 33407
Phone: (561) 941-4835
E-mail: info@btlabtesting.com | Website: https://btlabtesting.com

Title:

Certificate of Analysis (CoA)

FTIR ID and Composition Analysis: KPV Lot 023-T86-TSX



HPLC Purity and Potency Assay @ 220 nm: KPV Lot 023-T86-TSX



KPV Lot 023-T86-TSX @ 220 nm		
Peak #:	Retention Time (min)	Area (mAU*s)
1	1.758	32972.1

5601 Corporate Way | Suite 206 | West Palm Beach, FL 33407
Phone: (561) 941-4835
E-mail: info@btlabtesting.com | Website: https://btlabtesting.com