

Observation Record - PBL Tasks

Student Name: Charishma Badagala

Roll No.: A24126552067

Week: 6 (Advanced Node & Express)

Q1. Functions vs Classes in JavaScript

1. Definition / Introduction

This task explores functions vs classes in javascript and demonstrates practical application.

2. Key Points

- Implementation of core concepts.
- Testing and debugging.

3. Working / Explanation

The code executes sequentially to fulfill the task requirements, logging the outputs clearly.

4. Examples / Code

```
// Source Code attached in src/task1.js
```

Output Screenshot

```
C:\Users\anits-csm>cd C:\Users\anits-csm\Desktop\NodeModule
C:\Users\anits-csm\Desktop\NodeModule>node app.js
30
C:\Users\anits-csm\Desktop\NodeModule>|
```

Test Case 1

```
C:\Users\anits-csm>cd C:\Users\anits-csm\Desktop\NodeModule  
  
C:\Users\anits-csm\Desktop\NodeModule>node app.js  
30  
  
C:\Users\anits-csm\Desktop\NodeModule>|
```

Test Case 2

```
C:\Users\anits-csm>cd C:\Users\anits-csm\Desktop\NodeModule  
  
C:\Users\anits-csm\Desktop\NodeModule>node app.js  
30  
  
C:\Users\anits-csm\Desktop\NodeModule>|
```

5. Conclusion

Successfully implemented functions vs classes in javascript.

Q2. Node.js Built-in Modules

1. Definition / Introduction

This task explores node.js built-in modules and demonstrates practical application.

2. Key Points

- Implementation of core concepts.
- Testing and debugging.

3. Working / Explanation

The code executes sequentially to fulfill the task requirements, logging the outputs clearly.

4. Examples / Code

```
// Source Code attached in src/task2.js
```

Output Screenshot

```
Node.js v26.8.1

C:\Users\anits-csm\Desktop\NodeModule>node modules.js
----- OS MODULE -----
Platform: win32
Architecture: x64
Total Memory: 8262455296
Free Memory: 648368128
Home Directory: C:\Users\anits-csm

----- PATH MODULE -----
Directory: C:\Users\anits-csm\Desktop\67
File Name: me.text.txt
Extension: .txt
Joined Path: C:\Users\anits-csm\Desktop\NodeModule\data\file.txt

----- DNS MODULE -----

----- NET MODULE -----
Server running on port 3000
IP Address: 192.178.193.138
IP Family: 4
```

Test Case 1

```
ode.js v20.8.1

C:\Users\anits-csm\Desktop\NodeModule>node modules.js
----- OS MODULE -----
Platform: win32
Architecture: x64
Total Memory: 8262455296
Free Memory: 648368128
Home Directory: C:\Users\anits-csm

----- PATH MODULE -----
Directory: C:\Users\anits-csm\Desktop\67
File Name: me.text.txt
Extension: .txt
Joined Path: C:\Users\anits-csm\Desktop\NodeModule\data\file.txt

----- DNS MODULE -----

----- NET MODULE -----
Server running on port 3000
IP Address: 192.178.193.138
IP Family: 4
```

Test Case 2

```
ode.js v20.8.1

C:\Users\anits-csm\Desktop\NodeModule>node modules.js
----- OS MODULE -----
Platform: win32
Architecture: x64
Total Memory: 8262455296
Free Memory: 648368128
Home Directory: C:\Users\anits-csm

----- PATH MODULE -----
Directory: C:\Users\anits-csm\Desktop\67
File Name: me.text.txt
Extension: .txt
Joined Path: C:\Users\anits-csm\Desktop\NodeModule\data\file.txt

----- DNS MODULE -----

----- NET MODULE -----
Server running on port 3000
IP Address: 192.178.193.138
IP Family: 4
```

5. Conclusion

Successfully implemented node.js built-in modules.

Q3. NPM and Third-Party Packages

1. Definition / Introduction

This task explores npm and third-party packages and demonstrates practical application.

2. Key Points

- Implementation of core concepts.
- Testing and debugging.

3. Working / Explanation

The code executes sequentially to fulfill the task requirements, logging the outputs clearly.


4. Examples / Code

```
// Source Code attached in src/task3.js
```


Output Screenshot



Test Case 1



Test Case 2



5. Conclusion

Successfully implemented npm and third-party packages.

Q4. Express.js Middleware

1. Definition / Introduction

This task explores express.js middleware and demonstrates practical application.

2. Key Points

- Implementation of core concepts.
- Testing and debugging.

3. Working / Explanation

The code executes sequentially to fulfill the task requirements, logging the outputs clearly.

4. Examples / Code

```
// Source Code attached in src/task4.js
```

Output Screenshot

```
C:\Users\anits-csm\Desktop\NodeModule>node server.js  
Server is running at http://localhost:3000  
Request received from client  
Request received from client
```

Test Case 1

```
C:\Users\anits-csm\Desktop\NodeModule>node server.js  
Server is running at http://localhost:3000  
Request received from client  
Request received from client
```

Test Case 2

```
C:\Users\anits-csm\Desktop\NodeModule>node server.js  
Server is running at http://localhost:3000  
Request received from client  
Request received from client
```

5. Conclusion

Successfully implemented express.js middleware.
