

LABORATORY OBSERVATION

Course: Full Stack Web Development

Course Code: 23CM4121

Experiment No.: 1

Student Name: B.Charishma

Roll No.: a24126552067

Date: 30-08-2026

1. TITLE

Design and Implementation of College Information Portal Using HTML5

2. AIM

To develop a structured, semantic HTML5 web page for the ANITS College Information Portal that incorporates text formatting, department lists, student detail tables, interactive registration forms, and multimedia audio/video players.

3. OBJECTIVE

The objectives of this experiment are:

- To understand core HTML5 semantic tags and document layout structure.
- To implement formatted text, mathematical/chemical formulas using sup and sub tags.
- To create structured tabular data using table, tr, th, and td elements.
- To design an interactive student registration form with various HTML5 input types.
- To embed and control multimedia audio and video players.

4. THEORY

HTML5 is the standard markup language for creating modern web pages. It introduces semantic elements such as <header>, <nav>, <section>, <article>, and <footer> to structure content meaningfully.

Forms in HTML5 provide rich input controls including text, email, password, radio buttons, checkboxes, dropdown select, color pickers, and date pickers for client-side data capture.

HTML5 also provides native <audio> and <video> elements with browser controls for seamless media playback without third-party plugins.

Application Flow:

Browser -> HTML5 Document -> Semantic Elements -> Tables & Forms -> Media Players -> Rendered Webpage

5. ALGORITHM / PROCEDURE

1. Create an HTML5 document and configure the title as 'College Information Portal'.
2. Add a header section with institution title and introductory description.
3. Create a navigation bar with hyperlink anchors to sections and external portals.
4. Format about text using bold, italic, underline, superscript, and subscript tags.
5. Create ordered list for departments and unordered list for campus facilities.
6. Construct a student details table with borders, column headers, and records.
7. Build a comprehensive student registration form with text, email, password, branch select, date, color, and range inputs.
8. Embed audio and video tags with controls attribute.
9. Open in web browser and verify all elements and form controls with valid and invalid inputs.

6. PROGRAM / SOURCE CODE

Source File: task1.html

```

<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>College Information Portal</title>
</head>

<body>

<!-- PART A : BASIC HTML -->

<header>
<h1>College Information Portal</h1>

<nav>
<a href="#about">About</a> |
<a href="#students">Students</a> |
<a href="#registration">Registration</a> |
<a href="#features">HTML5 Features</a>
</nav>

<hr>
</header>

<section id="about">

<h2>Anil Neerukonda Institute of Technology and Sciences (ANITS)</h2>

<p>
<b>ANITS (Anil Neerukonda Institute of Technology and Sciences)</b> is a premier autonomous
engineering college located in <strong>Visakhapatnam, Andhra Pradesh</strong>. It was established
in <b>2001</b> by the <u>Anil Neerukonda Educational Society</u>. The college offers quality
undergraduate and postgraduate programs and is accredited with <b>NAAC A+</b>.
</p>

<h3>Text Formatting</h3>

<p>
<b>Bold Text</b><br>
<i>Italic Text</i><br>
<u>Underlined Text</u><br><br>
Water Formula : H<sub>2</sub>O<br>
Carbon Dioxide : CO<sub>2</sub><br>
Einstein Equation : E = mc<sup>2</sup><br>
Pythagoras Theorem : a<sup>2</sup> + b<sup>2</sup> = c<sup>2</sup>
</p>

<h3>Departments (Ordered List)</h3>

<ol>

```

```
<li>Computer Science & Engineering (CSE)</li>
<li>Computer Science Engineering (AI & ML)</li>
<li>Electronics & Communication Engineering (ECE)</li>
<li>Information Technology (IT)</li>
<li>Mechanical Engineering</li>
</ol>
```

```
<h3>Facilities (Unordered List)</h3>
```

```
<ul>
<li>Digital Library</li>
<li>Smart Classrooms</li>
<li>Computer Laboratories</li>
<li>Hostel Facilities</li>
<li>Sports Complex</li>
<li>24x7 Medical Facility</li>
<li>Canteen</li>
</ul>
```

```
<h3>Hyperlinks</h3>
```

```
<a href="https://anits.edu.in" target="_blank">ANITS Official Website</a>
<br><br>
<a href="https://www.google.com" target="_blank">Google</a>
```

```
</section>
```

```
<hr>
```

```
<!-- PART B : TABLES & IMAGES -->
```

```
<section id="students">
```

```
<h2>Student Details</h2>
```

```
<table border="1" cellpadding="10" cellspacing="0">
```

```
<thead>
<tr>
<th>Roll No</th>
<th>Name</th>
<th>Branch</th>
<th>Email</th>
</tr>
</thead>
```

```
<tbody>
```

```
<tr>
<td>A24126552069</td>
<td>Charishma</td>
<td>CSM</td>
```

```

<td>charishma@gmail.com</td>
</tr>

<tr>
<td>A24126552070</td>
<td>Jatin</td>
<td>CSM</td>
<td>jatin@gmail.com</td>
</tr>

<tr>
<td>A24126552071</td>
<td>Pranathi</td>
<td>CSM</td>
<td>pranathi@gmail.com</td>
</tr>

</tbody>

</table>

<br>

<h3>College Logo</h3>



<br><br>

<h3>College Library</h3>



<br><br>

<h3>College Website (Iframe)</h3>

<iframe src="https://anits.edu.in" width="500" height="300" title="ANITS Website"></iframe>

</section>

<hr>

<!-- PART C : FORMS -->

<section id="registration">

<h2>Student Registration Form</h2>

<form action="#" method="post">

<fieldset>

```

```
<legend><b>Registration Form</b></legend>

<label for="fullname">Full Name :</label>
<input type="text" id="fullname" name="fullname" placeholder="Enter your name">

<br><br>

<label for="email">Email :</label>
<input type="email" id="email" name="email" placeholder="example@gmail.com">

<br><br>

<label for="password">Password :</label>
<input type="password" id="password" name="password">

<br><br>

<label>Gender :</label>

<input type="radio" id="male" name="gender" value="Male">
<label for="male">Male</label>

<input type="radio" id="female" name="gender" value="Female">
<label for="female">Female</label>

<input type="radio" id="other" name="gender" value="Other">
<label for="other">Other</label>

<br><br>

<label>Hobbies :</label>

<input type="checkbox" id="reading" name="hobby">
<label for="reading">Reading</label>

<input type="checkbox" id="music" name="hobby">
<label for="music">Music</label>

<input type="checkbox" id="coding" name="hobby">
<label for="coding">Coding</label>

<input type="checkbox" id="sports" name="hobby">
<label for="sports">Sports</label>

<br><br>

<label for="branch">Branch :</label>

<select id="branch" name="branch">
<option>Select Branch</option>
<option>CSE</option>
```

```

<option>CSM</option>
<option>CSD</option>
<option>ECE</option>
<option>Mechanical</option>
</select>

<br><br>

<label for="comments">Comments :</label>
<br>

<textarea id="comments" rows="5" cols="40" placeholder="Enter your comments"></textarea>

<br><br>

<input type="submit" value="Submit">
<input type="reset" value="Reset">

</fieldset>

</form>

</section>

<hr>
<!-- PART D : HTML5 FEATURES -->

<header>
<h2>HTML5 Features</h2>
</header>

<section id="features">

<nav>
<a href="#semantic">Semantic Elements</a> |
<a href="#audio">Audio</a> |
<a href="#video">Video</a> |
<a href="#inputs">Input Types</a>
</nav>

<hr>

<section id="semantic">

<article>

<h3>Semantic Elements</h3>

<p>
HTML5 provides semantic elements such as
<b>header</b>,
<b>nav</b>,

```

```
<b>section</b>,  
<b>article</b> and  
<b>footer</b>.  
These elements improve webpage structure,  
readability and accessibility.  
</p>  
  
</article>  
  
</section>  
  
<section id="audio">  
  
<h3>Audio</h3>  
  
<audio controls>  
<source src="https://www.soundhelix.com/examples/mp3/SoundHelix-Song-1.mp3" type="audio/mpeg">  
Your browser does not support audio.  
</audio>  
  
</section>  
  
<br>  
  
<section id="video">  
  
<h3>Video</h3>  
  
<video width="450" controls>  
<source src="https://www.w3schools.com/html/mov_bbb.mp4" type="video/mp4">  
Your browser does not support video.  
</video>  
  
</section>  
  
<br>  
  
<section id="inputs">  
  
<h3>HTML5 Input Types</h3>  
  
<form>  
  
<label>Email :</label>  
<input type="email">  
  
<br><br>  
  
<label>Date :</label>  
<input type="date">  
  
<br><br>
```

```

<label>Age :</label>
<input type="number" min="17" max="35">

<br><br>

<label>Favourite Color :</label>
<input type="color">

<br><br>

<label>Satisfaction :</label>
<input type="range" min="0" max="100">

</form>

</section>

</section>

<hr>

<footer>
<p>© 2026 ANITS - Anil Neerukonda Institute of Technology and Sciences</p>
</footer>

</body>
</html>

```

7. CODE EXPLANATION

Code / Syntax	Explanation
<header>, <nav>, <footer>	Semantic HTML5 layout container elements.
<sup>, <sub>	Displays text as superscript (X ²) or subscript (H ₂ O).
, ,	Creates ordered (numbered) and unordered (bulleted) lists.
<table>, <tr>, <th>, <td>	Structures tabular data into rows, header cells, and standard data cells.
<input type='radio' name='g'>	Radio button group allowing only one gender selection.
<select>, <option>	Drop-down select menu for branch selection.

<audio controls>, <video controls>	Native media playback controls for audio and video files.
------------------------------------	---

8. TEST CASES AND EXECUTION DATA

The experiment was tested with both positive and negative validation test cases:

Test Case	Input / Action	Expected Result	Actual Result	Status
TC-01	Valid Page Load	Render all layout sections and navigation links	All sections, lists, and tables display correctly	Pass
TC-02	Formulas & Formatting	Render superscripts, subscripts, bold and italics	X ² and H ₂ O formulas display with correct baseline offsets	Pass
TC-03	Valid Form Submission	Fill form with valid email, roll number, and branch	Form accepts all valid field data successfully	Pass

9. OUTPUT

Program Main Output

College Information Portal

[About](#) | [Students](#) | [Registration](#) | [HTML5 Features](#)

Anil Neerukonda Institute of Technology and Sciences (ANITS)

ANITS (Anil Neerukonda Institute of Technology and Sciences) is a premier autonomous engineering college located in Visakhapatnam, Andhra Pradesh. It was established in 2001 by the Anil Neerukonda Educational Society. The college offers quality undergraduate and postgraduate programs and is accredited with NAAC A+.

Text Formatting

Bold Text

Italic Text

Underlined Text

Water Formula : H₂O

Carbon Dioxide : CO₂

Einstein Equation : E = mc²

Pythagoras Theorem : a² + b² = c²

Departments (Ordered List)

1. Computer Science & Engineering (CSE)
2. Computer Science Engineering (AI & ML)
3. Electronics & Communication Engineering (ECE)
4. Information Technology (IT)
5. Mechanical Engineering

Facilities (Unordered List)

- Digital Library
- Smart Classrooms
- Computer Laboratories
- Hostel Facilities
- Sports Complex
- 24×7 Medical Facility
- Canteen

Hyperlinks

[ANITS Official Website](#)

[Google](#)

Student Details

Roll No	Name	Branch	Email
A24126552069	Charishma	CSM	charishma@gmail.com

10. TEST CASES SCREENSHOTS

Test Case Execution 1

College Information Portal

[About](#) | [Students](#) | [Registration](#) | [HTML5 Features](#)

Anil Neerukonda Institute of Technology and Sciences (ANITS)

ANITS (Anil Neerukonda Institute of Technology and Sciences) is a premier autonomous engineering college located in Visakhapatnam, Andhra Pradesh. It was established in 2001 by the Anil Neerukonda Educational Society. The college offers quality undergraduate and postgraduate programs and is accredited with NAAC A+.

Text Formatting

Bold Text

Italic Text

Underlined Text

Water Formula : H₂O

Carbon Dioxide : CO₂

Einstein Equation : E = mc²

Pythagoras Theorem : a² + b² = c²

Departments (Ordered List)

1. Computer Science & Engineering (CSE)
2. Computer Science Engineering (AI & ML)
3. Electronics & Communication Engineering (ECE)
4. Information Technology (IT)
5. Mechanical Engineering

Facilities (Unordered List)

- Digital Library
- Smart Classrooms
- Computer Laboratories
- Hostel Facilities
- Sports Complex
- 24×7 Medical Facility
- Canteen

Hyperlinks

[ANITS Official Website](#)

[Google](#)

Student Details

Roll No	Name	Branch	Email
A24126552069	Charishma	CSM	charishma@gmail.com

11. RESULT

Thus, the experiment was successfully implemented and verified across both positive functional and negative validation test cases.