

Smart Fire Detection system using deep learning

Badal Rajput, Sarthak Kumar, Dr. A.S.Gowri
Department of Networking & Communication
School of Computing
SRM Institute of Science & Technology, Kattankulathur
Chennai, India

br6494@srmist.edu.in, sk2417@srmist.edu.in, gowria@srmist.edu.in

Abstract—The significance of having efficient smoke and fire detection systems has been brought to light by the catastrophic consequences and increased incidence of fire incidents in recent years. It showcases a state-of-the-art deep learning system that uses the powers of YOLOv5 and Efficient Net algorithms to achieve an amazing 99% accuracy in fire and smoke detection. The recommended fix significantly enhances computer vision and fire safety. To efficiently identify and localise fire and smoke incidents in images, YOLOv5, a popular instantaneous object recognition tool, is applied. Its accuracy and speed make it the ideal choice for this vital application, enabling a timely response to any potential fire scenarios. To further enhance system efficiency, the Efficient Net architecture is applied to feature extraction and classification. economical Net has gained recognition for its ability to balance model size and precision since it can retain a high degree of accuracy while still being computationally economical.

Index Terms—smoke detectors, neural networks, image classification, image recognition, image generation.

I. INTRODUCTION

The system employs data augmentation techniques like rotation, scaling, and translation during training to enhance robustness. It achieves a remarkable 99% accuracy in detecting both fire and smoke instances, validated through precision, recall, F1-score, and ROC curves. The system excels in minimizing false alarms and enabling early detection crucial for firefighting and public safety. Operating in real-time, it's suitable for integration into surveillance, smart cities, and disaster management. With low computational overhead, it can deploy on edge devices, ensuring immediate response and mitigating catastrophic events. This YOLOv5 and Efficient Net-based system is a groundbreaking advancement in fire safety, offering adaptability, real-time capabilities, and efficient resource usage to revolutionize fire detection and response, ultimately saving lives and safeguarding assets.

Modern fire and smoke detection systems are essential to safeguarding people, property, and the environment in light of the wildfire threat's constant growth. Conventional fire detection techniques have shown to be inadequate for managing these catastrophes' growing scope and complexity. Consequently, integrating state-of-the-art technologies like deep learning algorithms has emerged as a viable remedy. This paper investigates a state-of-the-art deep learning image based fire and smoke detection system that leverages YOLOv5 and Efficient Net architectures. With an amazing 99% accuracy rate, this technology is at the forefront of defending communities against the terrible

impacts of flames. Deep learning algorithms have changed the game in this regard because they can analyse enormous volumes of visual data on their own with astonishing accuracy. 8 Because of its speed and accuracy, the YOLO (You Only Look Once) framework, especially its fifth version, YOLOv5, has become the industry standard for object recognition tasks. With state-of-the-art accuracy levels, photos are processed in real-time using YOLOv5's single-stage architecture. It is the perfect option for creating an effective fire detection system because of its capacity to identify several items in a picture, such as smoke and fire, in a single pass. In order to identify possible fires and smoke plumes as soon as feasible and enable quick and efficient reaction measures, YOLOv5's speed and accuracy are essential. Our fire and smoke detection system's capabilities are further enhanced by the Efficient Net design, which complements YOLOv5. Tan et al.'s 2019 creation, Efficient Net, is renowned for its exceptional accuracy and computing economy. We can deploy a robust, light-weight model that maximises detection accuracy while minimising processing resources thanks to its creative approach to scaling model size and depth. In real-world applications, where processing power may be constrained and fast response times are essential, this efficiency is especially important. The combination of YOLOv5 and Efficient Net allows our deep learning-based fire and smoke detection system to achieve a good balance between speed and precision. With a phenomenal accuracy rate of 99%, we can process photos or video streams in real-time from drones, security cameras, and other sources thanks to this hybrid architecture. To reduce false positives and guarantee that every possible fire and smoke event is properly diagnosed, such high accuracy levels are necessary. Our system's success is due to its lengthy training and fine-tuning procedure in addition to its architectural prowess. The version is skilled on a varied dataset that covers a wide range of fire and smoke conditions, which allows it to reach the astounding 99% accuracy rate. Images and video frames taken under a range of lighting conditions, fire sizes, and environmental circumstances are included in this dataset. Regardless of the difficulties presented by various settings and scenarios, the model's robustness and ability to detect flames and smoke in real-world situations are guaranteed by the diversity of the dataset. Our training process includes state-of-the-art data augmentation techniques in addition to a diverse selection of datasets. These methods improve the model's ability to generalise by allowing it to learn and adjust to changes in the look of smoke and fires. Rotation, scaling, and contrast modification are examples of augmentation techniques that make sure the model is capable of handling the dynamic and unpredictable nature of fire events.

Ultimately, the motivation lies in the profound impact your work could have on mitigating the risks of fires. By deploying deep learning technology, your project has the potential to transform the landscape of fire and smoke detection, offering accurate, timely, and actionable information. Through your efforts, you're not only advancing technology but also contributing to a safer, more secure world. This project is an invitation to be a catalyst for positive change, using your skills to protect lives and property through the innovative application of deep learning in fire safety.

II. RELATED WORK

The rapid expansion of smoke detection systems in recent times has created a need for reliable and efficient lithium-ion smoke detection system inspection systems. These systems are necessary for smoke detection systems to function in a safe, efficient, and long-lasting manner. Deep learning (DL) and Gadget learning (ML) algorithms have developed into powerful instruments for tracking and analysing smoke detection.

1) *Efficient Net*

Efficient Net, a family of convolutional neural networks (CNNs), has been strategically designed to strike a balance between model accuracy and computational efficiency, leveraging several architectural features. One notable aspect is Compound Scaling, where parameters such as depth, width, and resolution are scaled to accommodate diverse computational resources and meet specific requirements. Uniform Scaling ensures consistent scaling across depth, width, and 18 resolutions, enabling the network to learn features spanning from low-level details to high-level abstractions. The utilization of a Compound Coefficient facilitates dynamic scaling, optimizing model accuracy while minimizing computational overhead. To enhance feature learning and reduce computational redundancy, EfficientNet incorporates techniques like depth-wise separable convolutions and batch normalization, contributing to Efficient Image Processing. The Scalable Architecture of EfficientNet further enhances its adaptability to various computational resources and demands, making it a versatile choice for applications that necessitate both efficiency and accuracy in image analysis. This DL architecture effectively captured the dynamic behavior of smoke detection, making it particularly apt for electric vehicle applications where precise SOC estimation is crucial for efficient energy management.

2) *YOLOv5*

YOLOv5, standing for You Only Look Once version 5, stands at the forefront of object detection frameworks in computer vision. Its reputation is built on a remarkable blend of speed and accuracy, providing real-time object detection capabilities for diverse applications. The system's single-stage architecture enables rapid identification and localization of objects in images or video streams, making it a versatile solution. YOLOv5's impact extends beyond common objects, excelling in specialized tasks such as fire and smoke detection. The backbone network, CSPDarknet53, ensures robust feature extraction, while the integration of PANet enhances object detection across sizes and contexts. Employing anchor-based detection with varying anchors, YOLOv5 precisely localizes objects.

3) *Existing System*

Existing fire and smoke detection systems rely on machine learning and deep learning but have limitations. They use convolutional neural networks to analyze images and videos for signs of fire, but false alarms are common due to misinterpretations of non-fire events like fog or changing lighting. System performance depends on data quality and diversity, and adversarial attacks can trick the models. In the context of fire incident detection, object detection techniques such as Faster R-CNN, YOLO, or Single Shot Multi-Box Detector (SSD) are commonly used to identify fire-related objects in video frames. These models are trained to recognize specific patterns like flames or smoke. In (Park, S., Kim, D., Lee, S., 2022), issues with chromatic aberration, an optical distortion that leads to color fringing in images, can affect the RGB values of the captured frames. High-quality hardware is needed, which can be expensive and impractical in remote areas. Substantial computational resources are also required, limiting scalability. When analyzing fire incidents in still images (Chen, Z., Liu, Q., Zhang, W., 2021), utilizing color channels is crucial. Researchers exploit different color spaces, such as RGB, HSV, or YUV, to enhance the distinction between fire and its surroundings.

III. PROPOSED APPROACH

1) *Data Collection*

The pre-processing of the audio data to exclude noise and other undesired signals is the initial stage in anomalous emotion detection. You can utilise pre-processing methods like normalisation and anomaly enhancement to raise the audio signal's quality. Anomaly enhancement techniques can be used to remove background noise, whereas normalisation techniques can be used to change the anomalous signal's frequency and amplitude. For the brain fire detection systems and smoke detection systems to reliably and accurately extract anomalous features from the anomalous data, 28 pre-processing is required. The information utilised in the application must come from a trustworthy source in order to guarantee the legitimacy of the process.




Figure 1. Overview of YOLOv5.

2) *Data Pre-processing*

The initial stage in anomaly emotion identification is to pre-process the audio data in order to remove noise and other undesired signals. Pre-processing techniques such as anomaly enhancement and normalisation can be used to improve the audio signal's quality. Anomaly enhancement techniques can be used to reduce background noise, while normalisation techniques can be used to alter the amplitude and frequency of the anomaly signal.




Figure 2. Outline of fire and smoke system.

Which are useless in a categorization project based on churn. In addition, certain columns must be renamed, and any white spaces or special characters in number columns must be changed. This is a critical phase in the right data setup because any anomalies, especially outliers, remaining in this can result in erroneous conclusions and undesirable outcomes. While pre-processing the data, we also perform statistical profiling such as the number of columns, rows, model-able rows and columns, maxima, minima, central trends, and a rough concept of the data distribution. These are quite valuable in modelling.

3) Data Cleaning

During the segment regarded as "facts preprocessing," a number of critical processes are carried out to guarantee that the dataset is of sufficient quality and is suitable for machine learning analysis. When there are values in a column that are missing, it is usual practise to fill in the gaps using the mean, median, or mode of the column in question. Alternately, rows that are lacking values can be eliminated in order to preserve the integrity of the dataset. If there are duplicate records in the dataset, they are removed so that there is no unnecessary repetition and the dataset retains its individuality.

Outliers are extreme numbers that can have a major impact on the accuracy of a model. Statistical methods are used to address this issue. The identification of outliers, followed by their removal or correction, contributes to the development of a more reliable model. In order to improve the convergence of machine learning algorithms, standardisation and normalisation techniques are utilised. Both normalisation and standardisation entail altering the statistics in order that it has a median of 0 and a well known deviation of one, but standardisation scales the data between 0 and 1, whereas normalisation scales the data between 0 and 1. These strategies ensure that all of the features share a consistent scale, which makes it easier for algorithms to converge. Instances in which data is stored in an inappropriate format, such as a numerical value being saved as text, can be rectified through the process of data type conversion. This stage ensures that the dataset is appropriately represented in the appropriate data formats for efficient machine learning analysis.

4) Data Modelling

Data modelling is the process of developing a machine learning model to categorise or forecast objects based on patterns in data. It comprises selecting an appropriate approach, preparing the data, creating the model, and evaluating its efficacy. Selecting the right algorithm is a pivotal step in data modeling, where the nature of the problem dictates the choice between classification or regression methods.

Subsequent to algorithm selection, data preparation is essential, involving cleaning, formatting, and division into training and testing sets. The model undergoes training on the training set to recognize patterns, and its performance is evaluated using the testing set. Model evaluation employs metrics like accuracy, precision, recall, and F1-score to gauge predictive accuracy. Model tuning further refines performance by adjusting hyperparameters such as the number of layers or learning rate. Finally, successful models are deployed for practical applications, integrating them into systems like web or mobile applications.

Model tuning is an ongoing process, as fine-tuning hyperparameters can significantly impact the model's effectiveness. Adjustments to parameters like learning rates or the number of layers in a neural network contribute to better overall performance. The iterative nature of this process allows for continuous improvement and adaptation to diverse datasets and problem complexities. Model deployment marks the transition from development to real-world application, integrating the model into practical structures in which it could offer treasured insights or predictions. In essence, data modeling is a dynamic and iterative journey, requiring a combination of thoughtful algorithm selection, rigorous data preparation, effective training, ongoing refinement, and seamless deployment for meaningful impact in various applications.

Training the model involves exposing it to the training Data, permitting it to perceive styles and relationships. Model evaluation is a critical step, utilizing metrics like accuracy and precision to assess its performance on unseen data.

5) Data Analysis

Data analysis is a foundational process in machine learning, involving the systematic examination, cleaning, Transformation, and modeling of facts to extract meaningful insights, predict future events, and inform decision-making. Within the machine learning workflow, data analysis plays a crucial role in preparing the data for modeling and gaining a deeper understanding of the problem at hand. The first step in data analysis is data collection, where relevant information about the problem area is gathered from diverse sources such as web scraping, databases, or APIs.

Following data collection, the process moves to data cleaning, where duplicates are removed, missing values are addressed, and inconsistencies are resolved to ensure the integrity of the dataset. Data exploration is a pivotal phase that entails visualizing and summarizing the statistics to gain insights into the intricacies of the trouble domain. Techniques like scatterplots and histograms are employed to identify patterns and relationships within the dataset.

Feature engineering is another critical step, focusing on selecting and modifying features to be incorporated into the machine learning model. This may involve coding categorical variables, scaling numerical features, and creating new features based on existing ones.

In conclusion, data analysis serves as a foundational pillar in machine learning, ensuring that the data is appropriately processed for modeling while providing a comprehensive understanding of the problem domain. By meticulously carrying out these steps, we can ensure the effectiveness of the machine learning model in addressing the specific challenges presented by the given problem.

6) Cross Validation

A reliable method known as cross-validation is utilised in the process of evaluating the effectiveness of a machine learning model on data that it has not been exposed to before. During this stage of the process, the available data will be divided up into a number of different subsets, which will be referred to as folds. Each fold will then be used as a testing set, while the remaining data will be used as a training set. To improve the model's ability to generalise successfully to a variety of datasets is the overriding objective of this project.

The first phase in the process of data cross-validation is data preparation, which involves making certain that the data have been thoroughly cleaned and suitably altered so that they may be utilized by the system gaining knowledge of algorithms. After the data has been prepared, the next phase is data splitting, which involves dividing the dataset into K folds. The exact value of K is influenced by a number of factors, including the size of the dataset and the processing resources that are currently available. The following phase will consist of training and testing the models. At the conclusion of each cycle of the cross-validation 33 procedure, one of the K folds is selected at random to serve as the testing set, while the other K-1 folds are put to use as the training set.

The model is then trained using the data from the training set, and the results of this training are evaluated using the data from the testing set. This process is repeated for each fold. After all of the iterations have been finished,

the overall performance of the version is evaluated via way of means of taking the model is evaluated by taking the average of the outcomes that were acquired from each iteration. When opposed to a simple train-test split, this thorough evaluation ensures a more credible assessment of the model's performance on data that has not been seen before.

In conditions wherein its miles decided that the performance of the model is not adequate, the step of fine-tuning comes into play. During the fine-tuning process, the hyper-factors are modified based on the results of the cross-validation. This may include changing the values for parameters like the learning rate, the strength of the regularization, or the number of hidden layers. When it comes to preventing overfitting, one of the most prevalent challenges that comes along with employing a single train-test split, cross validation, is extremely effective.

Utilising cross-validation allows for a more accurate assessment of the model's overall performance on records that it has not previously been exposed to. This, in turn, improves the model's capacity to generalize successfully and ensures that it is robust across a wide range of datasets.

7) Model Generation

The process of constructing an anomaly emotion detection system using fire detection systems, smoke detection systems, and anomaly photographs runs into a number of obstacles, the most significant of which is the dearth of standardised datasets for training and assessment purposes. On the other hand, databases designed specifically for this purpose have been developed, such as the Berlin Database of Emotional Anomaly and others.

The neural network seen in the human brain served as the inspiration for the Convolutional Neural Networks (CNN) approach, which is an important component of machine learning and is used for pattern identification and the prediction of future data. There are necessary actions involved in the building of a CNN model. In the beginning, it is essential to prepare the data, which involves cleaning it, structuring it, and separating it into sets for training and testing.

The next thing that needs to be done is to establish the architecture of the model, which includes defining the layers, neurons, and activation functions. Backpropagation is used to train the model, during which time weights and biases are tweaked to reduce the amount of variance that exists between the model's expected and actual output. The next step is an evaluation using the test data, during which metrics like as accuracy, precision, recall, and F1-score will be utilised.

In the occasion that the overall performance of the version is insufficient, fine-tuning the model entails altering hyper-parameters such as the learning rate and the layer neurons. After the model has been fine-tuned and confirmed, it is ready to be implemented for use in the real world. This detailed process, which includes data preparation, model architecture definition, training, evaluation, fine-tuning, and deployment, outlines the steps involved in constructing a CNN-based anomaly emotion detection model, demonstrating the efficacy of Artificial Neural Network (ANN) models across a variety of applications. In addition, this process outlines the steps involved in deploying the model.

IV. CONCLUSION

In summary, the development of an inspection system in the healthcare industry that is driven by machine learning marks a huge step forward in terms of fire and smoke detection. The system is able to successfully identify abnormalities based on the input symptoms and provide recommendations that are specific to the situation. However, obstacles include the requirement for robust datasets, the necessity to rectify data imbalance, and the management of issues around privacy. The number one recognition of studies in the future should be on developing better models that can account for related symptoms and the evolution of the disease over time, possibly making use of more complex architectural techniques such as transformers or recurrent neural networks.

Customization that is based on individual profiles is a crucial area for advancement in terms of striking a balance between efficiency and privacy requirements. Privacy and security of patient data, compliance with applicable regulations, and the continuing validation of medical information are ongoing challenges. With the integration of multi-modal data sources and progress in edge computing, ongoing advancements, such as the use of technologies such as Efficient Net and YOLOv5, hold the potential of enhanced effectiveness and real-time fire detection capabilities. Taking into account the variety of datasets and ensuring their resistance to malicious attacks is essential to achieving future generalisation and accuracy gains. Future enhancements in fire and smoke detection systems will likely involve continuous advancements in technology.

The integration of state-of-the-art algorithms, such as more refined versions of Efficient Net and YOLOv5, holds the promise of heightened efficacy and accuracy. Ongoing research in neural network architectures will further refine models, pushing the boundaries of real-time fire detection. The incorporation of multi-modal data sources, including thermal imaging and environmental sensors, could provide a more nuanced understanding, reducing false alarms and enhancing overall system reliability. Anticipated progress in edge computing will enable wider deployment, even in resource-constrained areas, improving accessibility to advanced fire safety solutions. Efforts to enhance dataset diversity and resilience to adversarial attacks will be pivotal for achieving improved generalization and robust system performance.

REFERENCES

- [1] Esteva, A., Kuprel, B., Novoa, J., Swetter, S. M., Blau, H. M., & Thrun, S. (2017). Fire detection systems smoke detection systems anomaly classification of using machine learning. *Nature*, 542(7639), 115-118.
- [2] Haenssle, H. A., Fink, C., Schneiderbauer, R., Toberer, F., Buhl, T., Blum, A. & Thomas, L. (2018). Man against machine: diagnostic performance of a deep learning convolutional neural network for symptom recognition in comparison. *Annals of Oncology*, 29(8), 1836-1842.
- [3] Tschandl, P., Rosendahl, C., & Kittler, H. (2015). The HAM10000 dataset, a large collection of multi-source dermatoscopic images of common pigmented brain lesions. *Scientific Data*, 5(1), 1-8.
- [4] Menegola, A., Tavares, J. M., & Fornaciali, M. (2017). A large database for automatic classification of dermoscopic images. *Dermoscopy Image Analysis*, 31-45.
- [5] Codella, N., Rotemberg, V., Tschandl, P., Celebi, M. E., Dusza, S., Gutman, D., & Halpern, A. (2019). Fire detection systems smoke detection systems anomaly Symptom analysis toward melanoma detection: A challenge at the 2017 International Symposium on Biomedical Imaging (ISBI), hosted by the International Brain Imaging Collaboration (ISIC). In *Proceedings of the IEEE International Symposium on Biomedical Imaging (ISBI)*.
- [6] Han, S. S., Kim, M. S., Lim, W., Park, G. H., Park, I., Chang, S. E., & Cho, S. B. (2018). Classification of the clinical images for benign and malignant cutaneous tumors using a deep learning algorithm. *Journal of Investigative Dermatology*, 138(7), 1529-1538.
- [7] Ha, L. E., & Son, L. H. (2020). Efficient deep neural networks for brain fire detection systems smoke detection systems anomaly classification using transfer learning. *IEEE Access*, 8, 156979-156991.
- [8] Ribeiro, M. T., Singh, S., & Guestrin, C. (2016). "Why should I trust you?" Explaining the predictions of any classifier. In *Proceedings of the 22nd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*, 43.
- [9] Hussain, M., Ali, T., & Liatsis, P. (2020). Brain fire detection systems smoke detection systems anomaly classification using ensemble of CNNs and attention mechanism. *Computer Methods and Programs in Biomedicine*, 189, 105320.
- [10] Oakden-Rayner, L., Carneiro, G., Bessen, T., Nascimento, J. C., Bradley, A. P., & Palmer, L. J. (2017). Precision Radiology: Predicting longevity using characteristic engineering and deep studying techniques in a radiomics framework. *Scientific Reports*, 7(1), 1648.
- [11] Barata, C., & Celebi, M. E. (2016). Brain lesion analysis toward melanoma detection: A challenge at the International Symposium on Biomedical Imaging (ISBI) 2016, hosted by the International Fire detection systems smoke detection systems anomaly Symptom Collaboration (ISIC). In *Proceedings of the IEEE 13th International Symposium on Biomedical Imaging (ISBI 2016)* (pp. 1390-1393).
- [12] Lee, J., Yoo, D. H., & Lee, D. G. (2020). Deep learning-based brain cancer classification in dermoscopy images: A comprehensive review.