Name: Badal Wanjari

Branch: Computer Technology

Section: B

Roll No. 140

Registration No. 20011045

Subject: Object Oriented Programming Lab

## Practical-13

## • Problem Definition:


Create a frame having components like button and text fields Text field must show the name of student when the button is pressed.

## • Program:

```
import java.awt.*;
import java.awt.event.*;
public class Practical13 extends Frame implements ActionListener {
    Frame f1;
   Label nameLabel, rgNo, info, infoRn;
    TextField nameTF, rgTF;
    Button btn;
    public Practical13() {
        f1 = new Frame("Practical-13");
        f1.setSize(600, 400);
        nameLabel = new Label("Enter Your Name : ");
        nameLabel.setBounds(50, 50, 100, 30);
        nameTF = new TextField();
        nameTF.setBounds(200, 50, 200, 30);
        rgNo = new Label("Enter Your Reg No : ");
        rgNo.setBounds(50, 100, 100, 30);
        rgTF = new TextField();
        rgTF.setBounds(200, 100, 200, 30);
        btn = new Button("Submit");
        btn.setBounds(270, 200, 60, 30);
        info = new Label();
        info.setAlignment(Label.CENTER);
```

```
info.setBounds(125, 300, 300, 30);
    infoRn = new Label();
    infoRn.setAlignment(Label.CENTER);
    infoRn.setBounds(125, 350, 300, 30);
    btn.addActionListener(this);
    f1.add(info);
    f1.add(infoRn);
    f1.add(btn);
    f1.add(rgNo);
   f1.add(rgTF);
    f1.add(nameLabel);
    f1.add(nameTF);
    f1.setResizable(false);
   f1.setLayout(null);
   f1.setVisible(true);
}
@Override
public void actionPerformed(ActionEvent e) {
        info.setText("Your Name Is " + nameTF.getText());
        infoRn.setText("Your Registration Number is " + rgNo.getText());
}
public static void main(String[] args) {
    new Practical13();
```

Screenshot:



## Result:

By studying concept AWT components and ActionListener in Java, I have successfully completed Practical-13.