| Use Case ID:      | UC                               | UC-01  |                                |  |  |  |
|-------------------|----------------------------------|--|--------------------------------|--|--|--|
| Use Case Name:    | Cre                              | ate Account                                  |                                |  |  |  |
| Description:      | Use                              | ers can create an account to u               | se for our service             |  |  |  |
|                   |                                  |  |                                |  |  |  |
| Actors:           | Use                              | ers  |                                |  |  |  |
| Pre-conditions    |                                  |  |                                |  |  |  |
| Post-conditions   | Use                              | ers will have an account. A co               | nfirmation email will be sent. |  |  |  |
| Frequency of Use: | Once                             |  |                                |  |  |  |
|                   |                                  | Actor Action                                 | System Response                |  |  |  |
|                   | 1                                | Enter email, username, and                   |                                |  |  |  |
| Flow of Events:   | password                         |  |                                |  |  |  |
|                   | 2                                | 2 Click "Sign Up" Hash and store information |                                |  |  |  |
|                   | 3                                | 3 Send confirmation email                    |                                |  |  |  |
| Variations:       |                                  |  |                                |  |  |  |
| Exceptions:       | Username or email already in use |  |                                |  |  |  |
| Developer Notes:  |                                  |  |                                |  |  |  |

| Use Case ID:      | UC  | UC-02                                     |                           |  |  |  |
|-------------------|-----|---|---------------------------|--|--|--|
| Use Case Name:    | Cre | ate Playlist                              |                           |  |  |  |
| Description:      | Use | rs can create a new playlist              |                           |  |  |  |
|                   |     |   |                           |  |  |  |
| Actors:           | Use | ers                                       |                           |  |  |  |
| Pre-conditions    | Use | r is logged in                            |                           |  |  |  |
| Post-conditions   | An  | ew playlist is created                    |                           |  |  |  |
| Frequency of Use: | Les | s than 10 times a day on per              | user on average           |  |  |  |
|                   |     | Actor Action                              | System Response           |  |  |  |
|                   | 1   | Click "New Playlist"                      | Opens new playlist dialog |  |  |  |
| Flow of Events:   | 2   | Enter name                                |                           |  |  |  |
| Flow of Events.   | 3   | 3 Enter optional description              |                           |  |  |  |
|                   | 4   | 4 Click "Done" New playlist is associated |                           |  |  |  |
|                   |     | with user                                 |                           |  |  |  |
| Variations:       |     |   |                           |  |  |  |
| Exceptions:       |     |   |                           |  |  |  |
| Developer Notes:  |     |   |                           |  |  |  |

| Use Case ID:      | UC  | UC-03                          |                                |  |  |
|-------------------|-----|--------------------------------|--------------------------------|--|--|
| Use Case Name:    | Fin | d song                         |                                |  |  |
| Description:      | Use | rs can search a database of so | ongs to add to their playlists |  |  |
|                   |     |                                |                                |  |  |
| Actors:           | Use | rs                             |                                |  |  |
| Pre-conditions    | Use | r is logged in and they have a | a least one playlist created   |  |  |
| Post-conditions   | A s | A song is added to a playlist  |                                |  |  |
| Frequency of Use: | Up  | to hundreds of times a day p   | er user                        |  |  |
|                   |     | Actor Action                   | System Response                |  |  |
|                   | 1   | Enter song into search bar     | Searches database to find      |  |  |
| Flow of Events:   |     |                                | matching result                |  |  |
|                   | 2   | Choose playlist to add song    | Song is added to playlist      |  |  |
|                   | to  |                                |                                |  |  |
| Variations:       |     |                                |                                |  |  |
| Exceptions:       |     |                                |                                |  |  |
| Developer Notes:  |     |                                |                                |  |  |

| Use Case ID:      | UC   | UC-04   |                                |  |  |
|-------------------|--|---|--------------------------------|--|--|
| Use Case Name:    | Fin  | d album   |                                |  |  |
| Description:      | Use  | rs can search a database of al                          | bums to add to their playlists |  |  |
|                   |  |   |                                |  |  |
| Actors:           | Use  | ers   |                                |  |  |
| Pre-conditions    | Use  | er is logged in and they have a                         | a least one playlist created   |  |  |
| Post-conditions   | An   | album is added to a playlist                            |                                |  |  |
| Frequency of Use: | Up   | Up to hundreds of times a day per user                  |                                |  |  |
|                   |  | Actor Action  | System Response                |  |  |
|                   | 1  | Enter album into search                                 | Searches database to find      |  |  |
| Flow of Events:   |  | bar   | matching result                |  |  |
|                   | 2  | 2 Choose playlist to add al- Album is added to playlist |                                |  |  |
|                   |  | bum to  |                                |  |  |
| Variations:       | Can choose subset of songs from album to add to playlist |   |                                |  |  |
| Exceptions:       |  |   |                                |  |  |
| Developer Notes:  |  |   |                                |  |  |

| Use Case ID:      | UC  | -05                             |                                  |  |  |  |
|-------------------|-----|---------------------------------|----------------------------------|--|--|--|
| Use Case Name:    | Fin | Find artist                     |                                  |  |  |  |
| Description:      | Use | ers can search a database of a  | rtists to add to their playlists |  |  |  |
|                   |     |                                 |                                  |  |  |  |
| Actors:           | Use | ers                             |                                  |  |  |  |
| Pre-conditions    | Use | er is logged in and they have a | a least one playlist created     |  |  |  |
| Post-conditions   | An  | artist's music is added to a p  | laylist                          |  |  |  |
| Frequency of Use: | Up  | to hundreds of times a day p    | er usert                         |  |  |  |
|                   |     | Actor Action                    | System Response                  |  |  |  |
|                   | 1   | Enter artist into search bar    | Searches database to find        |  |  |  |
|                   |     |                                 | matching result                  |  |  |  |
| Flow of Events:   | 2   | Choose song or album from       |                                  |  |  |  |
|                   |     | artist                          |                                  |  |  |  |
|                   | 3   | Choose playlist to add song     | Song or album is added to        |  |  |  |
|                   |     | or album to playlist            |                                  |  |  |  |
| Variations:       | ·   |                                 |                                  |  |  |  |
| Exceptions:       |     |                                 |                                  |  |  |  |
| Developer Notes:  |     |                                 |                                  |  |  |  |

| Use Case ID:      | UC                              | -06   |                                |  |  |  |
|-------------------|---------------------------------|---|--------------------------------|--|--|--|
| Use Case Name:    | Del                             | ete Song                                    |                                |  |  |  |
| Description:      | Use                             | ers can delete songs they have              | added to a playlist            |  |  |  |
|                   |                                 |   |                                |  |  |  |
| Actors:           | Use                             | ers   |                                |  |  |  |
| Pre-conditions    | Use                             | er is logged in, they have a lea            | ast one playlist created and a |  |  |  |
|                   | pla                             | playlist is selected                        |                                |  |  |  |
| Post-conditions   | A song is deleted from playlist |   |                                |  |  |  |
| Frequency of Use: | Up                              | Up to hundreds of times a day per user      |                                |  |  |  |
|                   |                                 | Actor Action System Response                |                                |  |  |  |
| Flow of Events:   | 1                               | 1 User selects song                         |                                |  |  |  |
|                   | 2                               | 2 Clicks "Delete" Remove song from playlist |                                |  |  |  |
| Variations:       |                                 |   |                                |  |  |  |
| Exceptions:       |                                 |   |                                |  |  |  |
| Developer Notes:  |                                 |   |                                |  |  |  |

| Use Case ID:      | UC                       | UC-07   |                                |  |  |  |
|-------------------|--------------------------|---|--------------------------------|--|--|--|
| Use Case Name:    | Sha                      | re playlist                                       |                                |  |  |  |
| Description:      | Use                      | rs can get link to playlist to                    | share                          |  |  |  |
|                   |                          |   |                                |  |  |  |
| Actors:           | Use                      | rs  |                                |  |  |  |
| Pre-conditions    | Use                      | r is logged in, they have a le                    | ast one playlist created and a |  |  |  |
|                   | play                     | playlist is selected                              |                                |  |  |  |
| Post-conditions   | Αu                       | A unique link is created for the playlist         |                                |  |  |  |
| Frequency of Use: | One                      | Once per playlist                                 |                                |  |  |  |
|                   |                          | Actor Action System Response                      |                                |  |  |  |
| Flow of Events:   | 1                        | 1 Click "Share playlist" Displays unique playlist |                                |  |  |  |
|                   | link which user can copy |   |                                |  |  |  |
| Variations:       |                          |   |                                |  |  |  |
| Exceptions:       |                          |   |                                |  |  |  |
| Developer Notes:  |                          |   |                                |  |  |  |

| Use Case ID:      | UC-08  |  |            |               |                                |
|-------------------|--|--|------------|---------------|--------------------------------|
| Use Case Name:    | Make playlist collaborative                  |  |            |               |                                |
| Description:      | Use  | rs can   | choose to  | make playlis  | st collaborative so others can |
|                   | alsc   | edit it  |            |               |                                |
|                   |  |  |            |               |                                |
| Actors:           | Use  | rs   |            |               |                                |
| Pre-conditions    | Use  | r is logg  | ged in, th | ey have a lea | ast one playlist created and a |
|                   | playlist is selected                         |  |            |               |                                |
| Post-conditions   | Playlist can now be edited by multiple users |  |            |               |                                |
| Frequency of Use: | One  | Once per playlist                                  |            |               |                                |
|                   |  | Actor  | Action     |               | System Response                |
|                   | 1  | Click  | "Make      | Collabora-    | Sets flag for playlist that    |
| Flow of Events:   |  | tive"  |            |               | it can be edited by some-      |
|                   |  |  |            |               | one other than the playlist    |
|                   |  |  |            |               | owner                          |
| Variations:       | Car  | Can also revoke a playlists collaborative features |            |               |                                |
| Exceptions:       |  |  |            |               |                                |
| Developer Notes:  |  |  |            |               |                                |

| Use Case ID:      | UC                                    | UC-09                                      |                                |  |  |  |
|-------------------|---------------------------------------|--|--------------------------------|--|--|--|
| Use Case Name:    | Tag                                   | playlists                                  |                                |  |  |  |
| Description:      | Use                                   | rs can tag playlists based on              | style, genre, etc              |  |  |  |
|                   |                                       |  |                                |  |  |  |
| Actors:           | Use                                   | ers  |                                |  |  |  |
| Pre-conditions    | Use                                   | er is logged in, they have a lea           | ast one playlist created and a |  |  |  |
|                   | play                                  | ylist is selected                          |                                |  |  |  |
| Post-conditions   | Pla                                   | ylist has at least one tag                 |                                |  |  |  |
| Frequency of Use: | Les                                   | Less than 10 times per playlist on average |                                |  |  |  |
|                   |                                       | Actor Action                               | System Response                |  |  |  |
|                   | 1                                     | Click "Tag Playlist"                       | Open tag search dialog         |  |  |  |
|                   | 2                                     | User can browse or search                  |                                |  |  |  |
| Flow of Events:   |                                       | for desired tag                            |                                |  |  |  |
| Flow of Events.   | 3 Select tag Tag added to playlist in |  |                                |  |  |  |
|                   |                                       | database                                   |                                |  |  |  |
|                   | 4                                     | 4 Steps 2 and 3 can be re-                 |                                |  |  |  |
|                   |                                       | peated                                     |                                |  |  |  |
| Variations:       |                                       |  |                                |  |  |  |
| Exceptions:       |                                       |  |                                |  |  |  |
| Developer Notes:  |                                       |  |                                |  |  |  |

| Use Case ID:      | UC  | UC-10   |                           |  |  |  |
|-------------------|-----|---|---------------------------|--|--|--|
| Use Case Name:    | Sea | rch Playlist by Name                          |                           |  |  |  |
| Description:      | Use | rs can search for a playlist by               | name                      |  |  |  |
|                   |     |   |                           |  |  |  |
| Actors:           | Use | ers   |                           |  |  |  |
| Pre-conditions    | Use | r is logged in                                |                           |  |  |  |
| Post-conditions   | Use | User can view desired playlist                |                           |  |  |  |
| Frequency of Use: | Dai | Daily   |                           |  |  |  |
|                   |     | Actor Action System Response                  |                           |  |  |  |
| Flow of Events:   | 1   | Enter playlist name into                      | Searches database to find |  |  |  |
| Flow of Events.   |     | search bar matching result                    |                           |  |  |  |
|                   | 2   | 2 User selects playlist Playlist is displayed |                           |  |  |  |
| Variations:       |     |   |                           |  |  |  |
| Exceptions:       |     |   |                           |  |  |  |
| Developer Notes:  |     |   |                           |  |  |  |

| Use Case ID:      | UC   | UC-11  |                           |  |  |
|-------------------|------|--|---------------------------|--|--|
| Use Case Name:    | Sea  | rch Playlist by Tag                                |                           |  |  |
| Description:      | Use  | rs can search for a playlist by                    | tag                       |  |  |
|                   |      |  |                           |  |  |
| Actors:           | Use  | rs   |                           |  |  |
| Pre-conditions    | Use  | r is logged in                                     |                           |  |  |
| Post-conditions   | Use  | r can view desired playlist                        |                           |  |  |
| Frequency of Use: | Dai  | ly   |                           |  |  |
|                   |      | Actor Action                                       | System Response           |  |  |
|                   | 1    | Enter tag into search bar                          | Searches database to find |  |  |
| Flow of Events:   |      |  | matching result           |  |  |
|                   | 2    | 2 User selects playlist from Playlist is displayed |                           |  |  |
|                   | list |  |                           |  |  |
| Variations:       |      |  |                           |  |  |
| Exceptions:       |      |  |                           |  |  |
| Developer Notes:  |      |  |                           |  |  |

| Use Case ID:      | UC                                      | UC-12  |                    |  |  |
|-------------------|---|--|--------------------|--|--|
| Use Case Name:    | Foll                                    | low Playlist   |                    |  |  |
| Description:      | Use                                     | rs can search for a playlist by                                | tag                |  |  |
|                   |   |  |                    |  |  |
| Actors:           | Use                                     | ers  |                    |  |  |
| Pre-conditions    | Use                                     | r is logged in and have search                                 | ned for a playlist |  |  |
| Post-conditions   | Use                                     | User follows playlist meaning it will show up in their list of |                    |  |  |
|                   | playlists                               |  |                    |  |  |
| Frequency of Use: | Dai                                     | Daily  |                    |  |  |
|                   |   | Actor Action System Response                                   |                    |  |  |
| Flow of Events:   | 1                                       | 1 On viewing a playlists, can Playlist now appears in          |                    |  |  |
|                   | click "Follow." users list of playlists |  |                    |  |  |
| Variations:       |   |  |                    |  |  |
| Exceptions:       |   |  |                    |  |  |
| Developer Notes:  |   |  |                    |  |  |

| Use Case ID:      | UC-13  |                           |                           |
|-------------------|--|---------------------------|---------------------------|
| Use Case Name:    | Sync with Spotify Account  |                           |                           |
| Description:      | User can sync with their Spotify account to facilitate exporting |                           |                           |
|                   | playlists  |                           |                           |
|                   |  |                           |                           |
| Actors:           | Users  |                           |                           |
| Pre-conditions    | User is logged in  |                           |                           |
| Post-conditions   | User's Spotify account is synced                                 |                           |                           |
| Frequency of Use: | Once   |                           |                           |
|                   |  | Actor Action              | System Response           |
|                   | 1  | Click "Sync with Spotify" | Open dialog to enter Spo- |
| Flow of Events:   |  |                           | tify username and pass-   |
| Flow of Events:   |  |                           | word                      |
|                   | 2  | User enters Spotify user- | Authenticates connection  |
|                   |  | name and password         |                           |
| Variations:       |  |                           |                           |
| Exceptions:       | Spotify username or password are incorrect                       |                           |                           |
| Developer Notes:  |  |                           |                           |

| Use Case ID:      | UC-14   |                           |                           |
|-------------------|---|---------------------------|---------------------------|
| Use Case Name:    | Export playlist to Spotify                                    |                           |                           |
| Description:      | User can export playlist to their Spotify account so they can |                           |                           |
|                   | listen to it on the Spotify streaming service                 |                           |                           |
|                   |   |                           |                           |
| Actors:           | Users   |                           |                           |
| Pre-conditions    | User is logged in and are viewing a playlist                  |                           |                           |
| Post-conditions   | User has successfully exported playlist into Spotify          |                           |                           |
| Frequency of Use: | Daily   |                           |                           |
| Flow of Events:   |   | Actor Action              | System Response           |
|                   | 1   | Click "Export to Spotify" | Playlist is exported into |
|                   |   |                           | Spotify format and added  |
|                   |   |                           | to users Spotify account  |
| Variations:       |   |                           |                           |
| Exceptions:       |   |                           |                           |
| Developer Notes:  |   |                           |                           |

| Use Case ID:      | UC-15   |                          |                          |
|-------------------|---|--------------------------|--------------------------|
| Use Case Name:    | Sync with Google Play Music Account                           |                          |                          |
| Description:      | User can sync with their Google Play Music account to facili- |                          |                          |
|                   | tate exporting playlists                                      |                          |                          |
|                   |   |                          |                          |
| Actors:           | Users   |                          |                          |
| Pre-conditions    | User is logged in   |                          |                          |
| Post-conditions   | User's Google Play Music account is synced                    |                          |                          |
| Frequency of Use: | Once  |                          |                          |
|                   |   | Actor Action             | System Response          |
|                   | 1   | Click "Sync with Google  | Open dialog to enter     |
|                   |   | Play Music"              | Google Play Music user-  |
| Flow of Events:   |   |                          | name and password        |
|                   | 2   | User enters Google Play  | Authenticates connection |
|                   |   | Music username and pass- |                          |
|                   |   | word                     |                          |
| Variations:       |   |                          |                          |
| Exceptions:       | Google Play Music username or password are incorrect          |                          |                          |
| Developer Notes:  |   |                          |                          |

| Use Case ID:      | UC-16  |                         |                           |
|-------------------|--|-------------------------|---------------------------|
| Use Case Name:    | Export playlist to Google Play Music                           |                         |                           |
| Description:      | User can export playlist to their Google Play Music account    |                         |                           |
|                   | so they can listen to it on the Google Play Music streaming    |                         |                           |
|                   | service  |                         |                           |
|                   |  |                         |                           |
| Actors:           | Users  |                         |                           |
| Pre-conditions    | User is logged in and are viewing a playlist                   |                         |                           |
| Post-conditions   | User has successfully exported playlist into Google Play Music |                         |                           |
| Frequency of Use: | Daily  |                         |                           |
|                   |  | Actor Action            | System Response           |
|                   | 1  | Click "Export to Google | Playlist is exported into |
| Flow of Events:   |  | Play Music"             | Google Play Music format  |
|                   |  |                         | and added to users Google |
|                   |  |                         | Play Music account        |
| Variations:       |  |                         |                           |
| Exceptions:       |  |                         |                           |
| Developer Notes:  |  |                         |                           |

| Use Case ID:      | UC-17  |                            |                            |
|-------------------|--|----------------------------|----------------------------|
| Use Case Name:    | Sync with Tidal Account  |                            |                            |
| Description:      | User can sync with their Tidal account to facilitate exporting |                            |                            |
|                   | playlists  |                            |                            |
|                   |  |                            |                            |
| Actors:           | Users  |                            |                            |
| Pre-conditions    | User is logged in  |                            |                            |
| Post-conditions   | User's Tidal account is synced                                 |                            |                            |
| Frequency of Use: | Once   |                            |                            |
|                   |  | Actor Action               | System Response            |
|                   | 1  | Click "Sync with Tidal"    | Open dialog to enter Tidal |
| Flow of Events:   |  |                            | username and password      |
|                   | 2  | User enters Tidal username | Authenticates connection   |
|                   |  | and password               |                            |
| Variations:       |  |                            |                            |
| Exceptions:       | Tidal username or password are incorrect                       |                            |                            |
| Developer Notes:  |  |                            |                            |

| Use Case ID:      | UC-18   |                           |  |
|-------------------|---|---------------------------|--|
| Use Case Name:    | Export playlist to Tidal                                    |                           |  |
| Description:      | User can export playlist to their Tidal account so they can |                           |  |
|                   | listen to it on the Tidal streaming service                 |                           |  |
|                   |   |                           |  |
| Actors:           | Users   |                           |  |
| Pre-conditions    | User is logged in and are viewing a playlist                |                           |  |
| Post-conditions   | User has successfully exported playlist into Spotify        |                           |  |
| Frequency of Use: | Daily   |                           |  |
| Flow of Events:   | Actor Action  | System Response           |  |
|                   | 1 Click "Export to Tidal"                                   | Playlist is exported into |  |
|                   |   | Tidal format and added to |  |
|                   |   | users Tidal account       |  |
| Variations:       |   |                           |  |
| Exceptions:       |   |                           |  |
| Developer Notes:  |   |                           |  |