

Fiche de procédure

Configuration d'une sauvegarde avec Veeam Backup and Replication

Cette fiche de procédure détaille le processus de configuration d'une sauvegarde avec Veeam Backup and Replication sur une machine.



Backup & Replication™


Configuration d'une sauvegarde

La présente fiche de procédure a pour objectif de guider de configuration d'une sauvegarde


- Dans l'interface de Veeam Backup & Replication,.

Accédez à l'onglet "Backup Job"

Vous aller ajoutez une sauvegarde de type ordinateur Linux




- Arriver sur l'ajout d'un nouveau "Agent Backup Job" , vous aller choisir une sauvegarde de type serveur et sera gérée par le serveur de sauvegarde .



Configuration d'une sauvegarde

- Vous aller choisir un nom et continuer..



The screenshot shows the 'New Agent Backup Job' dialog box with the 'Name' tab selected. The 'Name' field contains 'Sauvegarde_linux'. The 'Description' field contains 'Created by WIN-KIR135C9P1M\Administrateur at 19/03/2024 13:25.' The 'High priority' checkbox is unchecked. The 'Next >' button is highlighted.

New Agent Backup Job

Name
Type in a name and description for this agent backup job.

Job Mode

Name


Name: Sauvegarde_linux

Description: Created by WIN-KIR135C9P1M\Administrateur at 19/03/2024 13:25.

☐ High priority
Backup infrastructure resources are offered to high priority jobs first. Use this option for jobs sensitive to the start time, or jobs with strict RPO requirements.

< Previous Next > Finish Cancel

- Nous allons ajouter un ordinateur individuel et vous devrez renseigner l'adresse IP de la machine vers laquelle vous souhaitez effectuer la sauvegarde.



The screenshot shows the 'New Agent Backup Job' dialog box with the 'Computers' tab selected. The 'Protected computers' table is empty. The 'Add...' button is highlighted. The 'Next >' button is highlighted.

New Agent Backup Job

Computers
Select protection groups or individual machines to back up. Protection groups provide a dynamic selection scope that automatically updates the list of protected machines as new ones are discovered.

Job Mode

Name

Computers

Protected computers:

Name	Type
------	------

Add...
Protection group...
Individual computer...


Up
Down

Cont
LEAR

es

OW →

< Previous Next > Finish Cancel



The screenshot shows the 'Add Computer' dialog box. The 'Host name or IP address' field contains '172.20.104.130'. The 'Connect using admin credentials' radio button is selected. The 'Add...' button is highlighted.

Add Computer

Host name or IP address: 172.20.104.130


☒ Connect using admin credentials:
Select existing or add new credentials
Add...
Manage accounts

☐ Connect using certificate-based authentication
Requires a Veeam Deployer service pre-installed to the target machine with a temporary server certificate.


OK Cancel

Configuration d'une sauvegarde

- Vous allez à présent enregistrer les identifiants de connexion root de la machine.



- Veuillez enregistrer vos identifiants de connexion root dans le gestionnaire d'identifiants proposé par Veeam. Cliquez sur "OK" pour valider l'ajout de la machine.



Configuration d'une sauvegarde

- Vous aller faire une sauvegarde de fichiers du système de fichiers, donc sélectionner “File level backup” .

The screenshot shows the 'New Agent Backup Job' window with the 'Backup Mode' tab selected. The 'Backup Mode' section is titled 'Choose what data you want to back up from selected computers.' The 'File level backup (slower)' option is selected and highlighted with a red box. The 'Next >' button is also highlighted with a blue box.

Backup Mode
Choose what data you want to back up from selected computers.

Job Mode

Name

Computers

Backup Mode

Objects

Storage

Guest Processing

Schedule

Summary

☐ Entire computer
Back up entire computer image for fast recovery on any level. Deleted, temporary and page files are automatically excluded from the image to reduce the backup size.

☐ Volume level backup
Back up images of specified volumes, for example only data volumes. Deleted, temporary and page files are automatically excluded from the image to reduce the backup size.

☒ **File level backup (slower)**
Back up selected files and directories only. This mode still produces an image-based backup, but only with protected file system objects included in the image.
☐ Backup directly from live file system
Crash-consistent file-level backup without snapshot. Required when backing up from shared folders and file systems not supported by the Veeam snapshot module.

< Previous **Next >** Finish Cancel

- Dans la liste des chemins à sauvegarder, ajouter le chemin de la racine www d'Apache.

The screenshot shows the 'New Agent Backup Job' window with the 'Objects' tab selected. The 'Add...' button is highlighted with a red box. The 'Add Object' dialog box is open, showing the 'Path to a directory:' field with the text '/var/www' entered.

Objects
Specify objects you would like to include in the backup.

Job Mode

Name

Computers

Backup Mode

Objects

Storage

Guest Processing

Schedule

Summary

Objects to backup:

Object

Add...

Edit...

Remove

Add Object

Path to a directory:

Example: /home/me/mydir/

OK Cancel

To specify file exclusion settings, click Advanced

Advanced

< Previous **Next >** Finish Cancel

The screenshot shows the 'New Agent Backup Job' window with the 'Objects' tab selected. The 'Next >' button is highlighted with a red box. The 'Objects to backup' list contains the entry '/var/www'.

Objects
Specify objects you would like to include in the backup.

Job Mode

Name

Computers

Backup Mode

Objects

Storage

Guest Processing

Schedule

Summary

Objects to backup:

Object

Add...

Edit...

Remove

Advanced

To specify file exclusion settings, click Advanced

Advanced

< Previous **Next >** Finish Cancel

Configuration d'une sauvegarde

- Dans l'interface stockage nous allons réaliser une sauvegarde complète tous les dimanche.

New Agent Backup Job

Storage
Specify a backup repository to store the backup files produced by the backup job and customize advanced job settings if required.

Job Mode
Name
Computers
Backup Mode
Objects
Storage
Guest Processing
Schedule
Summary

Backup repository:
Default Backup Repository (Created by Veeam Backup)
4 GB free of 31,3 GB
Retention policy: 7 days
Keep certain full backups longer for archival purposes
Configure...
Configure secondary destinations for this job
Copy backups produced by this job to another backup repository, or tape. We recommend to make at least one copy of your backups to a different storage device that is located off-site.

Advanced...

< Previous Next > Finish Cancel

1. Vous décocher la sauvegarde synthétique et vous cocher la case sauvegarde complète.

Advanced Settings

Backup Maintenance Storage Notifications Scripts

Synthetic full backup
☐ Create synthetic full backups periodically
Create on: samedi Days...

Active full backup
☒ Create active full backups periodically
samedi Configure...

2. Vous configurer par semaine et vous choisissez le jour de sauvegarde le dimanche.

Schedule Settings

Schedule:
☐ Monthly on: First Monday Months...
☒ Weekly: On these days Days...
dimanche

OK Cancel

- Ne pas modifier l'interface "Guest Processing"

New Agent Backup Job

Guest Processing
Choose application processing options.

Job Mode
Name
Computers
Backup Mode
Objects
Storage
Guest Processing
Schedule
Summary

☐ Enable application-aware processing
Detects and prepares applications for consistent backup, performs transaction logs processing, and configures the OS to perform required application restore steps upon first boot.
Customize application handling options for individual machines and applications Applications...

☐ Enable guest file system indexing
Indexing enables global file search and restore functionality in a web-based restore portal.
Customize advanced guest file system indexing options for individual machines Indexing...

Guest OS credentials:
Use protection group credentials Add...
Manage accounts
Customize guest OS credentials for individual machines and operating systems Credentials...

< Previous Next > Finish Cancel

Configuration d'une sauvegarde

- Définissez une sauvegarde incrémentielle quotidienne à 23h00 tous les jours.

The screenshot shows the 'Schedule' tab of the 'New Agent Backup Job' wizard. The left sidebar lists various configuration steps: Job Mode, Name, Computers, Backup Mode, Objects, Storage, Guest Processing, Schedule (selected), and Summary. The main area is titled 'Schedule' with a sub-header 'Specify the scheduling options. If you do not set the schedule, the job will need to be controlled manually.' Below this, there are several sections: 'Run the job automatically' with a checked checkbox and three radio button options; 'Automatic retry' with a checked checkbox and two input fields; and 'Backup window' with an unchecked checkbox. The 'Daily at this time' option is selected, with the time set to 23:00 and frequency set to Everyday. The 'Automatic retry' section shows 3 times and 10 minutes. The 'Backup window' section has a 'Window...' button. At the bottom are buttons for '< Previous', 'Apply', 'Finish', and 'Cancel'.

New Agent Backup Job

Schedule
Specify the scheduling options. If you do not set the schedule, the job will need to be controlled manually.

Job Mode

Name

Computers

Backup Mode

Objects

Storage

Guest Processing

Schedule

Summary

☒ Run the job automatically

☒ Daily at this time: 23:00 Everyday Days...

☐ Monthly at this time: 22:00 This day 1 Months...

☐ Periodically every: 1 Hours Schedule...

☐ After this job:

Automatic retry

☒ Retry failed items processing: 3 times

Wait before each retry attempt for: 10 minutes

Backup window

☐ Terminate job outside of the backup window Window...

Prevent long-running or accidentally started job from impacting your production infrastructure during the busy hours.

< Previous Apply Finish Cancel

- Pour finir, dans l'interface "Summary" cliquez sur "Finish" pour terminer la configuration.

The screenshot shows the 'Summary' tab of the 'New Agent Backup Job' wizard. The left sidebar is the same as the previous screen, but 'Summary' is now selected. The main area is titled 'Summary' with a sub-header 'The job's settings have been saved successfully. Click Finish to exit the wizard.' Below this is a large text box containing a summary of the configuration. At the bottom, there is a checked checkbox 'Run the job when I click Finish' and buttons for '< Previous', 'Next >', 'Finish', and 'Cancel'.

New Agent Backup Job

Summary
The job's settings have been saved successfully. Click Finish to exit the wizard.

Job Mode

Name

Computers

Backup Mode

Objects

Storage

Guest Processing

Schedule

Summary

Summary:

Configuration has been successfully saved.

Name: Sauvegarde_linux

Description: Created by WIN-KIR135C9P1M\Administrateur at 19/03/2024 13:41.

Type: server

Mode: managed by backup server

Protected computers: 172.20.104.130

Backup mode: file level backup

Destination: Veeam backup repository

Target storage: Default Backup Repository

Retention policy: 7 days

Backup is scheduled to run automatically


GFS retention policy: not set

☒ Run the job when I click Finish

< Previous Next > Finish Cancel

Configuration d'une sauvegarde

- Après avoir configuré toutes les options, vous pouvez lancer manuellement la tâche de sauvegarde depuis l'interface de Veeam.



Une fois la sauvegarde terminée vérifiez les les rapports de sauvegarde pour confirmer que la tâche s'est exécutée correctement.

En suivant ces étapes, vous devriez pouvoir effectuer toutes les tâches demandées dans l'interface de Veeam Backup & Replication.