A Example to provide paging facilities to the gold view Control. EMPID ENAME Designation Dos Edwary Deptro 101 Roju Developer :07/1/23:1.245000. Soavan TL 2/2/23 75000 :20 4234 (Pager) Gnidvienz sample 14. aspx \* Coneate a new Heb page with the name fample 14. aspx. -> Greate a Goridview Control With the name Goridview Y. Go to properties Window Set the following properties. -> Allow paging->true -> Page size->2 # 40 to . cs file and write the following code. Using system data, using system. data. Sql client; Sql Connection con; Dataset Ds; Sql Data-Adapter Da; Protected void page-Load lobject sender, Exentaryse) Staring Sal con = " Scarren = ;"

Scanned with CamScanner

```
con=newsql Connection (sql con);
    if (! Page. is postBack)
                    erlance prograffor co
   Posivate void (ret Data()
   Da=new Sql Adapter (" Select of from Emportails, con);
   DS = NEW Data set ();
   Da. Fill (DS, "Emp"),
  (pridview 1. Data source = DS. Tables [0];
  Goridviewy. Data Bind ();
-> go to aspx file select Goridvich control click on
Events button. Houble dick on page Index Changing
Event Worite the following code.
 Protected Void Gridview I- page Index changing (object
                           Sender, Conid view page Event Args)
 Gnidvich I . page Index = e. NEH page Index;
 Get Datain;
-) Check the pager setting properties for different
styles of paging.
```

-> Example to provide editing facilities to the

(magn	2.12	0 10	0	Calary	1.1
End ID	ename	Designation			actions
Edit 107	Raju	DSG	1/1/23	4-5000	10
<u>Edit</u> 103	Award	Developer		55000	20
Polate Carcu	Cropal	TL	3/3/23	65000	30
Edit 106	lalitha	HR	4/4/23	75000	40

- -) Create a new multipage with the name Sample 16.
- -) Create a (pridview Control set the following Properties
- -> Auto Generate Edit button -> Tome
- -) Go to . CS file and white the following code.

Using system. Data;

Using System. Data. Soulclient;

Sql connection con; pataset Ds; Sql data Adapter Da;

Protected Nord page - Load ( ")

String Sqlcon = Server ";"

```
con = NEW Sql & connection (sqlcon);
   if (Page. is post Back)
     (ret bata ();
 Private Void Get Data()
 Da = NEW Sqldata Adapter ("Select & from Empdetails", (on);
 DS = NEW Data Set ();
 Dar Fill (DS, "Emp") 3
 (midview 1 . Data source = DS. Tables [0];
(posidviewz. DataBinde);
-> go to aspx file select to Goridview Control goto
Events button double click on Row Editing Events
Brotected void Garidviews - ROW Editing (object Sender,
                           (josidview Edit Event Args e)
٩
 Goridview I. Edit Thdex = e. NEWEdit Index;
  Get Data();
 3
> Switch to dea aspx select (pridview control 90 to
Properties Window clicks on Events button double click
on Ray Cancelling Edit Event Write the following Code.
Protected void Gridviewz-Row Cancelling Edit Object sender,
                           Goridview cancel Event Args)
 Gord Views. Edit Irdez = -1;
 , Get Data (1;
```

Justitch to aspx file select (pridview Control

go to properties kindow click on Events button

double click on Row updating Event White the

following code by itself.

from the wind of the first of the best for the wo

where we will not a first the second of the

The second of th

to the second of the second second second second

The state of the s

the safe and was not been placed on

protos por ser

France Holl Half IIC

(12 ms (20) missen

Messer . . . summer of delivered