

Response. Redinect ("Isecurred   change phd. aspx");
Go to NEWS. aspx design the Hebpage
This is NEWS page
Today News ane
-) design the login.aspx page
Enter username
Enter passhord
[lbldisplay]
Keep me Login
-> Wanite the following code for login.aspx.cs
Using system. Data; Using system. Data. Sqlclient;
Using system. Heb. Security;
Protected Void btn submit - click (
Staring Sqlonstaring = "Searles = ; user Id = ;"
Sql Connection con = NEW Sql connection (Sqlconstoring);
String Ornery = "Select count (*) From users Where  UserName = @Px and password = @Px";  Sal Command and - NGU sal Command Course (except)
Sal command and = NEW sal command (oruciny, con);
Cond. command Type = command Type. Text;
and. parameters. Add With Value ("@Pi", txturame. Text);


```
Cond. parameters. Add With Value ("OPL". txtpassword : Text);
 con. open ();
 Inti = convent. To Int 3,2 (cmd. Execute scalar ());
 con·closecs,
 if( == 1)
 4
 if (chx Remember. checked)
  Forms Authentication. Redirect From Login page (txt-
                                 UName Text, tome)
  else
  ş
  Forms. Authentication. Redinect Form Login page
                             (txtuname. Fext, false)
-> 90 to Heb: config file of Root folder Hamite the
following code to Implement the Authentication.
- (authentication made="Forms,">
   <a href="#">()authentication ></a>
-> design the page of mails. aspx
   Logart
                  in well, domina stars
   This is Mails Inbox page
> Go to chargepassword aspx and design the page.
```

This is change password page You can change your password here [bldisplay]

> 90 to Web. config file of secured folder Hamite the following code To Implement Authoritation

<authoritation>
<deny users = "9"/>
</authoritation>

The above example When usen clicked on Mails button on change passitional button in sampley. aspx the nequest is coming to login page And from Login Page, The nequest is nedinected to the nequested Page accordingly like.



## \* What is Return URL?

- address of the Requested page.
- -> https://Local host: 44365/login.aspx? Returnuml= |Secured/Mails.aspx.
- > When usen clicks on change passwood button in Sampler aspx Then Request is Redinected to Login Page With Return und Ordery Storing Variable Like
- ) https://Local host: 44365 | login.aspx? Returnum =
- > Return unt is a Ornery Storing Variable Which Stories the user Requested Uni Address.
- To the above example in login.aspx page He have return Forms Authentication. Redirect From Login page.

  Method, Instead of that He can also use following code.

if( := = 1)

String URL = Forms Authentication. Get Redinecture
(txtuname. Text, chk Remember. checked

Forms Authentication. Set Auth cookie (txt UName. Text, Chk Remember. checked);

Kesponse. Redinect(URL);

else

flbl display. Text = "Invalid userName | passWood";

1

```
- He can also use get Auth cookie Method and
    We can Worte the code tike I ad million the
                        an a count b semsel
   if(i==1)
     Storing URL = Forms Authentication. Get Redinect Uni
                    (txtuhame. Text, chkRemember. checked);
     Http cookie obj z = Forms Authentication. Get Auth-
             cookie (txtuname. Text, chk Remember. checked);
    Response. cookies. Add (obj:1);
                               - Kelvern west is a Give
     Response · Redinect (URL);
  else
   Ibl display. Tex = "Invalid usenname | Passhord";
of Code for Logout button:
    Using system. Web. Security;
    namespace HebAppsecurity. secured
                   straightfur promite 1901 points
   Protected Void page btn logout. _ clicic (
                               in I start weem it
     Forms Authentication. signout ();
     Forms Authentication. Redinect To Login page ()
 -> When Implementing forms Authentication in Aspinet
    The login page Name should be login aspx only.
  -> if He change login page Name it Win Give Esnavon
       By default.
```

Scanned with CamScanner

- To overcome this we will wore Write the code in . Web. config file of most folder.
- -> Change the login page Name to Asp login. aspx
  Go to Web. Config file of most tolder white the
  followling code.

<authentication mode = "Forms">

<authentication >

<authentication >

- \* Working With Web usen Controls in Aspinet:
- -> At Web usen control is used for reusability of Common designs that can be used In more than one used pages.
  - of ascx (active server control -x processos)
- -> An Web user control doesn't have any hoten head body. tags.
- -> Any Web user control that we create is a class Which is Phenited from user control class of.

  System, Web. U? Namespace.
- # Example With Webusen Control:

  Web App-usen contsol

  -> Usen contsolNavigate.

  -> Home.ascx

  -> NEWs.ascx

  -> aboutus.ascx

  -> (ontact us.ascx)

-) Concate the Website Concate all the Webpages

eig from to sof patientall

(mother threatland)

- -> design the pages
- -> Coreating usen control of and all spants
  - -> Go to solution Explorer Select the Solution click With Right Mouse button, click on Add i click on Add i click on HEW Item, select Web forms user control template Type the user control Name as user control Navigate ascx Then click on ok. design the user control.
- -> Coneating link button
- -) Change the text property to Home
- -> Go to postback voil property click on elipses button
- -) Select Home aspx click on ok. similarly create other three link buttons.
- -> Including user control in Home aspx page
- Go to Home aspx, Go to source Waste the following

Color Register sonc = "- luser control ilavigate ascx"
Tag prefix = "Ucontrol" Tag Name = "Navigate", 0/0>
<div >

(Ucontrol: Navigate ID = "UCI" sunat = "Server"/>
(127/)

-> stepeat the above two steps in all the other.

2 7 30 . S. 1010 K. ( ---

Scanned with CamScanner