```
posivate void bintind dick (object cender, eventage e)
toy
  lec = 05. Tables [0]. selvel (:Empid = "+ txtempid. Text)[0];
  txtename. Text= Rec[+]. Mostring();
  txt Designation. Pext = Rec[3]. Postsing ();
  txtog. Text = Rec(B]. Mostring();
  txt salary. Text = Recty]. Mostring();
  txt Deptno · Text = Rec(5)· Postong();
  txtydate. riext= Ree (6): Postanges,
   btnopolate enable = tous;
   btroelete. Enabled = tous;
  catch (Indexout of large exception E)
  Hersage Bax. show (' Record not found").
 portvate void btropdate-dick (doject sendel, event Args e)
  clec (i] = txterame . Text;
  Lecces to besignation rext;
   Rec[3] = txt oog . Text;
  Lec [u] = txteology. Text;
  Dec[5] = txt Deptno. Text;
 Hessage Box-show ("coata is update in balasch able").
  the opdate . enabled = talke;
  bto solute. enable of talke.
posivale void binoclile-dick
```

Message Box. show ("Peurld is Deleted from soloset table"); btnopdate. Enabled = talse; 1 bto delete enabled - talke; Another code too tind:-Lec = 08. Tables [0]. Lows tind (txt empid. rext); "if (dec != pull) txt some . Text = lec (i) Mostring (); txt Designation . Text = Rec[2] . Mostange). txt DOJ. Text = Rec [3]- Postong(); txt solory . Text = dec [u] - nostong (); txt deptromext = dec [s]. Tostong (); HersageBox. show ("Record hat bound"); update to Database perivale void btrapdate DB-dict (object sendel, arenthopse) int Rows = Da. opdate (DS. Tables [0]); Hussage Box. show (clouds + "Records) updated to Database"); prievate void bindear-dick lobject bender, eventage e) Foreach (control c in this controls) ? (cistextbox)

C. Text = "";

Another Method update 08:-

if (DS. Haschanges ())

"int alows = Domopdate (08. Tables (0);

Husage Box. show (Lows + " Lead dis) updated to batabase").

else Husagerox show ("no Hodifications in Entarel tables");

- File Edit Viss
- 1) Component Development
- 2) MDI Forms
- 3) Extension Methods
- 4) SOLID Design Principles
- 5) Dependency Injection
- 5) N-Tier Architecture