* Data Bounds Controls:

These controls are used to display the srequired data to the user. in tabelon format with srequired styles.

data bound controls will help the developer to display the data with different styles using less code and data bound controls will help in developing applications at faster state.

To display the data in tabular format in data bound controls microsoft is providing us different Kinds of templates Known as header lemplate, From template, seperator template, Edit item template, footer template.

* Headen Template:

This Template is used to display the headings data. This lemplate is Executed only one's Within the databound control.

* Item Template:

This Template is used to display the oniginal data in the form of sucods to the user Within the data bound control.

This template is executed for the no. of sucods available in data sources

* Separator Template: tolor in the

this Template is used to create a separates between Each sucold With in the data bound control.

This Template is executed for no. of sucoids

this Template 15 Executed for 110. of surce.

of Edit Templater interior

facilities to a second Within the databound control.

the data bound control.

* Footer Template:

This Template is used to display summary Information of to providing paging facilities Within the data bound control.

this Template is executed only one's Within the data bound control.

Note of Item template:

In data bound control to display the data directly of Within the Child Controls. We can use data binding expressions like.

< % H data binden. Eval (Containen. Data Item ("Fite Hame") >> OR

4 # Data Binder. Eval ("File Name") %>
field

| * Types of databound controlitations actions | | | | | | |
|--|--|--|--|--|--|--|
| 1. Repeater control | | | | | | |
| 2. Data list control | | | | | | |
| 3. Gorid View Control | | | | | | |
| Emp?d EName designation DOJ, Salary deptho | | | | | | |
| 207 Raja Developer 04/04/2013 45000 lo ledit | | | | | | |
| 102 (20pal DSE 02/02/2023 50000 20 Edit | | | | | | |
| 103 Anard Sys Admin 03/03/2013 35000 30 Uplak | | | | | | |
| To4 Abhirar TL 04/04/2013 25000 10 Edit | | | | | | |
| 105 Ramesh HR 05/05/2013 55000 20 Edit | | | | | | |
| 106 Namesh Devoper 06/06/2023 65000 10 [Edit] | | | | | | |
| Page 10f 10 <> > Footer Template | | | | | | |
| i) Data Source | | | | | | |
| ii) Dota Source | | | | | | |
| 11:) Data Member | | | | | | |
| (i) Data Source: This property is used to set of | | | | | | |
| get the data source Name from Which data is | | | | | | |
| to be display Within the data bound Control. | | | | | | |
| (of Hoda Bloders & Sol () come?) to | | | | | | |

(ii) Data Member 7 (all 10) intraped 1481 il more to

This property is used to set of get the nequired table Name from Which data is to be displayed With in the databound control.

-> Common Methods With data Bound control:

(1) Data Black:

This Method is used to fetch the data Record by Record and to bind field by field to the data bound control.

of Repeater Control:

- -> This control is used to display the data in plane text format.
 - -> Execution of Repeater control is faster.
- -> Repeater control does not provide any Kind of Styling facilities
- -> Repeater Control does not suppost Editing facilities.
- -> Repeater control does not provide softing facilities.
- -> Repeates control doès not provide paging facilities.
- -> Repeater control Will display the data in flow layout manner.

Empsid Erlame designation DOJ Salary Deptho

107 Raju SysAdmin Orlothors 55000 10 -> Repeater,

102 Gopal TL Orlothors 60000 20 -> Sampley.

103 Arland HR 03/03/2013 55000. 30

Step 2: (programming code):

This code Will be greturn in . Is file and will contain fitching of the data from database, filling into data set and binding it to the databound control.

-> Create a NEW Hebsite With the Name Web databourd examples.

Source and Write the following code.

Deptno Lbr/> / HEader Template > Seperator Template? (/sepenator Template) (Item Template) < 1/2 # Data Binder. Eval (Container. Data Item; Emp 18) 1/3 <o/of Data Binder. Eval (container. Data Item, "Exame")%> <o/off Data Binder. Eval (container. Data Item, "Designation") %> Lot # Data Binder. Eval (container. Data Item, "Doj") % 6/0# Data Binder. Eval (container. Data Item, "Salary") 0/02 (1/0# Data Binder, EVal (Container, Data Item, "Dept No") %>

 </r>
Clitem Template> Clasp: Repeater> -> Goto . Cs file and Werite the following code. using system. Data; using system. Data. Sylclient; Public partial class Sample y: 5 ystem . Web. U? . Page Sql Connection Con; Data set DS; Sq. I data Adapter Day > (11) English (11) Protected Void Page-Load (object Sender, Event Args e)

Storing Sqlcon = "Server = ; user Id = ;" Con = NEW Sql connection (Sql con); Da = NEW Sal Data Adapter ("select of from Emp details", Con) DS = NEW Dataset (); Da. Fill (Ds, "Emp"); Reapeatery. Data Source = Ds. Tables [0]; Repeater 1. Data Bind. (); xt. in collins to welvish who

* Example to display the steoperates data in tabelar format: man on the realist the

| Emp?d | Enlarrie | Designation | DoT | Salary | Deptilo | T 10 |
|-------|----------|-------------|----------|--------|---------|-------------------|
| A94 | Raju | | | 1 1 4 | To- | 1 1 js |
| 107 | Gopal | TL | 02/02/23 | | 20 / | -3 |
| 703 | Anond | HR | 03)03)23 | 65600 | 90 m | samplez. aspz. |
| 704 | Vamsi | DSG | 04/04/23 | 25000 | 40 | on C |

-> Greate a NEW Web page With the Name Samplez. of Coneate Repeater control goto source Write the following code.

> Kasp: Repeater ID="Repeater:1" munat = "Server"> < Header Template>

14x> > emp 2d > EHame < |+h> LAHS Designation Lith> (th) Dos Lith> > Salary < |th> > Dept No < |th>>

2/tr> // Header Template > (Item Template) (tr) </tr <+d>> </d>> </d> Llasp: Repeater> LACOS (table) 2/div> -> Goto . Cs file Write the following code. using system. data;

iusing system data sql client;

same as front code

3. Se sit toxico pripripris 13. E

with the first the second of the train of the second

same code

Advantages of Repeater Control:

-> execution of Repeater Control is faster as it doe's not provide any other facilities except displaying the data.

K stalgmall rebriefly

(Hemplate)

total instage prien

* Disadvantages of Repeater Control:

- -> Repeater control doesn't Provide following faülities
 - in Designing facilities
 - (ii) Editing facilities
 - (iii) Paging facilities
 - (iv) Sorting facilites.

* Where to use Repeater Control in Real times

- . -> Repeates Control in Real time is used in following serverios.
 - 1. In displaying Results
 - 2. In displaying conicket scores Etc.