*	Basic	Example	Hith	Session:

Enter Value of a	Value of a
Enter Value of b	Value of b
Submit	sample 2. aspx
Sample 1. aspx	

- sample 1. aspx
- -> Coneate a NGH Hebpage With the Hame Heb App Session. Coneate two Heb pages With the Hame Sample 1.aspx and Sample 2.aspx.
- -> Go to Sample 1.aspx.cs Workte the following code in btn Submit click.

Protected void btnsabmit-click ( ")

Session ["a"] = txt sample 4. Text; Session ["b"] = txt sample 2. Text;

Response. Redissect ("Samplez. aspx");

->hoto sample 2.aspx. CS Wasite the following lode.

Protected void page-Load ( 11 ).

txtsample 1. Text = session ["a"]. To storing (); txtsample 1. Text = session ["b"]. To storing (); }

Example to stone mone data in session:
Errless Emp?d
Enten Exame
Enter Designation
Enter Doj
Enter Salary
Enter Deptro
Add NEW Employee Go to Sample 4
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Data Gordvien Box
Sample 3. aspx (19)
1601 FIRST NO STANDARD ENGINE OF
Data Goridview Box
Sample 4.aspx
(ii) A . Which with the
-> Greate two Webpages With the Name Samples.
aspx and sample 4. aspx. design both the
Heb page, Go to sample 3. aspx. cs Longte the
following code.

```
Using System. pata;
  Using system. Data . sql clients
  591 connection con; Dataset Ds;
  Sal data Adapter Da;
Protected Void page-Load (
Ę
 if (! Page. Is post Back)
           To thoplas no. 11/4
 Storing Sql con = "Seaver = ; ....
  Con= NEW Sql Connection (Sql Con);
 Da = NEW Sql data Adapter ("Select & Forom emportaily");
 DS = NEXT Data set ()3
 Da. Fill (Ds, "Emp"); Agent shows
 (gridview 1. Datasource = DS. Tables [0])
 Spridviews. Data Bird LD;
 Session ["EmpDs"] =DS3
Protected Void both Add Employee - click (
  DS = NEH Dataset ();
  DS = (Dataset) session ("Empos");
 Data ROW REC = DS. Tables (0). NEW ROW ();
 REC [0] = txtemp2d. Text;
  1) [1] = txt pesignation. 11;
   [2] = txt EName " ";
  " [3] = txt DoJ. ";
```

REC [4] = txt Salary. Text; REC (5) = txt dept No. Text; DS. Tables COJ. ROHS. Add (REC); Grid View I. Data source = DS. Tables (0)') Gordview to Data Bind (); Session ["emp Ds"] = DS; Protected void bingo-click ( Response-Redinect ("Sample 4.aspx"); -> Go to sample 4. aspx.cs Harite the following code. Using system. Data; Protected Void page-Load Dataset DS = NEW Dataset (); DS = (Dataset) session ("Emp DS"); Gorid Vientz. Data source = DS. Tables Co), Goridviewz. Data Bind (1;

## \* Advantages using session:

- 1. Fimple Implementation.
- 2. Seccionity can be Maintained because session: data is not townsferored between client And Server.
- 3. No site limitations.
- At Disadvantages Using session:
- 1. Requines Senven resources.
- 2. Boorden on the server May Increase. When No. of sessions increases.

## \* secusity Implementation In Asp. net:

- To understand the secusity Implementation In Asp. net He Need to understand two terms Basically.
  - I. Authentication
  - 2. Authoritation

### Y. Authentication:

-> Authentication is the process of checking Whether user credentials are Valid of not.

#### 2. ASSESSASSESSAS

I. if user credentials one Valid user Whire be taken a to given a ticket known of Authentication.

- 2. Authentication ticket is also always in the form of cookie.
- 3. if any user has no authentication ticket then Hebsenver. Will not enecognite that user request

# 2. Authoritation:

- -> Authoritation is the process of checking Whether Authenticated user has permission to access the prestoricted presources of not.
  - To implement security in Asp. net following authentication Mechanisms are supported.
    - 7. Windows Authentication
    - 2. Forms 11
    - 3. Passport "
    - 4. Federated "