# DATABASE MINI PROJECT

Student: Bădău Elena Nicoleta

Group: 30322

# Contents

Chapter1. Details about database	4
1.1 Short description of project	4
1.2 Database diagram	5
1.2.1 Recursive relation	5
1.3 Constraints	5
1.4 JOIN operation	6
1.5 Aggregate functions	6
1.6 SELECT within SELECT	7
1.7 NULL	7
1.8 Self JOIN	8
1.9 SQL Statements	8
1.9.1 INSERT	8
1.9.2 UPDATE	9
1.9.3 DELETE	9
1.10 Order By	10
1.11 Top	11
1.12 Group By	11
1.13 Views	11
Chapter2. WEB page	14
2.1 How page works?	14
2.1.1 First page (choose admin or user)	14
2.1.2 Create new admin (Sign in)	14
2.1.3 Log in admin with wrong password	15
2.1.4 Log in admin with wrong username	16
2.1.5 Log in admin with correct password	17
2.2 Display for each table (admin)	18
2.2.1 Customers	18
2.2.2 Orders	18
2.2.3 Hair product types	19
2.2.4 Manufacturers	19
2.2.5 Orders list	20
2.2.6 Products	20
2.3 Update Customers	21
2.4 Insert into Customers	23

	2.5 Delete from Customers	. 25
	2.6 Update Orders	. 27
	2.7 Insert into Orders	. 28
	2.8 Delete from Orders	. 29
	2.9 Update Hair product types	.30
	2.10 Insert into Hair product types	.32
	2.11 Delete from Hair product types	.33
	2.12 Update Manufacturers	.34
	2.13 Insert into Manufacturers	.35
	2.14 Delete from Manufacturers	.36
	2.15 Update Orders list	.37
	2.16 Insert into Orders list	.39
	2.17 Delete from Orders list	.40
	2.18 Update Products	.41
	2.19 Insert into Products	.42
	2.20 Delete from Products	.43
Cl	hapter3.The User Manual	. 45
	3.1 First page (choose admin or user->choose user)	.45
	3.2 Create new user (Sign in)	.45
	3.3 Log in user with wrong password	.46
	3.4 Log in user with wrong username	.47
	3.5 Log in user with empty field (username or password)	.48
	3.6 Log in admin with correct password	.48
	3.7 Display for each table (user)	.49
	3.7.1 Hair product types	.49
	3.7.2 Manufacturers	.50
	3.7.3 Products	.50
	3.8 Update Customers	.51
	3.9 Insert into Customers	.53
	3.10 Delete from Customers	.54
R	eferences	. 55


# Chapter1. Details about database

## 1.1 Short description of project

The subject of mini project for database is Professional electrical products store for hair intended for electronic commerce. The Database contains six tables: Customers, Orders, Hair products types, Manufacturers, Products, Orders list. Customers table contains the columns customer id, customer surname, customer name, phone, credit limit, customer email, date of birth. Orders table contains the columns order number, date, payment method, customer\_id. Hair products types table contains the columns product type id, products number, models numbers. Manufacturers table contains the columns manufacturer code, manufacturer name, address, email, phone. Orders list table contains order number, article code, price, amount. Products table contains article code, manufacturer code, name of product, product type id, manufacturer price. This database is intended to retain data about customers (Customer table), contact details, order details (Order table and Orders list table), products and type of products available in online store and manufacturers from whom the products come.

The web page has an introductory part of connecting the user or administrator (roles with different rights for user and administrator respectively). The user can create an account using SIGN IN or LOG IN if it already has an account created, after this it can go on to the main page. In main page, the user has a menu, where it can update informations about customer(user), insert new informations about it, delete informations about it and to see informations about hair product types, manufacturers and products. The administrator can create an account using SIGN IN or LOG IN if it already has an account created, after this it can go on to the main page. In main page, the administrator has a menu, where it can update, insert or delete informations at all the tables from database and also it can see informations about all the tables.

## 1.2 Database diagram



## 1.2.1 Recursive relation

SELECT produs.cod_art, ORDER BY produs.cod_art	produs. denumire AS denumire, produs. id_tip_produs AS id_tip_produs, tipprod. cod_ar	t AS tipprodid, tipprod. denumire AS tipprodden FROM p	produse AS produs 30IN produ	use AS tipprod ON produs.id_tip_produs=tipprod.cod_art			
Profing [Edit inline] [Edit ] Explain SQL ] Create PHP code ] [Refresh ]							
cod_art a 1	denumire	id_tip_produs	tipprodid	tipprodden			
1	Philips I-Pro ST387E,Slim 24 mm, Wwt&Dry	2	2	Rowenta PRO-Ceramic Extra S5525,230 grade			
2	Rowenta PRO-Ceramic Extra S5525,230 grade	2	2	Rowenta PRO-Ceramic Extra S5525,230 grade			
3	Braun StyleCare BHH811/00	4	4	Remington StyleMix 2020CE			
4	Remington StyleMix 2020CE	4	4	Remington StyleMix 2020CE			
5	BaByliss Expert Protect D362E,2300 W	3	3	Braun StyleCare BHH811/00			
R	PluieSoleil Professional Iron Technology	3	2	Braun StyleCare BHH811/00			

## 1.3 Constraints

ALTER TABLE Produse
ADD CONSTRAINT nume\_unique
UNIQUE (denumire)

✓ MySQL returned an empty result set (i.e. zero rows). (Query took 0.3377 seconds.)

ALTER TABLE Produse ADD CONSTRAINT nume\_unique UNIQUE (denumire)

ALTER TABLE Lista\_comenzi

```
ADD CONSTRAINT c_pret_100 CHECK (pret>100)
```

```
MySQL returned an empty result set (i.e. zero rows). (Query took 1.2180 seconds.)
```

ALTER TABLE Lista\_comenzi ADD CONSTRAINT c\_pret\_100 CHECK (pret>100)

[ Edit inline ] [ Edit ] [ Create PHP code ]

ALTER TABLE Comenzi
ADD CONSTRAINT c\_modalitate
CHECK (modalitate IN ('card', 'ramburs'))

## 1.4 JOIN operation

SELECT p.denumire, f.nume\_producator, f.adresa, p.pret\_producator FROM producatori f join produse p on f.cod\_producator=p.cod\_producator ORDER BY p.denumire

SELECT p.denumire, f.nume\_producator, f.adresa, p.pret\_producator FROM producatori f join produse p on f.cod\_producator=p.cod\_producator ORDER BY p.denumire

denumire 🔺 1	nume_producator	adresa	pret_producator
BaByliss Expert Protect D362E,2300 W	BaByliss	Str.Mario Rossi	500
Braun StyleCare BHH811/00	Braun	Str.One Retail GmbH	145
Perie rotativa BaByliss	PluieSoleil	Str. Rue Basse 1	213.99
Philips I-Pro ST387E,Slim 24 mm, Wwt&Dry	Philips	Str.Jan Pieter Heijestraat	329.99
PluieSoleil Professional Iron Technology	PluieSoleil	Str. Rue Basse 1	100.79
Remington StyleMix 2020CE	Remington	Str.Middleton	300.79
Rowenta PRO-Ceramic Extra S5525.230 grade	Rowenta	Str.Erbach in Odenwald	109.99

## 1.5 Aggregate functions

SELECT count(cod\_art) AS denumire
FROM produse

Showing rows 0 - 0 (1 total, Query took 0.0005 seconds.)

SELECT count(cod\_art) AS denumire FROM produse

#### denumire

7

SELECT AVG(limita\_credit) AS Average
FROM client

Showing rows 0 - 0 (1 total, Query took 0.0005 seconds.)

SELECT AVG(limita\_credit) AS Average FROM clienti

#### Average

375.0750020345052

#### 1.6 SELECT within SELECT

SELECT nume\_client, limita\_credit

FROM clienti

WHERE limita\_credit IN(SELECT limita\_credit FROM clienti WHERE nume\_client IN('Ignat',
'Cernat'))

ORDER BY nume\_client

SELECT nume\_client, limita\_credit FROM clienti WHERE limita\_credit IN(SELECT limita\_credit FROM clienti WHERE nume\_client IN('Ignat', 'Cernat')) ORDER BY nume\_client

 V nume\_client № 1
 limita\_credit

 Ø Edit № Copy
 ② Delete
 Cernat
 800

 Ø Edit № Copy
 ③ Delete
 Ignat
 400.45

#### **1.7 NULL**

SELECT nume\_producator, cod\_producator, email, telefon

FROM producatori

WHERE adresa is NULL

Showing rows 0 - 0 (1 total, Query took 0.0006 seconds.)

SELECT nume\_producator, cod\_producator, email, telefon FROM producatori WHERE adresa is NULL

~	nume_producator	cod_producator	email	telefon
3	Jessica	10	jessi@gmail.com	0752222222

SELECT nume\_producator, cod\_producator

FROM producatori

WHERE email is NULL

SELECT nume\_producator, cod\_producator FROM producatori WHERE email is NULL

nume_producator	cod_producator
Dyson	7
Estel	8
Simonsen	9

SELECT nume\_producator, cod\_producator

FROM producatori

WHERE telefon is NULL

Showing rows 0 - 2 (3 total, Query took 0.0006 seconds.)

SELECT nume\_producator, cod\_producator FROM producatori WHERE telefon is NULL

nume_producator	cod_producator
Dyson	7
Estel	8
Simonsen	9

## 1.8 Self JOIN

```
SELECT produs.cod_art,
produs.denumire,
produs.id_tip_produs,
tip_prod.denumire as numeprod
FROM produse produs
JOIN produse tip_prod ON produs.id_tip_produs=tip_prod.cod_art
```

#### Showing rows 0 - 6 (7 total, Query took 0.0006 seconds.)

SELECT produs.cod\_art, produs.denumire, produs.id\_tip\_produs, tip\_prod.denumire as numeprod FROM produse produs JOIN produse tip\_prod ON produs.id\_tip\_produs=tip\_prod.cod\_art


cod_art	denumire	id_tip_produs	numeprod
1	Philips I-Pro ST387E,Slim 24 mm, Wwt&Dry	2	Rowenta PRO-Ceramic Extra S5525,230 grade
2	Rowenta PRO-Ceramic Extra S5525,230 grade	2	Rowenta PRO-Ceramic Extra S5525,230 grade
3	Braun StyleCare BHH811/00	4	Remington StyleMix 2020CE
4	Remington StyleMix 2020CE	4	Remington StyleMix 2020CE
5	BaByliss Expert Protect D362E,2300 W	3	Braun StyleCare BHH811/00
6	PluieSoleil Professional Iron Technology	3	Braun StyleCare BHH811/00
11	Perie rotativa BaByliss	5	BaByliss Expert Protect D362E,2300 W

## 1.9 SQL Statements


√ 1 row inserted. (Query took 0.1112 seconds.)

#### 1.9.1 INSERT

```
INSERT INTO `clienti`(`id_client`, `nume_client`, `prenume_client`, `telefon`, `limita_credit`, `email_client`, `data_nastere`) VALUES
('8','Stroia','Nicoleta','0784498753','900','nstroia@gmail.com','1987-02-04')
```




#### **1.9.2 UPDATE**




UPDATE `clienti` SET `telefon`='0733555666',`limita\_credit`='900'
WHERE `id client`='10'

√ 1 row affected. (Query took 0.0520 seconds.)

UPDATE `clienti` SET `telefon`='0733555666',`limita\_credit`='900' WHERE `id\_client`='10'



#### 1.9.3 DFI FTF



DELETE FROM `clienti` WHERE `id\_client`='10'



		$\triangledown$	id_client	nume_client	prenume_client	telefon	limita_credit	email_client	data_nastere
<i></i>	<b>≩</b> € Copy	Delete	1	Aciu	Lia	0783379713	200	aciu.lia@gmail.com	1985-06-09
<i></i>	<b>≩</b> Copy	Delete	2	Badea	Iris	0783423123	300	badea.iris@gmail.com	1990-02-01
Ø Edit	<b>≩-i</b> Copy	Delete	3	Barna	Maria	0783483659	50	m.barna@gmail.com	1991-05-09
<i> </i>	<b>≩</b>	Delete	4	Cernat	Mihai	0738489743	800	m.cernat@gmail.com	1997-05-04
<i> </i>	<b>≩-</b> Copy	Delete	5	Ignat	Virginia	0777583743	400.45	v.ignat@gmail.com	1995-06-07
<i></i>	<b>≩</b> Copy	Delete	6	Jurca	Cristina	0783489799	500	j.cristina@gmail.com	1987-12-02
<i> </i>	<b>≩</b> d Copy	Delete	7	Leonida	Tudor	0783483443	700	tleonida@gmail.com	1992-11-07
<i> </i>	<b>≩</b>	Delete	8	Stroia	Nicoleta	0784498753	900	nstroia@gmail.com	1987-02-04
<i></i>	<b>≩</b> € Copy	Delete	9	Voicu	Violeta	0752422333	900.5	violeta.v@gmail.com	1986-05-04

## 1.10 Order By

SELECT b.nume\_client, b.prenume\_client
FROM clienti b
ORDER BY b.nume\_client



SELECT clienti.prenume\_client, clienti.nume\_client, clienti.limita\_credit FROM client ORDER BY limita\_credit DESC

Showing rows 0 - 5 (6 total, Query took 0.0007 seconds.) [limita\_credit: 800... - 50...]

SELECT clienti.prenume\_client, clienti.nume\_client, clienti.limita\_credit FROM clienti ORDER BY limita\_credit DESC

Profiles | Edit in Equal | Edit | Explain SOL | | Consta PUP code | | |



## 1.11 Top

TOP - in SQL Server

SELECT TOP 3 nume\_client, prenume\_client, telefon, limita\_credit, email\_client
FROM clienti

	nume_client	prenume_client	telefon	limita_credit	email_client
1	Aciu	Lia	0783379713	200	aciu.lia@gmail.com
2	Badea	Iris	0783423123	300	badea.iris@gmail.com
3	Bama	Maria	0783483659	50	bama@gmail.com

#### LIMIT - in MySQL

SELECT nume\_client, prenume\_client, telefon, limita\_credit, email\_client
FROM clienti
LIMIT 3;



~	nume_client	prenume_client	telefon	limita_credit	email_client
	Aciu	Lia	0783379713	200	aciu.lia@gmail.com
	Badea	Iris	0783423123	300	badea.iris@gmail.com
	Barna	Maria	0783483859	50	m.barna@gmail.com

## 1.12 Group By

SELECT\*

FROM clienti

LEFT JOIN comenzi ON clienti.id\_client=comenzi.id\_client GROUP BY clienti.nume\_client

```
✓ Showing rows 0 - 5 (6 total, Query took 0.0009 seconds.)

SELECT* FROM clienti LEFT JOIN comenzi ON clienti.id_client=comenzi.id_client GROUP BY clienti.nume_client

Output

Description

Descri
```

id_client	nume_client	prenume_client	telefon	limita_credit	email_client	data_nastere	nr_comanda	data	modalitate	id_client
1	Aciu	Lia	0783379713	200	aciu.lia@gmail.com	1985-06-09	1	2021-03-22	card	1
2	Badea	Iris	0783423123	300	badea.iris@gmail.com	1990-02-01	2	2021-03-24	ramburs	2
3	Barna	Maria	0783483659	50	m.barna@gmail.com	1991-05-09	3	2021-03-25	card	3
4	Cernat	Mihai	0738489743	800	m.cernat@gmail.com	1997-05-04	4	2021-03-27	ramburs	4
5	Ignat	Virginia	0777583743	400.45	v.ignat@gmail.com	1995-06-07	5	2021-03-28	ramburs	5

#### 1.13 Views

//1

CREATE VIEW despre\_comenzi

AS

SELECT c.data, c.modalitate, c.id\_client, a.pret, a.cantitate FROM comenzi c join lista\_comenzi a on c.nr\_comanda=a.nr\_comanda

WySQL returned an empty result set (i.e. zero rows). (Query took 0.0683 seconds.)

CREATE VIEW despre\_comenzi AS SELECT c.data, c.modalitate, c.id\_client, a.pret, a.cantitate FROM comenzi c join lista\_comenzi a on c.nr\_comanda=a.nr\_comanda

[Edit inline] [Edit] [Create PHP code]

←T→			_	▼ data	modalitate	id_client	pret	cantitate
	🥟 Edit	<b>≟≟</b> Copy	Delete	2021-03-22	card	1	500	4
	🥟 Edit	<b>≟</b> Copy	Delete	2021-03-24	ramburs	2	300	1
	🥜 Edit	<b>≟</b> Copy	Delete	2021-03-25	card	3	300	2
	⊘ Edit	<b>≩</b> ≟ Copy	Delete	2021-03-27	ramburs	4	450	4
	🥟 Edit	<b>≟</b> € Copy	Delete	2021-03-28	ramburs	5	600	2

#### //2

CREATE VIEW despre\_produse

AS


SELECT p.cod\_art,p.denumire, p.id\_tip\_produs, p.pret\_producator, f.nume\_producator, f.adresa, f.email, f.telefon

FROM produse p join producatori f on p.cod\_producator=f.cod\_producator

MySQL returned an empty result set (i.e. zero rows). (Query took 0.1216 seconds.)

CREATE VIEW despre\_produse AS SELECT p.cod\_art,p.denumire, p.id\_tip\_produs, p.pret\_producator, f.nume\_producator, f.adresa, f.email, f.telefon FROM produse p join producator f on p.cod\_producator=f.cod\_producator

[ Edit inline ] [ Edit ] [ Create PHP code ]



#### //3

CREATE VIEW detalii\_vanzare

AS

SELECT b.nume\_client, b.prenume\_client,

a.cantitate, a.pret,


c.modalitate, c.data

FROM lista\_comenzi a join comenzi c on a.nr\_comanda=c.nr\_comanda
join clienti b on c.id client=b.id client

MySQL returned an empty result set (i.e. zero rows). (Query took 0.0684 seconds.)

CREATE VIEW detalii\_vanzare AS SELECT b.nume\_client, b.prenume\_client, a.cantitate, a.pret, c.modalitate, c.data FROM lista\_comenzi a join comenzi c on a.nr\_comanda=c.nr\_comanda join clienti b on c.id\_client=b.id\_client

[ Edit inline ] [ Edit ] [ Create PHP code ]



#### //4

CREATE VIEW tip\_produs\_ondulator
AS

SELECT p.denumire, p.cod\_art, p.cod\_producator, p.pret\_producator, t.nr\_produse,
t.nr\_modele
FROM produse p join tipuri\_produse\_par t on p.id\_tip\_produs=t.id\_tip\_produs
WHERE t.tip\_produs\_par='ondulator'
ORDER BY p.denumire

✓ MySQL returned an empty result set (i.e. zero rows). (Query took 0.0200 seconds.)												
CREATE VIEW tip_produs_ondulator AS SELECT p.denumire, p.cod_art, p.cod_producator, p.pret_producator, t.nr_produse, t.nr_modele FROM produse p join tipuri_produse_par t on p.id_tip_produs=t.id_tip_produs WHERE t.tip_produs_par='ondulator' ORDER BY p.denumire												
[Edit inline][Edit][Create PHP code]												
		~	denumire	cod_art	cod_producator	pret_producator	nr_produse	nr_modele				
Edit	<b>≩</b> Copy	Delete	Braun StyleCare BHH811/00	3	3	145	100	4				
Edit	<b>≩≟</b> Copy	Delete	Remington StyleMix 2020CE	4	4	300.79	100	4				

#### //5

More details about MySQL database see [5].

CREATE VIEW tip\_placa\_de\_par\_profesionala
AS

SELECT p.denumire, p.cod\_art, p.cod\_producator, p.pret\_producator, t.nr\_produse,
t.nr\_modele

FROM produse p join Tipuri\_produse\_par t on p.id\_tip\_produs=t.id\_tip\_produs
WHERE t.tip\_produs\_par='placa de par profesionala'
ORDER BY p.denumire


✓ MySQL returned an empty result set (i.e. zero rows). (Query took 0.1133 seconds.)
CREATE VIEW tip\_placa\_de\_par\_profesionala AS SELECT p.denumire, p.cod\_art, p.cod\_producator, p.pret\_producator, t.nr\_produse, t.nr\_modele FROM produse p join tipuri\_produse\_par t on p.id\_tip\_produs=t.id\_tip\_produs WHERE t.tip\_produs\_par='placa de par profesionala' ORDER BY p.denumire
[Edit inline] [Edit] [ Create PHP code ]



# Chapter 2. WEB page


# 2.1 How page works?

2.1.1 First page (choose admin or user)




The chosen password is nicoleta123

Verify this in database MySQL




The link will send the admin (user) to the main page


## 2.1.3 Log in admin with wrong password




The password is 12 that is wrong




## 2.1.4 Log in admin with wrong username




The username doesn't exist in table conturi\_admin from database.




#### If the user leaves empty fields



More details about php pages see [2].



## 2.1.5 Log in admin with correct password




The link will send the user to the main page

## 2.2 Display for each table (admin)


The admin has permission to see all tables from database.

#### 2.2.1 Customers


More details about framset see [3].




#### 2.2.2 Orders




## 2.2.3 Hair product types




## 2.2.4 Manufacturers



## 2.2.5 Orders list




## 2.2.6 Products





## 2.3 Update Customers

Select the surname and name of customer from list (more details about code [1]).




We can see initial data of this customer in database.







We modify phone number and credit limit of this customer.




We can verify the change in database.




## 2.4 Insert into Customers




#### We add new data.



Click Submit for the adding of new informations in database or Clear if it is necessary to modify data of customer.





#### We can verify this in database.




## 2.5 Delete from Customers

Select from list the customer that we wish to delete.






#### We can verify this in database.



# 2.6 Update Orders


Select order number, data and customer id of the order from list.

More details about MySQL and PHP see [4].




We modify data and payment method of this order.

## 2.7 Insert into Orders





## 2.8 Delete from Orders






# 2.9 Update Hair product types







# 2.10 Insert into Hair product types




# 2.11 Delete from Hair product types





# 2.12 Update Manufacturers







# 2.13 Insert into Manufacturers







# 2.14 Delete from Manufacturers






# 2.15 Update Orders list







## 2.16 Insert into Orders list




## 2.17 Delete from Orders list





## 2.18 Update Products







## 2.19 Insert into Products






## 2.20 Delete from Products






# Chapter3. The User Manual

## 3.1 First page (choose admin or user->choose user)



Choose User (click USER)

#### 3.2 Create new user (Sign in)



We click SIGN IN


You must choose an username and a password.

And after this, you click Submit.




Ex: The chosen username is George.

The chosen password is george12.




The link will send you to the main page.


## 3.3 Log in user with wrong password



#### Click LOG IN



The password is 12 that is wrong.




## 3.4 Log in user with wrong username




The usernane doesn't exist, click back and register the user and password in Sign in.


(The username doesn't exist in table conturi\_user from database.)




#### 3.5 Log in user with empty field (username or password)



#### 3.6 Log in admin with correct password



The link will send the user to the main page




## 3.7 Display for each table (user)

The user can see Hair product types, Manufacturers, Products.


#### 3.7.1 Hair product types

You can see the types of hair products that are available in store, and also number of product and models's number.




#### 3.7.2 Manufacturers

You can see manufacturers of this type of products and their contacts.




#### 3.7.3 Products

You can see the products that are available in store and also manufacturer's price.





#### 3.8 Update Customers

You can update data about you, if you want to modify something, selecting your name and click on the Submit button.




Now here, you can introduse new data that you want to modify and after click on Submit button.






The new informations was modified successfully!




#### 3.9 Insert into Customers

If you need to insert new information about you.




After that you introdused the new information click Submit button or Clear button if you give up to this operation.



#### 3.10 Delete from Customers

Select your surname and name to delete information about you and click Submit.



#### References

- [1] Lisa Irby, *Create a Website .com*, Free HTML Tutorial, [Free HTML Tutorial Learning to Code HTML (2createawebsite.com)]
- [2] Peter Cowburn, PHP Manual, [PHP: PHP Manual Manual]
- [3] w3schools, HTML <frameset> Tag, [HTML frameset tag (w3schools.com)]
- [4] MySQLTUTORIAL, PHP MySQL Tutorial, [MySQL Tutorial Learn MySQL Fast, Easy and Fun.]
- [5] tutorialspoint, Learn MySQL, [MySQL Tutorial Tutorialspoint]

# THANK YOU?