







 Show more




Placeholder text consisting of several lines of horizontal bars of varying lengths, representing text content.



Placeholder text consisting of several lines of horizontal bars of varying lengths, representing text content.

```
<template lang="pug">
  .content-wrapper
    .-hidden-content(:class='hiddenContentClass')
      p.text
      | slot
    button.read-more(v-on:click='show = !show')
      .read-more__icon(:class='toggleButtonClass')
      | {{ readMoreText }}
</template>
```

 Show more 



\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_



\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

⊕ Show more



\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_



\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_



# COLLAPSIBLE CONTENT COMPONENT

```
<script>
export default {
  name: 'CollapsibleContent',

  data() {
    return {
      show: false,
    }
  },

  computed: {
    hiddenContentClass: function(){
      return this.show ? '-is-open' : '-is-collapsed';
    },
    toggleButtonClass: function(){
      return this.show ? 'read-more__icon--is-open' : 'read-more__icon--is-collapsed';
    },
    readMoreText() {
      return this.show ? 'Show less' : 'Show more';
    }
  },
}
</script>
```



# COLLAPSIBLE CONTENT COMPONENT

```
<template lang="pug">
  .content-wrapper
    .-hidden-content(:class='hiddenContentClass')
      p.text
      slot
    button.read-more(v-on:click='show = !show')
      .read-more__icon(:class='toggleButtonClass')
        | {{ readMoreText }}
</template>
```

⊕ Show more

