

In [1]: `import pandas as pd`

```
data = [
    [101, "MCA"],
    [102, "MBA"],
    [103, "M.E."],
    [104, "M.A."],
    [105, "M.Com"]
]

df = pd.DataFrame(data, columns=["StudentId", "Course"])

print(df)
```

	StudentId	Course
0	101	MCA
1	102	MBA
2	103	M.E.
3	104	M.A.
4	105	M.Com

In [2]: `import pandas as pd`

```
data = [
    [101, "MCA"],
    [102, "MBA"],
    [103, "M.E."],
    [104, "M.A."],
    [105, "M.Com"]
]

df = pd.DataFrame(data, columns=["StudentId", "Course"])

df.set_index("StudentId", inplace=True)

print(df)
```

	Course
StudentId	
101	MCA
102	MBA
103	M.E.
104	M.A.
105	M.Com

In [3]: `import pandas as pd`

```
data = [
    [101, "MCA"],
    [102, "MBA"],
    [103, None],
    [104, "M.A."],
    [None, "M.Com"]
]

df = pd.DataFrame(data, columns=["StudentId", "Course"])

print(df)
```

	StudentId	Course
0	101.0	MCA
1	102.0	MBA
2	103.0	None
3	104.0	M.A.
4	NaN	M.Com

In [4]: `import pandas as pd`

```
data = ((102, "MCA"),
        (103, "MBA"),
        (104, "MLA"),
        (None, "M.Com"))

df = pd.DataFrame(data, columns=["StudentId", "Course"])

df
```

```
Out[4]:
```

	StudentId	Course
0	102.0	MCA
1	103.0	MBA
2	104.0	MLA
3	NaN	M.Com

```
In [11]: data = [
    {"StudentId": 102, "Course": "MCA"},
    {"StudentId": 103, "Course": "MBA"},
    {"StudentId": 104, "Course": "MLA"},
    {"StudentId": None, "Course": "M.Com"}
]

df = pd.DataFrame(data)
df
```

```
Out[11]:
```

	StudentId	Course
0	102.0	MCA
1	103.0	MBA
2	104.0	MLA
3	NaN	M.Com

```
In [6]: data = {
    "StudentId": [102, 103, 104, None],
    "Course": ["MCA", "MBA", "MLA", "M.Com"]
}

df = pd.DataFrame(data, columns=["StudentId", "Course"])
df
```

```
Out[6]:
```

	StudentId	Course
0	102.0	MCA
1	103.0	MBA
2	104.0	MLA
3	NaN	M.Com

```
In [7]: df["StudentId"].idxmax()
```

```
Out[7]: 2
```

```
In [8]: df["StudentId"].idxmin()
```

```
Out[8]: 0
```

```
In [9]: df["Course"] = df["Course"].str.lower()
df
```

```
Out[9]:
```

	StudentId	Course
0	102.0	mca
1	103.0	mba
2	104.0	mla
3	NaN	m.com

```
In [10]: df = df.rename(columns={"StudentId": "Reg. No."})
df
```

Out[10]:

	Reg. No.	Course
0	102.0	mca
1	103.0	mba
2	104.0	mla
3	NaN	m.com

In []: