

**JAVA**

**ART OF**

**COMPUTER**

**PROGRAMMING**

**Vol. 1**

This book provides the implementation and real life application of “The Art Of Computer Programming by Donald Knuth” in Java Programming Language

Writing real book requires a lot. Please stop downloading free books that worth paying for.

# Preface

## **What you need before reading this book**

Many hands have touched this book before it gets to you, from reviewers to proof-readers

- 1.You can't read the entire book in a day as it wasn't produce in a day.
- 2.Programming experience in at-least one programming language
- 3.Ability to break down problems into tiny chunks and easy for others to comprehend (Background regardless)
- 4.Basic knowledge on computer organization (CPU, ALU, BIT, BYTE, HEXADECIMAL, TENARY AND BITWISE OPERATORS)

## **What you will learn by reading this book**

- 1.Implement of “The Art of Computer Programming” in Java programming language.
- 2.Real life usage / application of the included algorithms in “The Art of Computer Programming”

## About author

My name is [Amuda Adeolu Badmus](#), I'm a Software engineer. I started my software engineering career during [Karox](#) generation(the early 2000s ) and while studying chemical engineering at the [greatest citadel of learning and culture](#) in 2010 with FORTRAN programming language.

From scratch, I have developed software for

- Number 1 FMCG(Fast Moving Consumable Goods) company in the world for managing daily work approvals/activities
- Managing LIS(Land Information System) used by the state government for the fifth-most-populous Nigerian state.

My areas of interest include [Algorithm design/analysis](#), distributed systems, software optimizations, NoSQL, and development of products that organize existing information in efficient and useful ways.

I have written one programming book titled “[The art of Java programming](#)” ( Not yet published )

Every day I enjoy [publishing articles](#) and using Java, JavaEE, Regex/Cron expression, MongoDB, Maven, Git, Kali, GCP, vim, gedit, and Wildfly.

During my software engineering career, I have

- Implemented a fully functional [Work-AS\(Work-Approval Software\)](#)
- Worked/Learn with great software engineers from Microsoft & Huawei

- Publish a book on the “[Java\\_Art\\_Of\\_Computer\\_Programming](#)”, an implementation to “[The\\_Art\\_Of\\_Computer\\_Programming\\_By\\_Donald-Knuth](#)”
- [Implemented CheKernel \( Chemical Engineering Kernel \) to provides full computational approach of thermodynamic and physical Property Packages of 400 widely used industrial chemicals](#)
- [Developed CorSent API](#)

## Education

I had a BSc in Chemical Engineering from [Obafemi Awolowo University](#), I have built a [pyrolytic](#) reactor for the conversion of biomass into biofuel as my undergraduate project, had 6-months industrial training at the [refinery department of ROM oil](#) with 1500TPD. I am a Muslim and try my best to contribute to noble initiatives for human good.

## **Table of Contents**

Preface.....	3
What you need before reading this book.....	3
What you will learn by reading this book.....	3
About author.....	4
#1.1 → Euclid algorithm.....	7
Euclid algorithm steps.....	7
Fig. I: Euclid algorithm flow chart.....	8
Euclid algorithm implementation in Java.....	9
Real life application of Euclid.....	10
Building foundation construction.....	10

## **Table of Contents**

About author.....	4
#1.1 → Euclid algorithm.....	6
Euclid algorithm steps.....	6
Fig. I: Euclid algorithm flow chart.....	7
Euclid algorithm implementation in Java.....	8
Real life application of Euclid.....	9
Building foundation construction.....	9

## #1.1 → Euclid algorithm

Euclid (named after the Greek mathematician Euclid) algorithm is an approach for finding the Greatest Common Divisor ( GCD ) of two positive integers, which can be used to reduce fractions to their simplest form, and is a part of many other number-theoretic and cryptographic calculations.

Euclidean algorithm has many theoretical and practical applications, including reducing fractions to their simplest form and for performing division in modular arithmetic. Computations using this algorithm form part of the cryptographic protocols that are used to secure internet communications, and in methods for breaking these cryptosystems by factoring large composite numbers. The Euclidean algorithm may be used to solve Diophantine equations, such as finding numbers that satisfy multiple congruences according to the Chinese remainder theorem, to construct continued fractions, and to find accurate rational approximations.

### Euclid algorithm steps

[S = Step]

[S1 = Step 1 ... SN = Step N]

Given two positive integers x and y

S1. [Determine the greatest integer] If  $x > y$ , x = greatest, y = smallest (vice-versa)

S2. [Find zero remainder] Let  $z = \text{greatest \% smallest}$ , if  $z = 0$  ( z is the GCD), otherwise goto next step

S3. [Substitute] Since  $z = \text{greatest \% smallest}$ , if  $z$  is not zero Replace (  $\leftarrow$  ) : greatest with smallest ( $x \leftarrow y$ ) and smallest with remainder ( $y \leftarrow z$ ), go back to previous step ( S2 ) Example.

X = 54

Y = 879

S1. Y is the greatest, X is the smallest

S2.  $Z = 879 \% 54 = 16$ , go to next step

S3.  $Y = 54$ ,  $X = 16$ , go back to step 2 and keep repeating until the remainder is zero.


```

*****
Smallest = 119
Greatest = 544
    Remainder = 68
#####
Smallest = 68
Greatest = 119
    Remainder  51
#####
Smallest = 51
Greatest = 68
    Remainder  17

        -----Final result
Smallest = 17
Greatest = 51
        -----Greatest Common Divisor is ( 17 )-----

```

**Fig. I: Euclid algorithm flow chart.**



# Euclid algorithm implementation in Java

```
static int greatestCommonDivisor(final int x, final int y){

    int smallest = Integer.min(x, y);
    int greatest = Integer.max(x, y);

    int remainder = greatest % smallest;

    if( remainder != 0 ){
        do{
            greatest = smallest;
            smallest = remainder;
            remainder = greatest % smallest;
            if( remainder == 0 ){
                remainder = smallest;
                break;
            }
        }while(remainder != 0);
    }else{
        remainder = smallest;
    }
    return remainder;
}
```

# Real life application of Euclid

- 1.House foundation construction
- 2.Industrial packaging
- 3.Analysis

## Building foundation construction



( <https://www.homebuilding.co.uk/foundations-explained/> )

Suppose there is a need for cost estimation on the total number of block (119ft, width doesn't matter) required for the above house foundation construction of 544 ft \* 356 ft dimension with 230ft height.

### Known parameters

Land

Length(x) = 544 ft , Breadth (y) = 356 ft, Foundation height = 176ft

Block

Length ( r ) = 119ft, Width ( doesn't really matters )

Step 1 : Euclid of land length (544) by Block length (119)

Greatest Common Divisor = 17

$$\text{Nos. of blocks(1ft)} = (544 / 119) * 17 = 77.71\text{ft}$$

Total no of blocks in 230ft tall =  $77.714 * 230 = 17874.28$  blocks to raise the building foundation on single horizontal (length) level

For the two horizontal sides =  $17874.28 * 2 = 35748.56$  blocks

If one block of 119ft cost \$20, it means we will need =  $\$20 * 17874.28 = \$500,480$  to raise the building foundation on single horizontal (length) level