Myntra

Myntra Data
Using Excel formulas
Presented by: Abhishek Badoni

Project Questions

A. Data Cleaning and Preparation

1. Check for duplicate values in your dataset and remove them.
2. Standardize the "DiscountOffer" column to a single format, ensuring all values are uniform.
3. Identify rows where both "DiscountPrice" and "DiscountOffer" are null and fill the "DiscountPrice" with the average discount price of the respective category.
4. Replace all null values in the "SizeOption" column with the text "Not Available."

B. Data Analysis

1. Calculate the overall average original price for products with ratings greater than 4.
2. Count the number of products with a discount offer greater than 50% OFF.
3. Count the number of products available in size "M."
4. Create a new column to label the products as "High Discount" if the discount offer is greater than 50% OFF, otherwise label them as "Low Discount."

C. Data Retrieval and Lookup

1. Use VLOOKUP/XLOOKUP to find the product brand, price, and rating of the product with Product_id "11226634".
2. Find the "DiscountPrice" for the product with the Product ID "6744434" using the INDEX and MATCH functions.
3. Utilize nested xlookup to find any column's detail of a product with it's product id

DUPLICATE VALUE

OBJECTIVES

To Identify Duplicate In Myntra Data.
Each Product Id Checked.
Why I Choice Product Id.
Product Id Is Only Value Which Are Not Duplicate
And By Using Duplicate And Unique To Separate Product

Product_id
2296012
13780156
11895958
4335679
11690882
2490950
6744434
8439415
17381394

MYNTRA DATA

Explain
These Product Id Are Duplicate Or Unique

```
=IF(COUNTIF($A:$A,A2)>1,"Duplicate","Unique")
```

COUNTIF($B:$B,B2) → counts how many times the Product ID appears.
>1 → checks whether it appears more than once.
"Duplicate" → shown when the ID appears multiple times.
"Unique" → shown when it appears only once.



	A	B	S
1	URL	Product_id	Dupliac
2	https://w	2296012	UNIQUE
3	https://w	13780156	UNIQUE
4	https://w	11895958	UNIQUE
5	https://w	4335679	UNIQUE
6	https://w	11690882	UNIQUE
7	https://w	2490950	UNIQUE
8	https://w	6744434	UNIQUE
9	https://w	8439415	UNIQUE
10	https://w	17381394	UNIQUE
11	https://w	2359257	UNIQUE
12	https://w	7695793	UNIQUE
13	https://w	10307375	UNIQUE
14	https://w	12873874	UNIQUE
15	https://w	11634538	UNIQUE
16	https://w	2312181	UNIQUE
17	https://w	13842386	UNIQUE
18	https://w	10473520	UNIQUE
19	https://w	10561392	UNIQUE
20	https://w	12391750	UNIQUE

Product_id	UPLICATE/UNIQU
2296012	Unique
13780156	Unique
11895958	Unique
4335679	Unique
11690882	Unique
2490950	Unique
6744434	Unique
8439415	Unique
17381394	Unique

Result

Change The Product Id And We Can See The Formula Is Working

CONCLUSION

Excel formula made duplicate identification faster.
Manual checking was reduced.
Duplicate Product IDs can be reviewed and corrected easily.
The method can be applied to thousands of rows.

How I standardized inconsistent discount offers into one Standardize format.

Original Offer	Problem
10% OFF	Contains % OFF
Rs. 20 OFF	Contains Rs. and OFF
Hurry* 30% OFF	Contains extra text
1,500 OFF	Contain off
Blank	Should remain blank

So, comparing or analyzing the discounts directly was difficult.

- Convert discount offers from **different formats into one consistent format**.
- Remove unnecessary text such as **Rs.**, **OFF**, **Hurry***, commas, and extra symbols.
- Convert valid discount values into a **standard format**.
- Keep **blank cells blank** instead of returning errors or unwanted values.
- Make the data **clean, consistent, and ready for analysis and reporting**.

=TRIM(SUBSTITUTE(SUBSTITUTE(SUBSTITUTE(SUBSTITUTE(J2,"OFF",""),"Rs.",""),"Hurry*",""),",",""))

&

=IF(P2="","",IF(ISNUMBER(SEARCH("%",P2)),P2,P2/I2)*100)

=TRIM(SUBSTITUTE(SUBSTITUTE(SUBSTITUTE(SUBSTITUTE(J653,"OFF",""),"Rs.",""),"Hurry*",""),",",""))

H	I	J	N	O	P	T	U	V
scountPrice (in Rs)	OriginalPrice (in Rs)	DiscountOffer			standardize offers			
689	2299	70% OFF, Hurry*			70%			
1499	3999	Rs. 2500 OFF			2500			
539	1799	70% OFF, Hurry*			70%			
839	2799	70% OFF, Hurry*			70%			
479	1599	70% OFF, Hurry*			70%			
689	2299	70% OFF, Hurry*			70%			
479	1599	70% OFF, Hurry*			70%			
509	1699	70% OFF, Hurry*			70%			
539	1799	70% OFF, Hurry*			70%			
569	1899	70% OFF, Hurry*			70%			
359	1199	70% OFF, Hurry*			70%			
1499	4999	70% OFF, Hurry*			70%			
599	1999	70% OFF, Hurry*			70%			
359	1199	70% OFF, Hurry*			70%			
599	1999	70% OFF, Hurry*			70%			
479	1599	70% OFF, Hurry*			70%			
779	2599	70% OFF, Hurry*			70%			

=IF(P3="","",IF(ISNUMBER(SEARCH("%",P3)),P3,P3/I3)*100%)

Formula Bar

N	O	Q	R	S
		Column1	orignal data	average ifs to fill null va
		45%	824.5	
		55%	517.1	
	question 1	55%	629.6	
		31%	893.6	
		35%	389.4	
		40%	359.4	
		60%	599.6	
		58%	585.9	
		55%	1214.6	

Before – Raw Data	After – Standardized
10% OFF	10%
20% OFF	20%
Rs. 72 OFF	72
Hurry* 40% OFF	40%
Rs. 80 OFF	80
Blank	Blank

CLEANING FIRST

Before – Raw Data	After – Standardized
10%	10%
20%	20%
72	10%
40%	40%
80	13%
Blank	Blank

STANDARDIZE OFFERS AFTER CLEANING

```
=IF(P3548="","",IF(ISNUMBER(SEARCH("%",P3548)),P3548,P3548/I3548)*100%)
```

	I	J	K	L	M	N	O	Q	R
(in Rs)	OriginalPrice (in Rs)	DiscountOffer	SizeOption	Ratings	Reviews		question 1	Column1	orignal data
675	747	Rs. 72 OFF	S, M, L, XL, XXL	4.3	560			10%	675.0

Identify rows where both "DiscountPrice" and "DiscountOffer" are null and fill the "DiscountPrice" with the average discount price of the respective category.

As I Can See That Some Of My Discount Prices Not Filled With Value But One More Thing I See That We Have Discount Offers And Orignal Price, So We Can Calculate It By Fomula And Than We Can Use Average Formula To Fill Null Values In Discount Price.

- First Of All I Have To Check That How Many Null Value I Have.
- Second I Have To Calculate The Discount Price By Orignal Data.
- Third We Have To Fill The Null Value.
- Most Important Thing We Can't Lose Orignal Data.

I Have Use Two Formula

1. =IF(P2="","",I2-(I2*Q2%))
2.=IF(Q2="",AVERAGEIF(Table1[Category],Table1[@Category],[orignal data]),[@[orignal data]])

Now Why I Have Use This Two Formula To Fill Null Value, So As We Can See That We Have Orignal Price, We Have Discount Offers. But Some Of The Value Missing, So I Have Use First Formula To Get Clear Discount Price And Than Second Formula To To Fill Null Which Don'T Have Discount Offers And Orignal Price.

=IF(P2="","",I2-(I2*Q2%))

Formula Bar

estion 1

R	S
orignal data	average ifs to fill nu
824.5	
517.1	
629.6	
893.6	
389.4	
359.4	
599.6	
585.9	

=IF(Q2="",AVERAGEIF(Table1[Category],Table1[@Category],[orignal data]),[@[orignal data]])

Formula Bar

H	I	J	N	O	R	U
rice (in Rs)	OriginalPrice (in Rs)	DiscountOffer			average ifs to fill null value	
824	1499	45% OFF			824	
517	1149	55% OFF			517	
629	1399	55% OFF			630	
893	1295	31% OFF			894	
	599	35% OFF			389	
	599	40% OFF			359	
599	1499	60% OFF			600	
	1395	58% OFF			586	
	1098				716	
	2749				892	
1214	2699	55% OFF			1215	
	699				672	


Replace all null values in the "SizeOption" column with the text "Not Available."

- To identify blank or missing size options in the product data.
- Replace blank size values with “NOT AVAILABLE”.
- Keep the existing size option unchanged when data is available.
- Make the size data consistent and easy to understand for analysis and reporting.

Raw Data	Problem
S	Available
25	Available
25,32,36,40	Available
32B,32C,35B	Available
BLANK	Size information missing

- ✓ ***Blank cells can make the dataset difficult to interpret because it is unclear whether the size is unavailable or the data is simply missing.***
- ✓ ***The SizeOption column contains both available and blank values.***

SizeOption	Standardized Result
S	S
M	M
L	L
XL	XL
	NOT AVAILABLE

=IF(ISBLANK(Table1[@SizeOption]),"NOT AVAILABLE",Table1[@SizeOption

=IF(ISBLANK(Table1[@SizeOption]),"NOT AVAILABLE",Table1[@SizeOption])

K	N	O	T	U	V	W
SizeOption			SIZE OP			
28, 30, 32, 34, 36			28, 30, 32,	34, 36		
S, M, L, XL			S, M, L, XL			
38, 40, 42, 44, 46, 48			38, 40, 42,	44, 46, 48		
S, M, L, XL, XXL			S, M, L, XL,	XXL		
XS, S, M, L, XL			XS, S, M, L,	XL		
XS, S, M, L, XL			XS, S, M, L,	XL		
30, 32, 34, 36			30, 32, 34,	36		
S, M, L, XL			S, M, L, XL			
XS, S, M, L, XL			XS, S, M, L,	XL		
28, 30, 32, 34, 36			28, 30, 32,	34, 36		
S, M, L, XL, XXL			S, M, L, XL,	XXL		
XS, S, M, L, XL, XXL, 3XL, 4XL			XS, S, M, L, XL, XXL, 3XL, 4XL			
S, M, L, XL, XXL			S, M, L, XL,	XXL		
XS, S, M, L, XL			XS, S, M, L,	XL		
XS, S, M, L, XL			XS, S, M, L,	XL		

Conclusion

The SizeOption data was successfully standardized by replacing blank values with "NOT AVAILABLE" while retaining the existing size information. This makes the dataset more complete, consistent, and easier to analyze, while clearly identifying products where size information is unavailable.

Calculate the overall average original price for products with ratings greater than 4.

- Identify products rated above 4
- Calculate their average original price

I Have Use This Formula

1. =AVERAGEIFS(I2:I5000,L2:L5000,">4")

=AVERAGEIFS(I2:I5000,L2:L5000,">4")

W	X	AB	AC	AD
B. Data Analysis	Overall Average			
	1621.54913			

Count the number of products with a discount offer greater than 50% OFF.

- To identify products offering a discount greater than 50% OFF.
- To calculate the total number of products with discounts above 50%.
- To analyze the availability of high-discount offers in the product dataset.
- To help understand the proportion of products available at more than 50% discount.
- To support pricing and promotional analysis using Excel.

I Have Use This Formula

1. =COUNTIF(Table2[Column1],">50%")

=COUNTIF(Table2[Column1],">50%")

W	X	AB	AC
B. Data Analysis	Discount offer >50%		
	2715		

Count the number of products available in size "M."

- To identify products available in **size "M"**.
- To calculate the **total number of products** available in size M.
- To analyze the **availability of medium-sized products** in the dataset.
- To understand the **product size distribution**.
- To support **inventory and product availability analysis** using Excel.

I Have Use This Formula

1. =COUNTIF(Table2[SIZE OPTION],"*M*")

=COUNTIF(Table2[SIZE OPTION],"*M*")

W	X	AB	AC	AD	AE
	Count no. of products with size "m")				
	3344				

Create a new column to label the products as "High Discount" if the discount offer is greater than 50% OFF, otherwise label them as "Low Discount."

- To classify products based on their discount offers.
- To label products with **more than 50% OFF** as **“High Discount.”**
- To label products with **50% OFF or less** as **“Low Discount.”**
- To simplify the analysis of discount levels across products.
- To support better understanding of **high-discount promotional offers**

I Have Use This Formula

1. =IF(Table2[@Column1]>50%,"HIGH DISCOUNT","LOW DISCOUNT")

=IF(Table2[@Column1]>50%,"HIGH DISCOUNT","LOW DISCOUNT")

	Q	Y	AG	AH	AI	AJ	AK
first	Column1	Q4. HIGH DISCOUNT					
	45%	LOW DISCOUNT					
	55%	HIGH DISCOUNT					
	55%	HIGH DISCOUNT					
	31%	LOW DISCOUNT					
	35%	LOW DISCOUNT					
	40%	LOW DISCOUNT					
	60%	HIGH DISCOUNT					
	58%	HIGH DISCOUNT					

Use VLOOKUP/XLOOKUP to find the product brand, price, and rating of the product with Product_id "11226634".

- To retrieve the **Brand, Price, and Rating** of the product with **Product ID 11226634**.
- To use **VLOOKUP/XLOOKUP** for accurate product information retrieval.
- To demonstrate the practical application of **Excel lookup functions**.
- To reduce manual searching and improve **data analysis efficiency**.

I Have Use This Formula

1. =XLOOKUP(AA1,Table1[Product_id],Table1[BrandName])
2. =XLOOKUP(AA1,Table1[Product_id],Table1[OriginalPrice (in Rs)])
3. =VLOOKUP(AA1,Table1[[#All],[Product_id]:[Ratings]],11,0)







Find the "DiscountPrice" for the product with the Product ID "6744434" using the INDEX and MATCH functions.

- To find the **DiscountPrice** of the product with **Product ID 6744434**.
- To use the **INDEX and MATCH** functions for accurate data retrieval.
- To demonstrate the use of advanced Excel lookup techniques.
- To improve efficiency in searching and analyzing product data.

I Have Use This Formula

1. =INDEX(Table2[[average ifs to fill null value]],MATCH(AC1,Table1[Product_id],0))



Utilize nested xlookup to find any column’s detail of a product with it’s product id

- To retrieve **any required column detail** of a product using its **Product ID**.
- To utilize a **nested XLOOKUP** formula for dynamic data retrieval.
- To understand the practical application of **nested XLOOKUP** in Excel.
- To efficiently search for product information without manually locating individual columns.

I Have Use This Formula

1.=XLOOKUP(AG1,Table1[Product_id],XLOOKUP(AH1,Table1[[#Headers],[BrandName]:[Category]],Table1[[BrandName]:[Category]]))

NOTE: I HAVE LISTED THE ID BY DATA VALIDATION ON MY SHEET.



Overall Project Insight

This project provides a structured analysis of e-commerce product data by cleaning inconsistent and missing information, analyzing pricing and discount patterns, identifying product availability by size, and using Excel lookup functions to retrieve product-specific information. The analysis helps understand how discounts, prices, ratings, and product attributes are distributed across the dataset and demonstrates how Excel can support data-driven business decisions.

Key Insights by Section

A. Data Cleaning & Preparation

Removing duplicates improves **data accuracy and reliability**.
Standardizing DiscountOffer makes different discount formats comparable.
Filling missing DiscountPrice using the **category average** maintains a more complete dataset.
Replacing missing SizeOption with **"Not Available"** makes the data consistent and easier to analyze.

B. Data Analysis

Average original price for products rated >4 helps identify the **price range of highly rated products**.
Counting discounts >50% identifies products with **aggressive promotional offers**.
Counting size "M" shows the **availability/demand-related distribution of a common size**.
Categorizing products into **High Discount** and **Low Discount** makes discount patterns easier to compare.

C. Data Retrieval & Lookup

VLOOKUP/XLOOKUP demonstrates how to quickly retrieve **Brand, Price, and Rating** using Product ID.
INDEX + MATCH provides a flexible method to retrieve DiscountPrice.

Nested XLOOKUP demonstrates an advanced lookup technique that can retrieve **any selected column's detail based on Product ID**.

One-line Insight for MyPPT

"The project demonstrates how Excel can transform raw e-commerce product data into clean, consistent, and actionable information by analyzing pricing, discounts, ratings, and product availability."