

Account and Trading Endpoints

The API endpoint under the [Account and trading endpoints] module requires authentication.

Get All Account Assets

Response Example

```
{
  "success": true,
  "code": 0,
  "data": [
    {
      "currency": "USDT",
      "positionMargin": 0,
      "availableBalance": 32.80984793658,
      "cashBalance": 32.80984793,
      "frozenBalance": 0,
      "equity": 32.80984793,
      "unrealized": 0,
      "bonus": 0,
      "availableCash": 32.80984793658,
      "availableOpen": 32.80984793658,
      "debtAmount": 0,
      "contributeMarginAmount": 0,
      "vcoinId": "128f589271cb4951b03e71e6323eb7be"
    }
  ]
}
```

- **GET** `api/v1/private/account/assets`

Required Permission: View Account Details

Rate limit: 20 times/2 seconds

Request Parameters:

None

Response Parameters:

Parameter	Type	Description
currency	string	Currency
positionMargin	decimal	Position margin
frozenBalance	decimal	Frozen balance
availableBalance	decimal	Currently available balance
cashBalance	decimal	Withdrawable balance
equity	decimal	Total equity
unrealized	decimal	Unrealized PnL
bonus	decimal	Trial bonus
bonusExpireTime	long	Trial bonus expiration time (ms)
availableCash	decimal	Transferable amount
availableOpen	decimal	Usable amount
debtAmount	decimal	Debt amount
contributeMarginAmount	decimal	Contributed effective margin
vcoinId	string	Currency ID

Get Single Currency Asset Information

Response Example



```
{
  "success": true,
  "code": 0,
  "data": {
    "currency": "MX",
    "positionMargin": 0,
    "availableBalance": 0.99647149597724856,
    "cashBalance": 0.99647149,
    "frozenBalance": 0,
    "equity": 0.99647149,
    "unrealized": 0,
    "bonus": 0,
    "availableCash": 0.99647149597724856,
    "availableOpen": 0.99647149597724856,
    "debtAmount": 0,
    "contributeMarginAmount": 0,
    "vcoinId": "8c1e92655f9a4064808ce03ec1a48d38"
  }
}
```

- **GET** `api/v1/private/account/asset/{currency}`

Required Permission: View Account Details

Rate limit: 20 times/2 seconds

Request Parameters:

Parameter	Type	Required	Description
currency	string	true	Currency

Response Parameters:

Parameter	Type	Description
currency	string	Currency
positionMargin	decimal	Position margin
frozenBalance	decimal	Frozen balance

Parameter	Type	Description
availableBalance	decimal	Currently available balance
cashBalance	decimal	Withdrawable balance
equity	decimal	Total equity
unrealized	decimal	Unrealized PnL
bonus	decimal	Trial bonus
bonusExpireTime	long	Trial bonus expiration time (ms)
availableCash	decimal	Transferable amount
availableOpen	decimal	Usable amount
debtAmount	decimal	Debt amount
contributeMarginAmount	decimal	Contributed effective margin
vcoinId	string	Currency ID

Get Asset Transfer Records

Response Example

```
{
  "success": true,
  "code": 0,
  "data": {
    "pageSize": 20,
    "totalCount": 1,
    "totalPage": 1,
    "currentPage": 1,
    "resultList": [
      {
        "id": 303381159,
        "txid": "86f334f8850346e89ce4d0ba52b7aa87",

```

```
{
  "currency": "USDT",
  "amount": 1,
  "type": "IN",
  "state": "SUCCESS",
  "createTime": 1760537642000,
  "updateTime": 1760537641000
}
```

- **GET** `api/v1/private/account/transfer_record`

Required Permission: View Account Details

Rate limit: 20 times/2 seconds

Request Parameters:

Parameter	Type	Required	Description
currency	string	false	Currency
state	string	false	Status: WAIT 、 SUCCESS 、 FAILED
type	string	false	Type: IN 、 OUT
page_num	int	true	Current page, default 1
page_size	int	true	Page size, default 20, max 100

Response Parameters:

Parameter	Type	Description
pageSize	int	Page size
totalCount	int	Total count
totalPage	int	Total pages

Parameter	Type	Description
currentPage	int	Current page
resultList	list	Result set
id	long	id
txid	string	Transaction ID
currency	string	Currency
amount	decimal	Transfer amount
type	string	Type: IN 、 OUT
state	string	Status: WAIT 、 SUCCESS 、 FAILED
createTime	long	Created time
updateTime	long	Updated time

View Personal Profit Rate

Response Example

```
{
  "success": true,
  "code": 0,
  "data": {
    "ranking": 0,
    "profitRate": 0,
    "statisticTime": 1666612800000
  }
}
```

• **GET** `api/v1/private/account/profit_rate/{type}`

Required Permission: View Account Details

Rate limit: 20 times / 2 seconds

Request Parameters:

Parameter	Type	Required	Description
type	int	true	Type: 1 Day; 2 Week

Response Parameters:

Parameter	Type	Description
profitRate	decimal	Profit rate
statisticTime	long	Statistic time (ms)

Asset Analysis

Response Example

```
{
  "success": true,
  "code": 0,
  "data": {
    "historyDailyData": {
      "timeList": [],
      "accumPnlList": [],
      "accumPnlRateList": [],
      "dailyPnlList": [],
      "dailyPnlRateList": [],
      "dailyEquityList": [],
      "dailyIndexPriceRiseFallRateList": []
    },
    "todayPnl": 0,
    "todayPnlRate": 0,
    "totalPnl": 0,
    "totalEquity": 0,
    "winRate": 0
  }
}
```

- **GET** `api/v1/private/account/asset/analysis/{type}`

Required Permission: View Account Details

Rate limit: 20 times / 2 seconds

Request Parameters:

Parameter	Type	Required	Description
startTime	long	false	Start time (ms)
endTime	long	false	End time (ms)
currency	string	true	Currency
type	int	true	Type: 1 This week; 2 This month; 3 All; 4 Custom time range

Response Parameters:

Parameter	Type	Description
todayPnl	decimal	Today's PnL
todayPnlRate	decimal	Today's PnL rate
totalPnl	decimal	Total PnL
totalEquity	decimal	Total equity
winRate	decimal	Win rate
historyDailyData	object	Daily historical data

Deduction Configuration

Response Example


```
{
  "success": true,
  "code": 0,
  "data": [
    {
      "deductCoin": "MX",
      "settleCoin": "USDT",
      "discountRatio": 0.8
    },
    {
      "deductCoin": "MXPOINT",
      "settleCoin": "USDT",
      "discountRatio": 1
    }
  ]
}
```

- **GET** `api/v1/private/account/feeDeductConfigs`

Required Permission: View Account Details

Rate limit: 20 times / 2 seconds

Request Parameters:

None

Response Parameters:

Parameter	Type	Description
deductCoin	string	Deduction coin
settleCoin	string	Settlement coin
discountRatio	decimal	Discount ratio

Yesterday's PnL

Response Example

```
{
  "success": true,
  "code": 0,
  "data": 0.23697
}
```

- **GET** `api/v1/private/account/asset/analysis/yesterday_pnl`

Required Permission: View Account Details

Rate limit: 20 times / 2 seconds

Request Parameters:

None

Response Parameters:

On success, success = true and data is the PnL amount (unit: USDT). On failure, data = null

User Asset Analysis

Response Example

```
{
  "success": true,
  "code": 0,
  "data": {
    "historyDailyData": {
      "timeList": [1666540800000],
      "accumPnlList": [0],
      "accumPnlRateList": [0],
      "dailyPnlList": [0],
      "dailyEquityList": [0]
    },
    "todayPnl": -0.1672566436,
    "todayPnlRate": -0.00333611,
    "totalEquity": 49.967886076096049341976,
    "recentPnl": -84.83699744258,
    "recentPnlRate": -0.627705,
    "recentPnl30": -84.83699744258,
    "recentPnlRate30": -0.62609353,
    "accurate": true,
  }
}
```

```
"timestamp": 1762243513793,  
"todayPnlFinished": true  
}  
}
```

- **POST** `api/v1/private/account/asset/analysis/v3`

Required Permission: View Account Details

Rate limit: 20 times / 2 seconds

Request Parameters:

Parameter	Type	Required	Description
startTime	long	true	Start time (ms)
endTime	long	true	End time (ms)
reverse	int	false	Contract type: 0 All; 1 USDT-M; 2 Coin-M; 3 USDC-M
includeUnrealisedPnl	int	false	Include unrealized PnL: 0 No; 1 Yes
symbol	string	false	Trading pair

Response Parameters:

Parameter	Type	Description
todayPnl	decimal	Today's PnL
todayPnlRate	decimal	Today's PnL rate
totalPnl	decimal	Total PnL
recentPnl	decimal	7-day cumulative PnL
recentPnlRate	decimal	7-day cumulative PnL rate

Parameter	Type	Description
recentPnl30	decimal	30-day cumulative PnL
recentPnlRate30	decimal	30-day cumulative PnL rate
timestamp	long	Timestamp (ms)
historyDailyData	object	Daily historical data

User Asset Calendar Analysis (Daily)

Response Example

```
{
  "success": true,
  "code": 0,
  "data": {
    "dailyTimeList": [1666540800000],
    "dailyPnlList": [0],
    "todayPnlFinished": true
  }
}
```

• **POST** `api/v1/private/account/asset/analysis/calendar/daily/v3`

Required Permission: View Account Details

Rate limit: 20 times / 2 seconds

Request Parameters:

Parameter	Type	Required	Description
startTime	long	true	Start time (ms)
endTime	long	true	End time (ms)

Parameter	Type	Required	Description
reverse	int	false	Contract type: 0 All; 1 USDT-M; 2 Coin-M; 3 USDC-M
includeUnrealisedPnl	int	false	Include unrealized PnL: 0 No; 1 Yes

Response Parameters:

Parameter	Type	Description
dailyTimeList	list	Daily time list
dailyPnlList	list	Daily PnL list

User Asset Calendar Analysis (Monthly)

Response Example

```
{
  "success": true,
  "code": 0,
  "data": {
    "monthlyTimeList": [
      1730390400000, 1732982400000, 1735660800000, 1738339200000,
      1740758400000,
      1743436800000, 1746028800000, 1748707200000, 1751299200000,
      1753977600000,
      1756656000000, 1759248000000, 1761926400000
    ],
    "monthlyPnlList": [
      0, 0, 0, 0.59240408538617361076, 0, -0.08440522, 1.01141136563,
      1.48665238855, 0.443981802, -5.07385427096, 0.215519128, 0.23697,
      -85.07396744258
    ],
    "todayPnlFinished": true
  }
}
```

• **POST** `api/v1/private/account/asset/analysis/calendar/monthly/v3`

Required Permission: View Account Details

Rate limit: 20 times / 2 seconds

Request Parameters:

Parameter	Type	Required	Description
reverse	int	false	Contract type: 0 All; 1 USDT-M; 2 Coin-M; 3 USDC-M
includeUnrealisedPnl	int	false	Include unrealized PnL: 0 No; 1 Yes

Response Parameters:

Parameter	Type	Description
monthlyTimeList	list	Monthly time list
monthlyPnlList	list	Monthly PnL list

Recent User Asset Analysis

Response Example

```
{
  "success": true,
  "code": 0,
  "data": {
    "recentPnl60": -84.62147831458,
    "recentPnlRate60": -0.62568913,
    "recentPnl90": -84.44672244458,
    "recentPnlRate90": -0.62697083,
    "recentPnl120": -89.25135078354,
    "recentPnlRate120": -0.6389013,
    "recentPnl150": -87.83298114164,
    "recentPnlRate150": -0.35204645,
    "recentPnl180": -87.45807323443,
    "recentPnlRate180": -0.3509743,
    "recentPnl360": -86.24528816397382638924,
```

```
    "recentPnlRate360": -0.22856267,  
    "todayPnlFinished": true  
  }  
}
```

- **POST** `api/v1/private/account/asset/analysis/recent/v3`

Required Permission: View Account Details

Rate limit: 20 times / 2 seconds

Request Parameters:

Parameter	Type	Required	Description
reverse	int	false	Contract type: 0 All; 1 USDT-M; 2 Coin-M; 3 USDC-M
includeUnrealisedPnl	int	false	Include unrealized PnL: 0 No; 1 Yes
symbol	string	false	Trading pair

Response Parameters:

Parameter	Type	Description
recentPnl60	decimal	PnL over last 60 days
recentPnlRate60	decimal	PnL rate over last 60 days
recentPnl90	decimal	PnL over last 90 days
recentPnlRate90	decimal	PnL rate over last 90 days
recentPnl120	decimal	PnL over last 120 days
recentPnlRate120	decimal	PnL rate over last 120 days
recentPnl150	decimal	PnL over last 150 days

Parameter	Type	Description
recentPnlRate150	decimal	PnL rate over last 150 days
recentPnl180	decimal	PnL over last 180 days
recentPnlRate180	decimal	PnL rate over last 180 days
recentPnl360	decimal	PnL over last 360 days
recentPnlRate360	decimal	PnL rate over last 360 days

Today’s User Asset Analysis

Response Example

```
{
  "success": true,
  "code": 0,
  "data": {
    "todayPnl": -0.26538358229,
    "todayPnlRate": -0.0019614,
    "todayPnlFinished": true
  }
}
```

- **GET** `api/v1/private/account/asset/analysis/today_pnl`

Required Permission: View Account Details

Rate limit: 20 times / 2 seconds

Request Parameters:

Parameter	Type	Required	Description
reverse	int	false	Contract type: 0 All; 1 USDT-M; 2 Coin-M; 3 USDC-M

Parameter	Type	Required	Description
includeUnrealisedPnl	int	false	Include unrealized PnL: 0 No; 1 Yes

Response Parameters:

Parameter	Type	Description
todayPnl	decimal	Today's PnL
todayPnlRate	decimal	Today's PnL rate

Query All Spot Discount Configuration Information

Response Example

```
{
  "success": true,
  "code": 200,
  "message": "success",
  "data": [
    {
      "id": 1,
      "currency": "MX",
      "state": "ENABLED",
      "discountConfig": "[{\\"day\\":1,\\"discount\\":0.5,\\"level\\":1,\\"volMax\\":2147483647,\\"volMin\\":500}]"
      "ineffectiveDiscountConfig": "",
      "operator": "",
      "createTime": 1699775818000,
      "updateTime": 1732982217000,
      "enabled": true
    }
  ]
}
```

- GET `api/v1/private/account/config/contractFeeDiscountConfig`

Required Permission: View Account Details

Rate limit: 20 times / 2 seconds

Request Parameters:

None

Response Parameters:

Parameter	Type	Description
currency	string	Deduction currency
state	string	Status: ENABLED, DISABLED
discountConfig	string	Discount configuration, JSON: <code>[{ "level":1, "volMin":0, "volMax":12, "day":7, "discount":0.8 }]</code>
blackContractIdSet	list	List of contract IDs excluded from discounts

Query Contract Fee Deduction Details

Response Example

```
{
  "success": true,
  "code": 0,
  "data": [
    {
      "id": 54236193,
      "orderId": 739132568196170240,
      "feeCurrency": "USDT",
      "fee": 0.0906990372,
      "deductType": 2,
      "deductFeeCurrency": "USDT",
      "deductFee": 0.0906990372,
      "timestamp": 1761893337000
    },
    {
      "id": 52060733,
```

```
    "orderId": 735908917455962624,  
    "feeCurrency": "USDT",  
    "fee": 0.297936756,  
    "deductType": 0,  
    "timestamp": 1761124758000  
  }  
]  
}
```

- **GET** `api/v1/private/order/fee_details`

Required Permission: View Order Details

Rate limit: 20 requests / 2 seconds

Request Parameters:

Parameter	Type	Required	Description
symbol	string	true	Contract name
ids	long	false	Deal ID; up to 20 can be sent in a batch
start_time	long	false	Start time; if omitted, defaults to current time minus 7 days; max span 90 days
end_time	long	false	End time; the span between start and end is 90 days
page_num	int	false	Current page number, default 1
page_size	int	false	Page size, default 20, max 100

Response Parameters:

Parameter	Type	Description
id	long	Deal ID
symbol	string	Contract name

Parameter	Type	Description
orderId	long	Order ID
feeCurrency	string	Fee currency
fee	decimal	Fee
deductType	string	Deduction type: 0 = No deduction, 1 = MXPOINT deduction, 2 = Trial bonus deduction
deductFeeCurrency	string	Deducted fee currency
deductFee	decimal	Deducted fee
timestamp	long	Deal time

Query User Discount Usage

If spot fee discount exists, spot discount config applies; if there is MX holding for contracts, MX deduction applies

Response Example

```
{
  "success": true,
  "code": 0,
  "data": {
    "useFeeDiscount": true,
    "useFeeDeduct": false
  }
}
```

- **GET** `api/v1/private/account/discountType`

Required Permission: View Account Details

Rate limit: 20 times / 2 seconds

Request Parameters:

None

Response Parameters:

Parameter	Type	Description
useFeeDiscount	boolean	Use spot discount fee rate
useFeeDeduct	boolean	Use contract deduction fee rate

Export PnL Analysis

- **GET** `api/v1/private/account/asset/analysis/export`

Required Permission: View Account Details

Rate limit: 20 times / 2 seconds

Header Request Parameters:

Parameter	Type	Required	Description
timezone-login	string	true	Timezone; e.g., UTC+08:00

Request Parameters:

Parameter	Type	Description
startTime	long	Export start time (ms)
endTime	long	Export end time
reverse	int	Contract type: 0: All; 1: USDT-M; 2: Coin-M
includeUnrealisedPnl	int	Include unrealized PnL: 0: No; 1: Yes

Parameter	Type	Description
symbol	string	Trading pair
fileType	int	File type: 1-EXCEL 2-PDF
language	string	Language; e.g., zh-CN

Response Parameters:

None

30-Day Fee Statistics

Response Example

```
{
  "success": true,
  "code": 0,
  "data": {
    "totalFee": 0,
    "saveFee": 0
  }
}
```

- **GET** `api/v1/private/account/asset_book/order_deal_fee/total`

Required Permission: View Account Details

Rate limit: 20 times / 2 seconds

Request Parameters:

None

Response Parameters:

Parameter	Type	Description
totalFee	decimal	Total fees (4 decimals), default 0
saveFee	decimal	Saved fees (4 decimals), default 0

Fee Details Under a Specific Contract

Response Example

```
{
  "success": true,
  "code": 0,
  "data": [
    {
      "contractId": 10,
      "symbol": "BTC_USDT",
      "isMaxLeverage": true,
      "isZeroFeeRate": true,
      "maxLeverage": 500,
      "countryConfigContractMaxLeverage": 0,
      "takerFeeRate": 0,
      "makerFeeRate": 0,
      "feeRateMode": "TIERED",
      "leverageFeeRates": [],
      "tieredFeeRates": [
        {
          "takerFeeRate": 0,
          "makerFeeRate": 0,
          "minTieredDealAmount": 0,
          "maxTieredDealAmount": 10000000
        },
        {
          "takerFeeRate": 0.0004,
          "makerFeeRate": 0.0001,
          "minTieredDealAmount": 10000001
        }
      ],
      "tieredDealAmount": 164,
      "tieredEffectiveDay": 0,
      "tieredAppointContract": true,
      "tieredExcludeContractId": true,
      "tieredContractIds": [10, 77, 1104],
    }
  ]
}
```

```
    "tieredExcludeZeroFee": false,
    "statisticType": "FIXED",
    "fixedStartTime": 1760544000000,
    "fixedEndTime": 1763049600000,
    "agentFee": false
  }
]
```

- **GET** `api/v1/private/account/contract/fee_rate`

Required Permission: View Account Details

Rate limit: 20 times / 2 seconds

Request Parameters:

Parameter	Type	Required	Description
symbol	string	false	Trading pair

Response Parameters:

Parameter	Type	Description
isZeroFeeRate	boolean	Zero-fee tag: true = zero-fee; false = not zero-fee
contractId	int	Contract ID
symbol	string	Trading pair
maxLeverage	int	Maximum leverage
feeRateMode	string	Fee mode: LEVERAGE / NORMAL / TIERED
takerFeeRate	decimal	Taker fee
makerFeeRate	decimal	Maker fee

Parameter	Type	Description
leverageFeeRates	list	Leverage fee list (present when feeRateMode = LEVERAGE)
tieredFeeRates	list	Tiered fee list (present when feeRateMode = TIERED)
tieredDealAmount	decimal	Trading amount
tieredEffectiveDay	int	Effective days
tieredAppointContract	boolean	Specify contracts; false: not specified; true: specified
tieredExcludeContractId	boolean	false: not included; true: included
tieredContractIds	string	Contract ID list, e.g., [10,11]
tieredExcludeZeroFee	boolean	Exclude zero-fee trading amount; false: do not exclude; true: exclude
statisticType	string	Statistic dimension for tiered trading amount: ROLLING / FIXED
fixedStartTime	long	Start time for FIXED mode
fixedEndTime	long	End time for FIXED mode

Zero-Fee Trading Pairs

Response Example

```
{
  "success": true,
  "code": 0,
  "data": {
    "contracts": [
      {
        "contractId": 10,
        "ifHotTag": false
      }
    ]
  }
}
```

```
    }
  ],
  "hotRecs": []
}
```

- **GET** `api/v1/private/account/contract/zero_fee_rate`

Required Permission: View Order Details

Rate limit: 20 times / 2 seconds

Request Parameters:

Parameter	Type	Required	Description
symbol	string	false	Trading pair

Response Parameters:

Parameter	Type	Description
contracts	list	Zero-fee trading pairs; e.g., <code>[{"contractId": <id>}]</code>

Get Historical Positions

Response Example

```
{
  "success": true,
  "code": 0,
  "data": [
    {
      "positionId": 1027177055,
      "symbol": "BTC_USDT",
      "positionType": 1,
      "openType": 1,
      "state": 3,
      "holdVol": 0,
      "frozenVol": 0,

```

```
"closeVol": 2,
"holdAvgPrice": 112449.5,
"holdAvgPriceFullyScale": "112449.5",
"openAvgPrice": 112449.5,
"openAvgPriceFullyScale": "112449.5",
"closeAvgPrice": 113572.3,
"liquidatePrice": 56314.7,
"oim": 0,
"im": 0,
"holdFee": 0,
"realised": 0.2155,
"leverage": 2,
"createTime": 1757506663000,
"updateTime": 1757509217000,
"autoAddIm": false,
"version": 3,
"profitRatio": 0.0191,
"newOpenAvgPrice": 112449.5,
"newCloseAvgPrice": 113572.3,
"closeProfitLoss": 0.2245,
"fee": -0.009,
"positionShowStatus": "CLOSED",
"deductFeeList": [],
"totalFee": 0.009,
"zeroSaveTotalFeeBinance": 0,
"zeroTradeTotalFeeBinance": 0.009
},
{
  "positionId": 980739233,
  "symbol": "BTC_USDT",
  "positionType": 1,
  "openType": 1,
  "state": 3,
  "holdVol": 0,
  "frozenVol": 0,
  "closeVol": 5,
  "holdAvgPrice": 118272.2,
  "holdAvgPriceFullyScale": "118272.2",
  "openAvgPrice": 118272.2,
  "openAvgPriceFullyScale": "118272.2",
  "closeAvgPrice": 118669.1,
  "liquidatePrice": 112474.5,
  "oim": 0,
  "im": 0,
  "holdFee": 0,
  "realised": 0.1747,
  "leverage": 20,
```

```
    "createTime": 1754827319000,
    "updateTime": 1754835661000,
    "autoAddIm": false,
    "version": 3,
    "profitRatio": 0.0586,
    "newOpenAvgPrice": 118272.2,
    "newCloseAvgPrice": 118669.1,
    "closeProfitLoss": 0.1984,
    "fee": -0.0236,
    "positionShowStatus": "CLOSED",
    "deductFeeList": [],
    "totalFee": 0.0236,
    "zeroSaveTotalFeeBinance": 0,
    "zeroTradeTotalFeeBinance": 0.0236
  }
]
```

- **GET** `api/v1/private/position/list/history_positions`

Required Permission: View Order Details

Rate limit: 20 times/2 seconds

Request Parameters:

Parameter	Type	Required	Description
symbol	string	false	Contract
type	int	false	Position type, 1 long 2 short
start_time	long	false	Start time
end_time	long	false	End time
position_type	int	false	Position type, 1 long 2 short
page_num	int	true	Current page, default 1
page_size	int	true	Page size, default 20, max 100

Response Parameters:

Parameter	Type	Description
pageSize	int	Page size
totalCount	int	Total count
totalPage	int	Total pages
currentPage	int	Current page
resultList	list	Result set
positionId	long	Position id
symbol	string	Contract
holdVol	decimal	Position size
positionType	int	Position type, 1 long 2 short
openType	int	Open type, 1 isolated 2 cross
state	int	Position status, 1 holding 2 system-held 3 closed
frozenVol	decimal	Frozen volume
closeVol	decimal	Closed volume
holdAvgPrice	decimal	Average position price
holdAvgPriceFullyScale	decimal	Full precision position price
closeAvgPrice	decimal	Average closing price
openAvgPrice	decimal	Average opening price
openAvgPriceFullyScale	decimal	Full precision opening price

Parameter	Type	Description
liquidatePrice	decimal	Liquidation price in isolated mode
oim	decimal	Original initial margin
im	decimal	Initial margin, adjustable in isolated mode to tune liquidation price
holdFee	decimal	Funding fee, positive = received, negative = paid
realised	decimal	Realized PnL
leverage	int	Leverage
marginRatio	decimal	Current position margin ratio
autoAddIm	boolean	Auto-add initial margin supported
profitRatio	decimal	Return ratio = realized PnL/initial margin
newOpenAvgPrice	decimal	Average opening price, differs from original
newCloseAvgPrice	decimal	Average closing price, differs from original
closeProfitLoss	decimal	Close PnL (fees excluded)
fee	decimal	Fees (excluding deductions)
totalFee	decimal	Accumulated fees
createTime	date	Created time
updateTime	date	Updated time

Get Open Positions

Response Example

```
{
  "success": true,
  "code": 0,
  "data": [
    {
      "positionId": 1109973831,
      "symbol": "BTC_USDT",
      "positionType": 1,
      "openType": 1,
      "state": 1,
      "holdVol": 5,
      "frozenVol": 0,
      "closeVol": 0,
      "holdAvgPrice": 109777.5,
      "holdAvgPriceFullyScale": "109777.5",
      "openAvgPrice": 109777.5,
      "openAvgPriceFullyScale": "109777.5",
      "closeAvgPrice": 0,
      "liquidatePrice": 55020.5,
      "oim": 27.444375,
      "im": 27.444375,
      "holdFee": 0,
      "realised": 0,
      "leverage": 2,
      "marginRatio": 0.0027,
      "createTime": 1761887133854,
      "updateTime": 1761887133854,
      "autoAddIm": false,
      "version": 1,
      "profitRatio": 0,
      "newOpenAvgPrice": 109777.5,
      "newCloseAvgPrice": 0,
      "closeProfitLoss": 0,
      "fee": 0,
      "deductFeeList": [],
      "totalFee": 0,
      "zeroSaveTotalFeeBinance": 0.0301,
      "zeroTradeTotalFeeBinance": 0.0301
    }
  ]
}
```

- **GET** `api/v1/private/position/open_positions`

Required Permission: View Order Details

Rate limit: 20 times/2 seconds

Request Parameters:

Parameter	Type	Required	Description
symbol	string	false	Contract
positionId	long	false	Position ID

Response Parameters:

Parameter	Type	Description
positionId	long	Position id
symbol	string	Contract
holdVol	decimal	Position size
positionType	int	Position type, 1 long 2 short
openType	int	Open type, 1 isolated 2 cross
state	int	Position status,1 holding 2 system-held 3 closed
frozenVol	decimal	Frozen volume
closeVol	decimal	Closed volume
holdAvgPrice	decimal	Average position price
holdAvgPriceFullyScale	decimal	Full precision position price
closeAvgPrice	decimal	Average closing price
openAvgPrice	decimal	Average opening price
openAvgPriceFullyScale	decimal	Full precision opening price

Parameter	Type	Description
liquidatePrice	decimal	Liquidation price in isolated mode
oim	decimal	Original initial margin
adlLevel	int	adl reduction level, range 1-5, null means pending refresh
im	decimal	Initial margin, adjustable in isolated mode to tune liquidation price
holdFee	decimal	Funding fee, positive = received, negative = paid
realised	decimal	Realized PnL
leverage	int	Leverage
marginRatio	decimal	Current position margin ratio
autoAddIm	boolean	Auto-add initial margin supported
profitRatio	decimal	Return ratio = realized PnL/initial margin
newOpenAvgPrice	decimal	Average opening price, differs from original
newCloseAvgPrice	decimal	Average closing price, differs from original
closeProfitLoss	decimal	Close PnL (fees excluded)
fee	decimal	Fees (excluding deductions)
totalFee	decimal	Accumulated fees
createTime	date	Created time
updateTime	date	Updated time

Get Funding Fee Details

Response Example

```
{
  "success": true,
  "code": 0,
  "data": {
    "symbol": "BTC_USDT",
    "fundingRate": -0.000019,
    "maxFundingRate": 0.0018,
    "minFundingRate": -0.0018,
    "collectCycle": 8,
    "nextSettleTime": 1761897600000,
    "timestamp": 1761887166142
  }
}
```

- **GET** `api/v1/private/position/funding_records`

Required Permission: View Order Details

Rate limit: 20 times/2 seconds

Request Parameters:

Parameter	Type	Required	Description
symbol	string	false	Contract
position_id	int	false	Position id
page_num	int	true	Current page, default 1
page_size	int	true	Page size, default 20, max 100
position_type	int	true	Position type, 1 long 2 short
start_time	long	true	Start time
end_time	long	true	End time

Response Parameters:

Parameter	Type	Description
pageSize	int	Page size
totalCount	int	Total count
totalPage	int	Total pages
currentPage	int	Current page
resultList	list	Result set
id	long	id
symbol	string	Contract
positionType	int	1: long, 2: short
positionValue	decimal	Position value
funding	decimal	Fee
rate	decimal	Funding rate
settleTime	date	Settlement time

Get Risk Limits

Response Example

```
{
  "success": true,
  "code": 0,
  "data": {
    "BTC_USDT": [
      {
        "level": 6,
```

```
    "maxVol": 4500000,
    "mmr": 0.05,
    "imr": 0.1,
    "maxLeverage": 500,
    "symbol": "BTC_USDT",
    "positionType": 2,
    "openType": 1,
    "leverage": 2,
    "limitBySys": false,
    "currentMmr": 0.05
  },
  {
    "level": 1,
    "maxVol": 50000,
    "mmr": 0.001,
    "imr": 0.002,
    "maxLeverage": 500,
    "symbol": "BTC_USDT",
    "positionType": 1,
    "openType": 1,
    "leverage": 2,
    "limitBySys": false
  }
]
}
```

- **GET** `api/v1/private/account/risk_limit`

Required Permission: View Order Details

Rate limit: 20 times/2 seconds

Request Parameters:

Parameter	Type	Required	Description
symbol	string	false	Contract, if not provided returns all

Response Parameters:

Parameter	Type	Description
symbol	string	Contract
positionType	int	Position type 1: long, 2: short
level	int	Current liquidation risk level, returns min(leverage risk level, position risk level)
maxVol	decimal	Maximum position quantity; if contract is configured to limit by position value, it will be converted to the number of contracts based on the current fair price.
maxLeverage	int	Maximum leverage
mmr	decimal	Maintenance margin rate for the liquidation risk level; to calculate initial margin, obtain maintenance margin rate via the user's leverage info interface
imr	decimal	Initial margin rate for the liquidation risk level

Get Fee Details

Response Example

```
{
  "success": true,
  "code": 0,
  "data": {
    "symbol": "BTC_USDT",
    "joinDiscount": true,
    "enjoyDiscount": true,
    "discountRate": 0.5,
    "joinDeduct": true,
    "enjoyDeduct": true,
    "deductRate": 0.8,
    "originalMakerFee": 0,
    "originalTakerFee": 0,
    "realMakerFee": 0,
    "realTakerFee": 0,
  }
}
```

```

    "dealAmount": 0,
    "walletBalance": 35.10272884,
    "inviterKyc": "",
    "level": 9999,
    "feeType": 1,
    "agentFee": false,
    "feeRateMode": "TIRED",
    "leverageFeeRates": [],
    "tieredFeeRates": [
      {
        "takerFeeRate": 0,
        "makerFeeRate": 0,
        "minTieredDealAmount": 0,
        "maxTieredDealAmount": 10000000,
        "realTakerFee": 0,
        "realMakerFee": 0
      },
      {
        "takerFeeRate": 0.0004,
        "makerFeeRate": 0.0001,
        "minTieredDealAmount": 10000001,
        "realTakerFee": 0.0002,
        "realMakerFee": 0.00005
      }
    ],
    "tieredDealAmount": 54,
    "tieredEffectiveDay": 0,
    "tieredAppointContract": true,
    "tieredExcludeContractId": true,
    "tieredContractIds": [10, 77, 1104],
    "tieredExcludeZeroFee": false,
    "statisticType": "FIXED",
    "fixedStartTime": 1760544000000,
    "fixedEndTime": 1763049600000
  }
}

```

- **GET** `api/v1/private/account/tiered_fee_rate/v2`

Required Permission: View Order Details

Rate limit: 20 times/2 seconds

Request Parameters:

Parameter	Type	Required	Description
symbol	string	false	Contract; when symbol is provided, query fee rate info under that contract

Response Parameters:

Parameter	Type	Description
originalMakerFee	decimal	Original maker fee
originalTakerFee	decimal	Original taker fee
joinDiscount	boolean	Participate in discount
enjoyDiscount	boolean	Enjoy discount true enjoy discount false do not enjoy discount
joinDeduct	boolean	Participate in deduction
enjoyDeduct	boolean	Enjoy deduction
realMakerFee	decimal	Actual maker fee
realTakerFee	decimal	Actual taker fee
discountRate	decimal	Discount rate
deductRate	decimal	Deduction rate
dealAmount	decimal	Trading volume in the last 30 days
walletBalance	decimal	Wallet balance of yesterday
inviterKyc	string	Fee group configuration inviter KYC limit
feeRateMode	string	Fee mode NORMAL: standard fee LEVERAGE: leverage fee. TIERED: tiered fee

Parameter	Type	Description
tieredFeeRates	list	Tiered fee configuration list; has value only when feeRateMode is TIERED
tieredDealAmount	decimal	Trading amount
tieredEffectiveDay	int	Effective days
tieredAppointContract	boolean	Whether to specify contract; false: not specify; true: specify
tieredExcludeContractId	boolean	false: not include, true: include
tieredContractIds	string	Contract IDs, e.g. [10,11]
tieredExcludeZeroFee	boolean	false: do not exclude, true: exclude; whether to exclude 0-fee trading volume
leverageFeeRates	list	Leverage fee configuration list; has value only when feeRateMode is LEVERAGE
statisticType	string	Tiered fee trading volume statistic dimension ROLLING rolling FIXED fixed
fixedStartTime	long	Fixed mode start time (ms)
fixedEndTime	long	Fixed mode end time (ms)

Modify Position Margin(Under Maintenance)

Response Example

```
{  
  "success": true,
```



```
  "code": 0
}
```

- **POST** `api/v1/private/position/change_margin`

Required Permission: Order Placing

Rate limit: 20 times/2 seconds

Request Parameters:

Parameter	Type	Required	Description
positionId	long	true	Position id
amount	decimal	true	Amount
type	string	true	Type,ADD: increase,SUB: decrease

Response Parameters:

Common parameters, success: true success, false failure

Enable or Disable Auto-Add Margin(Under Maintenance)

Response Example

```
{
  "success": true,
  "code": 0
}
```

- **POST** `api/v1/private/position/change_auto_add_im`

Required Permission: Order Placing

Rate limit: 20 requests / 2 seconds

Request Parameters:

Parameter	Type	Required	Description
positionId	long	true	Position ID
isEnabled	boolean	true	Whether to enable

Response Parameters:

Common fields; success: true means success, false means failure

Get Position Leverage Multipliers

Response Example

```
{
  "success": true,
  "code": 0,
  "data": [
    {
      "level": 6,
      "maxVol": 4500000,
      "mmr": 0.05,
      "imr": 0.1,
      "positionType": 1,
      "openType": 1,
      "leverage": 2,
      "limitBySys": false,
      "currentMmr": 0.001,
      "maxLeverageView": 500
    },
    {
      "level": 6,
      "maxVol": 4500000,
      "mmr": 0.05,
      "imr": 0.1,
      "positionType": 2,
      "openType": 1,
      "leverage": 2,
      "limitBySys": false,
      "currentMmr": 0.001,
      "maxLeverageView": 500
    }
  ]
}
```

```
    }
  ]
}
```

- **GET** `api/v1/private/position/leverage`

Required Permission: View Order Details

Rate limit: 20 times/2 seconds

Request Parameters:

Parameter	Type	Required	Description
symbol	string	true	Contract name

Response Parameters:

Parameter	Type	Description
symbol	string	Contract
positionType	int	Position type, 1 long 2 short
openType	int	Open type,1: isolated,2: cross
leverage	int	Leverage
maxLeverageView	int	Maximum leverage
currentMmr	decimal	Maintenance margin rate

Modify Leverage(Under Maintenance)

Response Example

```
{
  "success": true,
```

```
"code": 0
}
```

- **POST** `api/v1/private/position/change_leverage`

Required Permission: Order Placing

Rate limit: 20 times/2 seconds

Request Parameters:

Parameter	Type	Required	Description
positionId	long	false	Position id, provide when a position exists
leverage	int	true	Leverage
openType	int	false	Required when no position exists, open type,1: isolated,2: cross
symbol	string	false	Required when no position exists, contract name
positionType	int	false	When no position exists, position type, 1 long 2 short
leverageMode	int	false	Leverage mode 1: advanced mode 2: simple mode
marginSelected	boolean	false	Flag for adjusting all contracts' margin mode - whether selected
leverageSelected	boolean	false	Flag for adjusting all contracts' leverage mode - whether selected

Response Parameters:

Common parameters, success: true success,false failure

Get User Position Mode

Response Example

```
{
  "success": true,
  "code": 0,
  "data": [
    {
      "level": 6,
      "maxVol": 4500000,
      "mmr": 0.05,
      "imr": 0.1,
      "positionType": 1,
      "openType": 1,
      "leverage": 2,
      "limitBySys": false,
      "currentMmr": 0.001,
      "maxLeverageView": 500
    },
    {
      "level": 6,
      "maxVol": 4500000,
      "mmr": 0.05,
      "imr": 0.1,
      "positionType": 2,
      "openType": 1,
      "leverage": 2,
      "limitBySys": false,
      "currentMmr": 0.001,
      "maxLeverageView": 500
    }
  ]
}
```

- **GET** `api/v1/private/position/position_mode`

Required Permission: View Order Details

Rate limit: 20 times/2 seconds

Request Parameters:

None

Response Parameters:

Parameter	Type	Description
positionMode	int	Position mode: 1 dual-side 2 one-way

Modify User Position Mode(Under Maintenance)

Response Example

```
{
  "success": true,
  "code": 0
}
```

- **POST** `api/v1/private/position/change_position_mode`

Required Permission: Order Placing

Rate limit: 20 times/2 seconds

Request Parameters:

Parameter	Type	Required	Description
positionMode	int	true	1: dual-side, 2: one-way. To modify the position mode, you must ensure there are no active orders, plan orders, or unfinished positions; otherwise, it cannot be modified. When switching from dual-side to one-way mode, the risk limit level will reset to level 1. To change it, call the interface to modify.

Response Parameters:

Common parameters, success: true success, false failure

Change Risk Level(Under Maintenance)

Response Example

```
{
  "success": true,
  "code": 0
}
```

- **POST** `api/v1/private/account/change_risk_level`

Required Permission: Order Placing

Rate limit: 20 times / 2 seconds

- Disabled. Calling this returns error code 8817 with message: The risk limit feature has been upgraded. Please check the web page for details.

Place Order (Under Maintenance)

Response Example

```
{
  "success": true,
  "code": 0,
  "data": {
    "orderId": "739113577038255616",
    "ts": 1761888808839
  }
}
```

• **POST** `api/v1/private/order/create`

Required Permission: Order Placing

Rate limit: 20 times/2 seconds

Request Parameters:

Parameter	Type	Required	Description
symbol	string	true	Contract
price	decimal	true	Price
vol	decimal	true	Quantity
leverage	int	false	Leverage, must be provided when opening a position
side	int	true	Order direction 1 open long, 2 close short, 3 open short, 4 close long
type	int	true	Order type, 1: limit, 2: Post Only (maker only), 3: IOC, 4: FOK, 5: market
openType	int	true	Open type, 1: isolated, 2: cross
externalOid	string	false	External order id
stopLossPrice	decimal	false	Stop-loss price
takeProfitPrice	decimal	false	Take-profit price
lossTrend	int	false	Stop-loss price type; 1: latest price (default); 2: fair price; 3: index price
profitTrend	int	false	Take-profit price type; 1: latest price (default); 2: fair price; 3: index price
priceProtect	int	false	Conditional order trigger protection: "1", "0", default "0" disabled. Required only for plan orders/TP-SL orders
positionMode	int	false	Position mode, default dual-side; 2: one-way; 1: dual-side
reduceOnly	boolean	false	Reduce-only, only applicable in one-way mode

Parameter	Type	Required	Description
marketCeiling	boolean	false	100% market open
flashClose	boolean	false	Flash close
bboTypeNum	int	false	Limit order type - BBO type; 0: not BBO;1: opposite-1;2: opposite-5;3: same-side-1;4: same-side-5;

Response Parameters:

On success, success = true, data is the order id; on failure, success = false, data = null

Chase Order(Under Maintenance)

Modify order price to the corresponding one-tick price

Response Example

```
{
  "success": true,
  "code": 0
}
```

- **POST** `api/v1/private/order/chase_limit_order`

Required Permission: Order Placing

Rate limit: 20 times/2 seconds

Request Parameters:

Parameter	Type	Required	Description
orderId	long	true	Order ID

Response Parameters:

On success, success = true, data is the order id; on failure, success = false, data = null

Modify Order Price & Quantity(Under Maintenance)

Response Example

```
{
  "success": true,
  "code": 0,
  "data": "739204819784386560"
}
```

- **POST** `api/v1/private/order/change_limit_order`

Required Permission: Order Placing

Rate limit: 20 times/2 seconds

Request Parameters:

Parameter	Type	Required	Description
orderId	long	true	Order ID
price	decimal	true	Price
vol	decimal	true	Quantity

Response Parameters:

On success, success = true, data is the order id; on failure, success = false, data = null

Cancel Orders (Under Maintenance)

Response Example

```
{
  "success": true,
  "code": 0,
  "data": [
    {
      "orderId": 101716841474621953,
      "errorCode": 2040,
      "errorMsg": "order not exist"
    },
    {
      "orderId": 108885377779302912,
      "errorCode": 2041,
      "errorMsg": "order state cannot be cancelled"
    },
    {
      "orderId": 108886241042563584,
      "errorCode": 0,
      "errorMsg": "success"
    }
  ]
}
```

Cancel previously placed unfinished orders, up to 50 orders per request.

- **POST** `api/v1/private/order/cancel`

Required Permission: Order Placing

Rate limit: 20 times/2 seconds

Request Parameters:

Parameter	Type	Required	Description
None	<code>List<Long></code>	true	Order id list, max 50

Response Parameters:

Common parameters, success: true success, false failure

Batch Cancel by External Order ID(Under Maintenance)

Response Example

```
{
  "success": true,
  "code": 0,
  "data": [
    {
      "orderId": 101716841474621953,
      "errorCode": 2040,
      "errorMsg": "order not exist"
    },
    {
      "orderId": 108885377779302912,
      "errorCode": 2041,
      "errorMsg": "order state cannot be cancelled"
    },
    {
      "orderId": 108886241042563584,
      "errorCode": 0,
      "errorMsg": "success"
    }
  ]
}
```

- **POST** `api/v1/private/order/batch_cancel_with_external`

Required Permission: Order Placing

Rate limit: 20 times/2 seconds

Request Parameters: list collection; e.g. `[{"symbol": "BTC_USDT", "externalOid": "ext_11"}]`

Parameter	Type	Required	Description
symbol	string	true	Trading pair
externalOid	string	true	External order id

Response Parameters:

Parameter	Type	Description
orderId	long	Order ID
errorCode	int	Error code
errorMsg	string	Error reason

Cancel by External Order ID(Under Maintenance)

Response Example

```
{
  "success": true,
  "code": 0,
  "data": [
    {
      "orderId": 101716841474621953,
      "errorCode": 2040,
      "errorMsg": "order not exist"
    },
    {
      "orderId": 108885377779302912,
      "errorCode": 2041,
      "errorMsg": "order state cannot be cancelled"
    },
    {
      "orderId": 108886241042563584,
      "errorCode": 0,
      "errorMsg": "success"
    }
  ]
}
```

- **POST** `api/v1/private/order/cancel_with_external`

Required Permission: Order Placing

Rate limit: 20 times/2 seconds

Request Parameters: list collection; e.g. [{"symbol": "BTC_USDT", "externalId": "ext_11"}]

Parameter	Type	Required	Description
symbol	string	true	Contract
externalId	string	true	External order id

Response Parameters:

Parameter	Type	Description
orderId	long	Order ID
errorCode	int	Error code
errorMsg	string	Error reason

Cancel All Orders Under a Contract(Under Maintenance)

Response Example

```
{
  "success": true,
  "code": 0
}
```

Cancel all unfinished orders under a specific contract.

- **POST** `api/v1/private/order/cancel_all`

Required Permission: Order Placing

Rate limit: 20 times/2 seconds

Request Parameters:

Parameter	Type	Required	Description
symbol	string	false	Contract; if provided, cancel only orders under that contract; if not, cancel orders under all contracts

Response Parameters:

Common parameters, success: true success, false failure

Reverse Open Position(Under Maintenance)

Response Example

```
{
  "success": true,
  "code": 0
}
```

- **POST** `api/v1/private/position/reverse`

Required Permission: Order Placing

Rate limit: 20 times/2 seconds

Request Parameters:

Parameter	Type	Required	Description
symbol	string	true	Contract
positionId	long	true	Position id
vol	decimal	true	Quantity

Response Parameters:

Common parameters, success: true success, false failure

Close All(Under Maintenance)

Response Example

```
{
  "success": true,
  "code": 0,
  "data": []
}
```

- **POST** `api/v1/private/position/close_all`

Required Permission: Order Placing

Rate limit: 20 times/2 seconds

Request Parameters:

None

Response Parameters:

Common parameters, success: true success, false failure

Query In-Flight Order Counts

Response Example

```
{
  "success": true,
  "code": 0,
  "data": {
    "sumCount": 1,
    "limitOrderCount": 1,
    "stopOrderCount": 0,
    "planOrderCount": 0,
    "trackOrderCount": 0
  }
}
```

- **POST** `api/v1/private/order/open_order_total_count`

Required Permission: View Order Details

Rate limit: 20 times/2 seconds

Request Parameters:

Parameter	Type	Required	Description
orderId	long	true	Order ID
price	decimal	true	Price
vol	decimal	true	Quantity

Response Parameters:

On success, success = true, data is the order id; on failure, success = false, data = null

Get Order by External ID

Response Example

```
{
  "success": true,
  "code": 0,
  "data": {
    "orderId": "739106551624717312",
    "symbol": "BTC_USDT",
    "positionId": 1109973831,
    "price": 109777.5,
    "priceStr": "109777.500000000000000000",
    "vol": 5,
    "leverage": 2,
    "side": 1,
    "category": 1,
    "orderType": 5,
    "dealAvgPrice": 109777.5,
    "dealAvgPriceStr": "109777.500000000000000000",
    "dealVol": 5,
    "orderMargin": 27.444375,
    "takerFee": 0,
    "makerFee": 0,
  }
}
```

```
    "profit": 0,
    "feeCurrency": "USDT",
    "openType": 1,
    "state": 3,
    "externalOid": "_m_903a9f81cc1148be99ac9ece15981374",
    "errorCode": 0,
    "usedMargin": 27.444375,
    "createTime": 1761887134000,
    "updateTime": 1761887134000,
    "positionMode": 1,
    "version": 2,
    "showCancelReason": 0,
    "showProfitRateShare": 0,
    "bboTypeNum": 0,
    "totalFee": 0,
    "zeroSaveTotalFeeBinance": 0,
    "zeroTradeTotalFeeBinance": 0
  }
}
```

- **GET** `api/v1/private/order/external/{symbol}/{external_oid}`

Required Permission: View Order Details

Rate limit: 20 times/2 seconds

Request Parameters:

Parameter	Type	Required	Description
symbol	string	true	Contract
external_oid	string	true	External order ID

Response Parameters:

Parameter	Type	Description
orderId	long	Order id
symbol	string	Contract

Parameter	Type	Description
positionId	long	Position id
price	decimal	Order price
vol	decimal	Order quantity
leverage	long	Leverage
side	int	Order side 1 open long,2 close short,3 open short,4 close long
category	int	Order category:1 limit,2 liquidation custody,3 custody close,4 ADL reduction
dealAvgPrice	decimal	Average deal price
dealVol	decimal	Deal quantity
orderMargin	decimal	Order margin
takerFee	decimal	Taker fee
makerFee	decimal	Maker fee
profit	decimal	Close PnL
feeCurrency	string	Fee currency
openType	int	Open type,1 isolated,2 cross
state	int	Order status,1: pending,2 unfilled,3 filled,4 canceled,5 invalid
externalOid	string	External order ID
createTime	date	Created time
updateTime	date	Updated time

Get Order Information by Order ID

Response Example

```
{
  "success": true,
  "code": 0,
  "data": {
    "orderId": "739106551624717312",
    "symbol": "BTC_USDT",
    "positionId": 1109973831,
    "price": 109777.5,
    "priceStr": "109777.500000000000000000",
    "vol": 5,
    "leverage": 2,
    "side": 1,
    "category": 1,
    "orderType": 5,
    "dealAvgPrice": 109777.5,
    "dealAvgPriceStr": "109777.500000000000000000",
    "dealVol": 5,
    "orderMargin": 27.444375,
    "takerFee": 0,
    "makerFee": 0,
    "profit": 0,
    "feeCurrency": "USDT",
    "openType": 1,
    "state": 3,
    "externalOid": "_m_903a9f81cc1148be99ac9ece15981374",
    "errorCode": 0,
    "usedMargin": 27.444375,
    "createTime": 1761887134000,
    "updateTime": 1761887134000,
    "positionMode": 1,
    "version": 2,
    "showCancelReason": 0,
    "showProfitRateShare": 0,
    "bboTypeNum": 0,
    "totalFee": 0,
    "zeroSaveTotalFeeBinance": 0,
    "zeroTradeTotalFeeBinance": 0
  }
}
```

- **GET** `api/v1/private/order/get/{orderId}`

Required Permission: View Order Details

Rate limit: 20 times/2 seconds

Request Parameters:

Parameter	Type	Required	Description
orderId	string	true	Order ID

Response Parameters:

Parameter	Type	Description
orderId	long	Order ID
symbol	string	Contract
positionId	long	Position id
price	decimal	Order price
vol	decimal	Order quantity
leverage	long	Leverage
side	int	Order side 1: open long,2: close short,3: open short,4: close long
category	int	Order category:1: limit,2: liquidation custody,3: custody close,4: ADL reduction
dealAvgPrice	decimal	Average deal price
dealVol	decimal	Deal quantity
orderMargin	decimal	Order margin
takerFee	decimal	Taker fee

Parameter	Type	Description
makerFee	decimal	Maker fee
profit	decimal	Close PnL
feeCurrency	string	Fee currency
openType	int	Open type,1: isolated,2: cross
state	int	Order status,1: pending,2: unfilled,3: filled,4: canceled,5: invalid
externalOid	string	External order ID
createTime	date	Created time
updateTime	date	Updated time
bboTypeNum	int	Limit order type - BBO type; 0: not BBO;1: best opposite 1;2: best opposite 5;3: same-side 1;4: same-side 5;
lossTrend	int	Stop-loss price type;1: latest price;2: fair price;3: index price
profitTrend	int	Take-profit price type;
takeProfitPrice	decimal	Take-profit price
stopLossPrice	decimal	Stop-loss price
priceProtect	int	Price difference protection 1: on;0: off
positionMode	int	Position mode;1: dual-side;2: one-way

Batch Query Orders by Order ID

Response Example

```
{
  "success": true,
  "code": 0,
  "data": [
    {
      "orderId": "743829153601634818",
      "symbol": "BTC_USDT",
      "positionId": 0,
      "price": 100000,
      "priceStr": "100000",
      "vol": 10,
      "leverage": 20,
      "side": 1,
      "category": 1,
      "orderType": 1,
      "dealAvgPrice": 0,
      "dealAvgPriceStr": "0",
      "dealVol": 0,
      "orderMargin": 5,
      "takerFee": 0,
      "makerFee": 0,
      "profit": 0,
      "feeCurrency": "USDT",
      "openType": 2,
      "state": 2,
      "externalOid": "_m_a6e614e4107e4d13893f9f4a3f46d2d8",
      "errorCode": 0,
      "usedMargin": 0,
      "createTime": 1763013089831,
      "updateTime": 1763013089904,
      "positionMode": 2,
      "reduceOnly": false,
      "version": 1,
      "showCancelReason": 0,
      "showProfitRateShare": 0,
      "bboTypeNum": 0,
      "totalFee": 0,
      "zeroSaveTotalFeeBinance": 0,
      "zeroTradeTotalFeeBinance": 0
    }
  ]
}
```

- **GET** `/api/v1/private/order/batch_query`

Required Permission: View Order Details

Rate limit: 20 times/2 seconds

Request Parameters:

Parameter	Type	Required	Description
order_ids	long	true	Array of order IDs, comma-separated, e.g.: order_ids = 1,2,3 (max 50 orders):

Response Parameters:

Parameter	Type	Description
orderId	long	Order ID
symbol	string	Contract
positionId	long	Position id
price	decimal	Order price
vol	decimal	Order quantity
leverage	long	Leverage
side	int	Order side 1: open long,2: close short,3: open short,4: close long
category	int	Order category:1: limit,2: liquidation custody,3: custody close,4: ADL reduction
dealAvgPrice	decimal	Average deal price
dealVol	decimal	Deal quantity
orderMargin	decimal	Order margin
takerFee	decimal	Taker fee

Parameter	Type	Description
makerFee	decimal	Maker fee
profit	decimal	Close PnL
feeCurrency	string	Fee currency
openType	int	Open type,1: isolated,2: cross
state	int	Order status,1: pending,2: unfilled,3: filled,4: canceled,5: invalid
externalOid	string	External order ID
createTime	date	Created time
updateTime	date	Updated time
bboTypeNum	int	Limit order type - BBO type; 0: not BBO;1: best opposite 1;2: best opposite 5;3: same-side 1;4: same-side 5;
lossTrend	int	Stop-loss price type;1: latest price;2: fair price;3: index price
profitTrend	int	Take-profit price type;
takeProfitPrice	decimal	Take-profit price
stopLossPrice	decimal	Stop-loss price
priceProtect	int	Price difference protection 1: on;0: off
positionMode	int	Position mode;1: dual-side;2: one-way

Batch Query Orders by External Order ID

Response Example

```

{
  "success": true,
  "code": 0,
  "data": [
    {
      "orderId": "743829153601634818",
      "symbol": "BTC_USDT",
      "positionId": 0,
      "price": 100000,
      "priceStr": "100000",
      "vol": 10,
      "leverage": 20,
      "side": 1,
      "category": 1,
      "orderType": 1,
      "dealAvgPrice": 0,
      "dealAvgPriceStr": "0",
      "dealVol": 0,
      "orderMargin": 5,
      "takerFee": 0,
      "makerFee": 0,
      "profit": 0,
      "feeCurrency": "USDT",
      "openType": 2,
      "state": 2,
      "externalOid": "_m_a6e614e4107e4d13893f9f4a3f46d2d8",
      "errorCode": 0,
      "usedMargin": 0,
      "createTime": 1763013089831,
      "updateTime": 1763013089904,
      "positionMode": 2,
      "reduceOnly": false,
      "version": 1,
      "showCancelReason": 0,
      "showProfitRateShare": 0,
      "bboTypeNum": 0,
      "totalFee": 0,
      "zeroSaveTotalFeeBinance": 0,
      "zeroTradeTotalFeeBinance": 0
    }
  ]
}

```

- **POST** `api/v1/private/order/batch_query_with_external`

Required Permission: View Order Details

Rate limit: 20 times/2 seconds

Request Parameters: list collection

Parameter	Type	Required	Description
symbol	string	true	Contract
externalOid	string	true	External order id

Response Parameters:

Parameter	Type	Description
orderId	long	Order ID
symbol	string	Contract
positionId	long	Position id
price	decimal	Order price
vol	decimal	Order quantity
leverage	long	Leverage
side	int	Order direction 1: open long,2: close short,3: open short,4: close long
category	int	Order category:1: limit,2: forced-liquidation custody,3: custody close,4: ADL reduction
dealAvgPrice	decimal	Average fill price
dealVol	decimal	Filled quantity
orderMargin	decimal	Order margin

Parameter	Type	Description
takerFee	decimal	Taker fee
makerFee	decimal	Maker fee
profit	decimal	Close PnL
feeCurrency	string	Fee currency
openType	int	Open type,1: isolated,2: cross
state	int	Order status,1: pending,2: unfilled,3: filled,4: canceled,5: invalid
externalOid	string	External order id
createTime	date	Created time
updateTime	date	Updated time
bboTypeNum	int	Limit order type - BBO type; 0: not BBO;1: opposite-1;2: opposite-5;3: same-side-1;4: same-side-5;
lossTrend	int	Stop-loss price type;1: latest;2: fair;3: index
profitTrend	int	Take-profit price type;
takeProfitPrice	decimal	Take-profit price
stopLossPrice	decimal	Stop-loss price
priceProtect	int	Spread protection 1: on;0: off
positionMode	int	Position mode;1: dual-side;2: one-way

Get Current Orders

Response Example

```
{
  "success": true,
  "code": 0,
  "data": [
    {
      "orderId": "750330744886358528",
      "symbol": "ETH_USDT",
      "positionId": 0,
      "price": 2500,
      "priceStr": "2500",
      "vol": 10,
      "leverage": 1,
      "side": 1,
      "category": 1,
      "orderType": 1,
      "dealAvgPrice": 0,
      "dealAvgPriceStr": "0",
      "dealVol": 0,
      "orderMargin": 250,
      "takerFee": 0,
      "makerFee": 0,
      "profit": 0,
      "feeCurrency": "USDT",
      "openType": 2,
      "state": 2,
      "externalId": "_m_7dd52a7ebf5e480fb533a5945a2bc184",
      "errorCode": 0,
      "usedMargin": 0,
      "createTime": 1764563189993,
      "updateTime": 1764563190059,
      "positionMode": 2,
      "reduceOnly": false,
      "version": 1,
      "showCancelReason": 0,
      "showProfitRateShare": 0,
      "bboTypeNum": 0,
      "totalFee": 0,
      "zeroSaveTotalFeeBinance": 0,
      "zeroTradeTotalFeeBinance": 0
    },
    {
      "orderId": "750330663772702720",
      "symbol": "BTC_USDT",
      "positionId": 0,
      "price": 80000,
      "priceStr": "80000",
```

```
    "vol": 10,
    "leverage": 1,
    "side": 1,
    "category": 1,
    "orderType": 1,
    "dealAvgPrice": 0,
    "dealAvgPriceStr": "0",
    "dealVol": 0,
    "orderMargin": 80.016,
    "takerFee": 0,
    "makerFee": 0,
    "profit": 0,
    "feeCurrency": "USDT",
    "openType": 2,
    "state": 2,
    "externalId": "_m_4675f4cdfa8a4c608c02da3c2d5dd98f",
    "errorCode": 0,
    "usedMargin": 0,
    "createTime": 1764563170653,
    "updateTime": 1764563170723,
    "positionMode": 2,
    "reduceOnly": false,
    "version": 1,
    "showCancelReason": 0,
    "showProfitRateShare": 0,
    "bboTypeNum": 0,
    "totalFee": 0,
    "zeroSaveTotalFeeBinance": 0,
    "zeroTradeTotalFeeBinance": 0
  }
]
```

- **GET** `api/v1/private/order/list/open_orders`

Required Permission: View Order Details

Rate limit: 20 times/2 seconds

Request Parameters:

Parameter	Type	Required	Description
page_num	int	true	Current page, default 1

Parameter	Type	Required	Description
page_size	int	true	Page size, default 20, max 100

Response Parameters:

Parameter	Type	Description
orderId	string	Order ID
symbol	string	Contract
positionId	number	Position ID
price	number	Order price
priceStr	string	Order price (string)
vol	number	Order quantity
leverage	number	Leverage
side	number	Order side: 1 open long, 2 close short, 3 open short, 4 close long
category	number	Order category: 1 limit, 2 liquidation custody, 3 custody close, 4 ADL reduction
orderType	number	Order type: 1 limit, 2 Post Only, 3 IOC, 4 FOK
dealAvgPrice	number	Average deal price
dealAvgPriceStr	string	Average deal price (string)
dealVol	number	Deal quantity
orderMargin	number	Order margin
takerFee	number	Taker fee

Parameter	Type	Description
makerFee	number	Maker fee
profit	number	Close PnL
feeCurrency	string	Fee currency
openType	number	Open type: 1 isolated, 2 cross
state	number	Order status: 1 pending, 2 unfilled, 3 filled, 4 canceled, 5 invalid
externalOid	string	externalOid starting with CHASE_LIMIT indicates a chase-limit order
errorCode	number	Error code, 0: normal, 1: parameter error, 2: insufficient balance, 3: position not found, 4: insufficient available position, 5: for long, order price < liquidation price; for short, order price > liquidation price, 6: when opening long, liquidation price > fair price; when opening short, liquidation price < fair price, 7: exceeds risk limit
usedMargin	number	Used margin
createTime	number	Created time (milliseconds timestamp)
updateTime	number	Updated time (milliseconds timestamp)
positionMode	number	Position mode: 1 dual-side; 2 one-way
reduceOnly	boolean	Reduce-only
version	number	Data version
showCancelReason	number	Cancel reason
showProfitRateShare	number	Show PnL ratio

Parameter	Type	Description
bboTypeNum	number	BBO type: 0 not BBO; 1 best opposite 1; 2 best opposite 5; 3 same-side 1; 4 same-side 5
pnlRate	number	PnL rate
openAvgPrice	number	Open average price
zeroSaveTotalFeeBinance	number	Fees saved vs Binance under zero-fee (default 0; contract amount precision)
zeroTradeTotalFeeBinance	number	Fees that would be paid on Binance under zero-fee (default 0; contract amount precision)
totalFee	number	Fee (contract amount precision)

Get All Historical Orders

Response Example

```
{
  "success": true,
  "code": 0,
  "data": [
    {
      "orderId": "739211854408619008",
      "symbol": "DOGE_USDT",
      "positionId": 1110417836,
      "price": 0.18695,
      "priceStr": "0.186950000000000000",
      "vol": 1,
      "leverage": 20,
      "side": 3,
      "category": 1,
      "orderType": 5,
      "dealAvgPrice": 0.18695,
      "dealAvgPriceStr": "0.186950000000000000",
      "dealVol": 1,
      "orderMargin": 0.93475,
      "takerFee": 0,
    }
  ]
}
```

```
"makerFee": 0,
"profit": 0,
"feeCurrency": "USDT",
"openType": 1,
"state": 3,
"externalOid": "test00002",
"errorCode": 0,
"usedMargin": 0.93475,
"createTime": 1761912240000,
"updateTime": 1761912240000,
"positionMode": 1,
"version": 2,
"showCancelReason": 1,
"showProfitRateShare": 0,
"bboTypeNum": 0,
"totalFee": 0,
"zeroSaveTotalFeeBinance": 0.0102,
"zeroTradeTotalFeeBinance": 0.0102
},
{
  "orderId": "739211257974395392",
  "symbol": "DOGE_USDT",
  "positionId": 1110417836,
  "price": 0.18645,
  "priceStr": "0.186450000000000000",
  "vol": 1,
  "leverage": 20,
  "side": 3,
  "category": 1,
  "orderType": 5,
  "dealAvgPrice": 0.18645,
  "dealAvgPriceStr": "0.186450000000000000",
  "dealVol": 1,
  "orderMargin": 0.93225,
  "takerFee": 0,
  "makerFee": 0,
  "profit": 0,
  "feeCurrency": "USDT",
  "openType": 1,
  "state": 3,
  "externalOid": "test00001",
  "errorCode": 0,
  "usedMargin": 0.93225,
  "createTime": 1761912098000,
  "updateTime": 1761912098000,
  "positionMode": 1,
  "version": 2,
```

```
    "showCancelReason": 1,
    "showProfitRateShare": 0,
    "bboTypeNum": 0,
    "totalFee": 0,
    "zeroSaveTotalFeeBinance": 0.0102,
    "zeroTradeTotalFeeBinance": 0.0102
  }
]
```

- **GET** `api/v1/private/order/list/history_orders`

Required Permission: View Order Details

Rate limit: 20 times/2 seconds

Request Parameters:

Parameter	Type	Required	Description
symbol	string	false	Contract
states	string	false	Order status,1: pending,2 unfilled,3 filled,4 canceled,5 invalid; multiple separated by ','
category	int	false	Order category,1: limit,2: liquidation custody,3: custody close,4: ADL reduction
startTime	long	false	Start time
endTime	long	false	End time
page_num	int	true	Current page, default 1
page_size	int	true	Page size, default 20, max 100
orderId	long	false	Order ID

Response Parameters:

Parameter	Type	Description
pageSize	int	Page size
totalCount	int	Total count
totalPage	int	Total pages
currentPage	int	Current page
resultList	list	Result set
orderId	long	Page size
symbol	string	Contract
positionId	long	Position id
price	decimal	Order price
vol	decimal	Order quantity
leverage	long	Leverage
side	int	Order side 1 open long,2 close short,3 open short,4 close long
category	int	Order category:1 limit,2 liquidation custody,3 custody close,4 ADL reduction
orderType	int	1: Limit,2: Post Only (maker only),3: Immediate-Or-Cancel,4: Fill-Or-Kill
dealAvgPrice	decimal	Average deal price
dealVol	decimal	Deal quantity
orderMargin	decimal	Order margin
usedMargin	decimal	Used margin

Parameter	Type	Description
takerFee	decimal	Taker fee
makerFee	decimal	Maker fee
profit	decimal	Close PnL
feeCurrency	string	Fee currency
openType	int	Open type,1 isolated,2 cross
state	int	Order status,1: pending,2 unfilled,3 filled,4 canceled,5 invalid
errorCode	int	Error code,0: normal, 1: parameter error, 2: insufficient balance, 3: position not found, 4: insufficient available position, 5: for long, order price < liquidation price; for short, order price > liquidation price, 6: when opening long, liquidation price > fair price; when opening short, liquidation price < fair price
externalOid	string	External order ID
createTime	date	Created time
updateTime	date	Updated time
bboTypeNum	int	Limit order type - BBO type; 0: not BBO;1: best opposite 1;2: best opposite 5;3: same-side 1;4: same-side 5
lossTrend	int	Stop-loss price type;1: latest price;2: fair price;3: index price
profitTrend	int	Take-profit price type;
takeProfitPrice	decimal	Take-profit price
stopLossPrice	decimal	Stop-loss price
priceProtect	int	Price difference protection 1: on;0: off

Parameter	Type	Description
positionMode	int	Position mode;1: dual-side;2: one-way

Note: The `price` returned by this interface is the platform takeover deal price. To query the liquidation price of a forced liquidation order, use [Get Open Positions]. For orders under forced liquidation, this price is the platform's takeover price and may differ from the liquidation price. For details, see: [Forced Liquidation and Risk Limits](#)

Get Historical Order Deal Details

Response Example

```
{
  "success": true,
  "code": 0,
  "data": [
    {
      "id": "9466823344",
      "symbol": "DOGE_USDT",
      "side": 3,
      "vol": 1,
      "price": 0.18695,
      "fee": 0,
      "feeCurrency": "USDT",
      "profit": 0,
      "category": 1,
      "orderId": "739211854408619008",
      "timestamp": 1761912240000,
      "positionMode": 1,
      "taker": true
    },
    {
      "id": "9466784116",
      "symbol": "DOGE_USDT",
      "side": 3,
      "vol": 1,
      "price": 0.18645,
      "fee": 0,
      "feeCurrency": "USDT",
      "profit": 0,
      "category": 1,
      "orderId": "739211257974395392",

```

```
{
  "timestamp": 1761912098000,
  "positionMode": 1,
  "taker": true
}
```

- **GET** `api/v1/private/order/list/order_deals/v3`

Required Permission: View Order Details

Rate limit: 20 times/2 seconds

Request Parameters:

Parameter	Type	Required	Description
symbol	string	true	Trading pair
start_time	long	false	Start time
end_time	long	false	End time
page_num	int	true	Page number; default 1
page_size	int	true	Page size; default 20; max cannot exceed 1000

Response Parameters:

Parameter	Type	Description
pageSize	int	Page size
totalCount	int	Total count
totalPage	int	Total pages
currentPage	int	Current page
resultList	list	Result set

Parameter	Type	Description
id	long	Deal order id
symbol	string	Contract
side	int	Order side 1 open long,2 close short,3 open short,4 close long
vol	decimal	Deal quantity
price	decimal	Deal price
fee	decimal	Fee
feeCurrency	string	Fee currency
timestamp	long	Updated time

Get Trade Details by Order ID

Response Example

```
{
  "success": true,
  "code": 0,
  "data": [
    {
      "id": "9463051796",
      "symbol": "BTC_USDT",
      "side": 1,
      "vol": 5,
      "price": 109777.5,
      "fee": 0,
      "feeCurrency": "USDT",
      "profit": 0,
      "category": 1,
      "orderId": "739106551624717312",
      "timestamp": 1761887134000,
      "positionMode": 1,
      "taker": true
    }
  ]
}
```



```
  ]
}
```

- **GET** `api/v1/private/order/deal_details/{order_id}`

Required Permission: View Order Details

Rate limit: 20 times/2 seconds

Request Parameters:

Parameter	Type	Required	Description
symbol	string	true	Contract
order_id	long	true	Order id

Response Parameters:

Parameter	Type	Description
id	long	Trade id
symbol	string	Contract
side	int	Order side 1 open long,2 close short,3 open short,4 close long
vol	decimal	Deal quantity
price	decimal	Deal price
fee	decimal	Fee
feeCurrency	string	Fee currency
timestamp	long	Updated time

Get Trade Records by Order ID

Response Example

```
{
  "success": true,
  "code": 0,
  "data": [
    {
      "id": "159274416",
      "symbol": "ETH_USDT",
      "side": 2,
      "vol": 1,
      "price": 1208.35,
      "feeCurrency": "USDT",
      "fee": 0.0072501,
      "timestamp": 1609992674000,
      "profit": 0,
      "category": 1,
      "orderId": "102015012431820288",
      "taker": true
    }
  ]
}
```

- **GET** `api/v1/private/order/deal_details/{orderId}`

Required Permission: View Order Details

Rate limit: 20 times/2 seconds

Request Parameters:

Parameter	Type	Required	Description
orderId	long	true	Order ID

Response Parameters:

Parameter	Type	Description
id	long	Trade order ID
symbol	string	Trading pair

Parameter	Type	Description
side	int	Order side;1: open long,2: close short,3: open short,4: close long
vol	decimal	Deal quantity
price	decimal	Price
fee	decimal	Fee; positive means user pays, negative means user receives
feeCurrency	string	Fee currency
profit	decimal	Profit
isTaker	boolean	Whether taker
category	int	Order category:1 limit,2 liquidation custody,3 custody close,4 ADL reduction
orderId	long	Order ID
timestamp	date	Deal time

Query Historical Orders

Response Example

```
{
  "success": true,
  "code": 0,
  "data": [
    {
      "orderId": "739211854408619008",
      "symbol": "DOGE_USDT",
      "positionId": 1110417836,
      "price": 0.18695,
      "priceStr": "0.186950000000000000",
      "vol": 1,
      "leverage": 20,
      "side": 3,
```

```
{
  "category": 1,
  "orderType": 5,
  "dealAvgPrice": 0.18695,
  "dealVol": 1,
  "orderMargin": 0.93475,
  "takerFee": 0,
  "makerFee": 0,
  "profit": 0,
  "feeCurrency": "USDT",
  "openType": 1,
  "state": 3,
  "externalOid": "test00002",
  "errorCode": 0,
  "usedMargin": 0.93475,
  "createTime": 1761912240000,
  "updateTime": 1761912240000,
  "positionMode": 1,
  "version": 2,
  "showCancelReason": 1,
  "showProfitRateShare": 0,
  "bboTypeNum": 0,
  "totalFee": 0,
  "zeroSaveTotalFeeBinance": 0,
  "zeroTradeTotalFeeBinance": 0
}
```

- **GET** `api/v1/private/order/list/close_orders`

Required Permission: View Order Details

Rate limit: 20 times/2 seconds

Request Parameters:

Parameter	Type	Required	Description
symbol	string	true	Trading pair
start_time	long	false	Start time
end_time	long	false	End time

Parameter	Type	Required	Description
page_num	int	false	Page number; default 1
page_size	int	false	Page size; default 20; max cannot exceed 1000

Response Parameters:

Parameter	Type	Description
pageSize	int	Page size
totalCount	int	Total count
totalPage	int	Total pages
currentPage	int	Current page
orderId	long	Order ID
symbol	string	Contract
positionId	long	Position id
price	decimal	Order price
vol	decimal	Order quantity
leverage	long	Leverage
side	int	Order side;1: open long,2: close short,3: open short,4: close long
category	int	Order category;1: limit,2: liquidation custody,3: custody close,4: ADL reduction;5: delivery order;6: liquidation hedge
dealAvgPrice	decimal	Average deal price
dealVol	decimal	Deal quantity

Parameter	Type	Description
orderMargin	decimal	Order margin
takerFee	decimal	Taker fee
makerFee	decimal	Maker fee
profit	decimal	Close PnL
feeCurrency	string	Fee currency
openType	int	Open type,1: isolated,2: cross
state	int	Order status,1: pending,2: unfilled,3: filled,4: canceled,5: invalid
externalOid	string	External order ID
createTime	date	Created time
updateTime	date	Updated time
bboTypeNum	int	Limit order type - BBO type; 0: not BBO;1: best opposite 1;2: best opposite 5;3: same-side 1;4: same-side 5;
lossTrend	int	Stop-loss price type;1: latest price;2: fair price;3: index price
profitTrend	int	Take-profit price type;
takeProfitPrice	decimal	Take-profit price
stopLossPrice	decimal	Stop-loss price
priceProtect	int	Price difference protection 1: on;0: off
positionMode	int	Position mode;1: dual-side;2: one-way

Get Plan Order List

Response Example

```
{
  "success": true,
  "code": 0,
  "data": [
    {
      "id": "739114860879304259",
      "symbol": "DOGE_USD",
      "leverage": 2,
      "side": 1,
      "triggerPrice": 0.00001,
      "price": 0.00001,
      "vol": 1,
      "openType": 1,
      "triggerType": 2,
      "state": 1,
      "executeCycle": 87600,
      "trend": 1,
      "orderType": 1,
      "errorCode": 0,
      "priceProtect": 0,
      "createTime": 1761889115000,
      "updateTime": 1761889115000,
      "positionMode": 1,
      "lossTrend": 1,
      "profitTrend": 1,
      "reduceOnly": false
    }
  ]
}
```

- **GET** `api/v1/private/planorder/list/orders`

Required Permission: View Order Details

Rate limit: 20 times/2 seconds

Request Parameters:

Parameter	Type	Required	Description
symbol	string	false	Contract

Parameter	Type	Required	Description
states	string	false	Status,1: untriggered,2: canceled,3: executed,4: invalidated,5: execution failed; multiple separated by ','
side	int	false	Order side,1: open long,2: close short,3: open short,4: close long
start_time	long	true	Start time, 13-digit timestamp
end_time	long	true	End time, 13-digit timestamp
page_num	int	true	Current page, default 1
page_size	int	true	Page size, default 20, max 100

Response Parameters:

Parameter	Type	Description
id	int	Order id
symbol	string	Contract
leverage	decimal	Leverage
side	string	Order side, 1 open long,3 open short
triggerPrice	decimal	Trigger price
price	decimal	Execution price
vol	decimal	Order quantity
openType	int	Open type,1: isolated,2: cross
triggerType	int	Trigger type,1: greater than or equal,2: less than or equal

Parameter	Type	Description
state	int	Status,1: untriggered,2: canceled,3: executed,4: invalidated,5: execution failed
executeCycle	int	Execution cycle, unit: hours
trend	int	Trigger price type,1: latest price,2: fair price,3: index price
errorCode	int	Error code when execution fails, 0: normal
orderId	long	Order id, returned when execution succeeds
orderType	int	Order type,1: Limit,2: Post Only (maker only),3: Immediate-Or-Cancel,4: Fill-Or-Kill,5: Market
createTime	long	Created time
updateTime	long	Updated time
priceProtect	int	Price difference protection 1 on 0 off
positionMode	int	User-set position type Default 0: no record for historical orders 2: one-way 1: dual-side
lossTrend	int	Stop-loss reference price type 1 latest price 2 fair price 3 index price
profitTrend	int	Take-profit reference price type 1 latest price 2 fair price 3 index price
stopLossPrice	decimal	Stop-loss price
takeProfitPrice	decimal	Take-profit price
reduceOnly	boolean	Reduce-only

Response Parameters:

Common parameters, success: true success, false failure

Place Plan Order(Under Maintenance)

Response Example

```
{
  "success": true,
  "code": 0,
  "data": "739206374277809664"
}
```

- **POST** `api/v1/private/planorder/place/v2`

Required Permission: Order Placing

Rate limit: 20 times/2 seconds

Request Parameters:

Parameter	Type	Required	Description
symbol	string	true	Contract
price	decimal	false	Execution price; not required for market
vol	decimal	true	Quantity
leverage	int	true	Leverage, required when opening
side	int	true	1 open long, 2 close short, 3 open short, 4 close long
openType	int	true	Order direction 1 open long, 2 close short, 3 open short, 4 close long
triggerPrice	decimal	true	Trigger price
triggerType	int	true	Trigger type,1: greater than or equal to , 2: less than or equal to
executeCycle	int	true	Execution cycle,1: 24 hours,2: 7 days

Parameter	Type	Required	Description
orderType	int	true	Order type,1: limit,2: Post Only (maker only),3: IOC,4: FOK,5: market
trend	int	true	Trigger price type,1: latest price , 2: fair price , 3: index price
priceProtect	int	false	Conditional order trigger protection: "1","0", default "0" disabled. Required only for plan orders/TP-SL orders
positionMode	int	false	User-set position type default 0: historical orders no record 2: one-way 1: dual-side
lossTrend	int	false	Stop-loss reference price type 1 latest price 2 fair price 3 index price
profitTrend	int	false	Take-profit reference price type 1 latest price 2 fair price 3 index price
stopLossPrice	decimal	false	Stop-loss price
takeProfitPrice	decimal	false	Take-profit price
reduceOnly	boolean	false	Reduce-only

Response Parameters:

On success, success = true, data is the order id; on failure, success = false, data = null

Modify Plan Order(Under Maintenance)

Response Example

```
{
  "success": true,
```

```
"code": 0
}
```

- **POST** `api/v1/private/planorder/change_price`

Required Permission: Order Placing

Rate limit: 20 times/2 seconds

Request Parameters:

Parameter	Type	Required	Description
symbol	string	true	Contract
orderId	long	true	Order ID
triggerPrice	decimal	true	Trigger price
price	decimal	true	Execution price
orderType	int	true	Order type,1: Limit,2: Post Only (maker only),3: Immediate-Or-Cancel,4: Fill-Or-Kill,5: Market
triggerType	int	true	Trigger type,1: greater than or equal,2: less than or equal
trend	int	true	Trigger price type,1: latest price,2: fair price,3: index price
from	int	true	Interface source 1 - modify in trade list 2 - modify in list; empty means price modified via kline drag

Cancel Planned Orders(Maintenance)

Response Example

```
{
  "success": true,
```

```
"code": 0
}
```

- **POST** `api/v1/private/planorder/cancel`

Required Permission: Order Placing

Rate limit: 20 times / 2 seconds

Request Parameters:

Parameter	Type	Required	Description
None	<code>List<CancelOrderRequest></code>	true	List of orders to cancel, up to 50

CancelOrderRequest:

Example:

```
[{"symbol": "BTC_USDT", "orderId": 1}, {"symbol": "ETH_USDT", "orderId": 2}]
```

Parameter	Type	Required	Description
symbol	string	true	Contract name
orderId	string	true	Order ID

Response Parameters:

Common parameters; success: true for success, false for failure

Cancel All Planned Orders(Maintenance)

Response Example

```
{
  "success": true,
  "code": 0
}
```

- **POST** `api/v1/private/planorder/cancel_all`

Required Permission: Order Placing

Rate limit: 20 times / 2 seconds

Request Parameters:

Parameter	Type	Required	Description
symbol	string	false	Contract name. If provided, only cancel orders under this contract; if not, cancel orders under all contracts

Response Parameters:

Common parameters; success: true for success, false for failure

Place TP/SL Order by Position(Under Maintenance)

Response Example

```
{
  "success": false,
  "code": 0,
  "message": "",
  "data": [
    {
      "id": 0,
      "symbol": "",
      "leverage": 0,
      "side": 0,
      "triggerPrice": 0.0,
      "price": 0.0,
      "vol": 0.0,
      "openType": 0,
      "triggerType": 0,
      "state": 0,
      "executeCycle": 0,
      "trend": 0,
      "orderType": 0,
      "orderId": 0,
```

```
    "errorCode": 0,
    "createTime": "",
    "updateTime": ""
  }
]
```

- **POST** `api/v1/private/stoporder/place`

Required Permission: Order Placing

Rate limit: 20 times/2 seconds

Request Parameters:

Parameter	Type	Required	Description
lossTrend	int	true	Stop-loss type: 1 latest price 2 fair price 3 index price
profitTrend	int	true	Take-profit type: 1 latest price 2 fair price 3 index price
positionId	long	true	Position id
vol	decimal	true	Order quantity; must be within the allowed range for the contract; the order quantity plus existing TP/SL order quantity must be less than the closable quantity; position quantity will not be frozen, but checks are required
stopLossPrice	decimal	false	Stop-loss price; at least one of stop-loss or take-profit must be non-empty and greater than 0
takeProfitPrice	decimal	false	Take-profit price; at least one of stop-loss or take-profit must be non-empty and greater than 0

Parameter	Type	Required	Description
priceProtect	int	false	Trigger protection: "1","0"
profitLossVolType	string	false	TP/SL quantity type (SAME: same quantity; SEPARATE: different quantities)
takeProfitVol	decimal	false	Take-profit quantity (when profitLossVolType == SEPARATE)
stopLossVol	decimal	false	Stop-loss quantity (when profitLossVolType == SEPARATE)
volType	int	false	Quantity type 1: partial TP/SL 2: position TP/SL
takeProfitReverse	int	false	Take-profit reverse: 1 yes 2 no
stopLossReverse	int	false	Stop-loss reverse: 1 yes 2 no
mtoken	string	false	Web device id
takeProfitType	int	false	Take-profit type 0 - market TP 1 - limit TP
takeProfitOrderPrice	decimal	true	Limit TP order price
stopLossType	long	true	Stop-loss type 0 - market SL 1 - limit SL
stopLossOrderPrice	decimal	true	Limit SL order price

Response Parameters:

On success, success = true, data is the order id; on failure, success = false, data = null. If there is a non-final TP/SL order with the same price, the previous id is returned and the previous order quantity is updated asynchronously.

Cancel TP/SL Planned Orders(Maintenance)

Response Example


```
{
  "success": true,
  "code": 0
}
```

• **POST** `api/v1/private/stoporder/cancel`

Required Permission: Order Placing

Rate limit: 20 times / 2 seconds

Request Parameters:

Parameter	Type	Required	Description
None	<code>List<CancelOrderRequest></code>	true	List of orders to cancel, up to 50

CancelOrderRequest:

Example:

```
[{"stopPlanOrderId":1}, {"stopPlanOrderId":2}]
```

Parameter	Type	Required	Description
stopPlanOrderId	long	true	TP/SL planned order ID

Response Parameters:

Common parameters; success: true for success, false for failure

Cancel All TP/SL Planned Orders(Maintenance)

Response Example

```
{
  "success": true,
```

```
"code": 0
}
```

- **POST** `api/v1/private/stoporder/cancel_all`

Required Permission: Order Placing

Rate limit: 20 times / 2 seconds

Request Parameters:

Parameter	Type	Required	Description
positionId	long	false	Position ID. If provided, cancel only TP/SL orders for this position; if not provided, check <code>symbol</code>
symbol	string	false	Contract name. If provided, cancel only TP/SL orders under this contract; if not, cancel TP/SL orders under all contracts

Response Parameters:

Common parameters; success: true for success, false for failure

Modify TP/SL Prices on a Limit Order(Under Maintenance)

Response Example

```
{
  "success": true,
  "code": 0
}
```

- **POST** `api/v1/private/stoporder/change_price`

Required Permission: Order Placing

Rate limit: 20 times / 2 seconds

Request Parameters:

Parameter	Type	Required	Description
lossTrend	int	false	Stop-loss price type: 1 Latest Price; 2 Fair Price; 3 Index Price
profitTrend	int	false	Take-profit price type: 1 Latest Price; 2 Fair Price; 3 Index Price
orderId	long	true	Limit order ID
stopLossPrice	decimal	false	Stop-loss price. If both TP and SL are empty or both are 0, the order's TP/SL will be canceled
takeProfitPrice	decimal	false	Take-profit price. If both TP and SL are empty or both are 0, the order's TP/SL will be canceled
takeProfitReverse	int	false	Reverse on take-profit: 1 Yes; 2 No
stopLossReverse	int	false	Reverse on stop-loss: 1 Yes; 2 No

Response Parameters:

Common parameters; success: true for success, false for failure

Modify TP/SL Prices on a TP/SL Planned Order(Under Maintenance)

Response Example

```
{
  "success": true,
  "code": 0
}
```

- **POST** `api/v1/private/stoporder/change_plan_price`

Required Permission: Order Placing

Rate limit: 20 times / 2 seconds

Request Parameters:

Parameter	Type	Required	Description
lossTrend	int	false	Stop-loss price type: 1 Latest Price; 2 Fair Price; 3 Index Price
profitTrend	int	false	Take-profit price type: 1 Latest Price; 2 Fair Price; 3 Index Price
stopPlanOrderId	long	true	TP/SL planned order ID
stopLossPrice	decimal	false	Stop-loss price. At least one of TP/SL must be non-empty and greater than 0
takeProfitPrice	decimal	false	Take-profit price. At least one of TP/SL must be non-empty and greater than 0
takeProfitReverse	int	false	Reverse on take-profit: 1 Yes; 2 No
stopLossReverse	int	false	Reverse on stop-loss: 1 Yes; 2 No

Response Parameters:

Common parameters; success: true for success, false for failure

Modify Take-Profit/Stop-Loss on Plan Order(Under Maintenance)

Response Example

```
{  
  "success": true,
```

```
"code": 0  
}
```

- **POST** `api/v1/private/planorder/change_stop_order`

Required Permission: Order Placing

Rate limit: 20 times/2 seconds

Special Notes:

When (stopLossPrice != null && stopLossPrice > 0) is met, a stop-loss price is set. The stop-loss trigger price type field (lossTrend) must be provided and must be one of [1, 2, 3], otherwise an error is returned (errorcode: 3001, price type error); When (takeProfitPrice != null && takeProfitPrice > 0) is met, a take-profit price is set. The take-profit trigger price type field (profitTrend) must be provided and must be one of [1, 2, 3], otherwise an error is returned (errorcode: 3001, price type error); When stopLossPrice == null || stopLossPrice == 0, it means the stop-loss setting is canceled; When takeProfitPrice == null || takeProfitPrice == 0, it means the take-profit setting is canceled; When both stopLossPrice and takeProfitPrice are not provided, or both are 0, it means cancel both take-profit and stop-loss settings; lossTrend / profitTrend values: if not provided, default to 1 (latest price); if provided, must be one of [1, 2, 3], otherwise an error is returned (errorcode: 3001, price type error)

Request Parameters:

Parameter	Type	Required	Description
symbol	string	true	Contract
orderId	long	true	Order ID
lossTrend	int	false	Stop-loss reference price type 1 latest price 2 fair price 3 index price
profitTrend	int	false	Take-profit reference price type 1 latest price 2 fair price 3 index price
stopLossPrice	decimal	false	Stop-loss price
takeProfitPrice	decimal	false	Take-profit price

Response Parameters:

Common parameters, success: true success, false failure

Get Take-Profit/Stop-Loss Order List

Response Example

```
{
  "success": false,
  "code": 0,
  "message": "",
  "data": [
    {
      "id": 0,
      "orderId": 0,
      "symbol": "",
      "positionId": 0,
      "stopLossPrice": 0.0,
      "takeProfitPrice": 0.0,
      "state": 0,
      "triggerSide": 0,
      "positionType": 0,
      "vol": 0.0,
      "realityVol": 0.0,
      "placeOrderId": 0,
      "errorCode": 0,
      "version": 0,
      "isFinished": 0,
      "createTime": "",
      "updateTime": ""
    }
  ]
}
```

- **GET** `api/v1/private/stoporder/list/orders`

Required Permission: View Order Details

Rate limit: 20 times/2 seconds

Request Parameters:

Parameter	Type	Required	Description
symbol	string	false	Contract
is_finished	int	false	Final-state flag:0: unfinished , 1: finished
state	int	false	Status: 1 untriggered 2 canceled 3 executed 4 invalidated 5 execution failed
type	int	false	Position type,1: long , 2: short
start_time	long	false	Start time, 13-digit timestamp
end_time	long	false	End time, 13-digit timestamp
page_num	int	true	Current page, default 1
page_size	int	true	Page size, default 20, max 100

Response Parameters:

Parameter	Type	Description
id	long	TP/SL order id
symbol	string	Contract
orderId	long	Limit order id; if placed by position, this value is 0
positionId	long	Position id
lossTrend	int	Stop-loss type: 1 latest price 2 fair price 3 index price
profitTrend	int	Take-profit type: 1 latest price 2 fair price 3 index price
stopLossPrice	decimal	Stop-loss price
takeProfitPrice	decimal	Take-profit price

Parameter	Type	Description
state	int	Status,1: untriggered,2: canceled,3: executed,4: invalidated,5: execution failed
triggerSide	int	Trigger direction, 0: not triggered,1: take-profit, 2: stop-loss
positionType	int	Position type,1: long, 2: short
vol	decimal	Order quantity
realityVol	decimal	Actual placed quantity
placeOrderId	long	Order id after successful placement
errorCode	int	Error code,0: normal, others see error code details
isFinished	int	Whether order is in final state (for query),0: non-final, 1: final
version	int	Version
priceProtect	int	Trigger protection: "1","0"
profitLossVolType	string	TP/SL quantity type (SAME: same quantity; SEPARATE: different quantities)
takeProfitVol	decimal	Take-profit quantity (when profitLossVolType == SEPARATE)
stopLossVol	decimal	Stop-loss quantity (when profitLossVolType == SEPARATE)
createTime	long	Created time
updateTime	long	Updated time
volType	int	Quantity type 1、partial TP/SL 2、 position TP/SL

Parameter	Type	Description
takeProfitReverse	int	Take-profit reverse: 1 yes 2 no
stopLossReverse	int	Stop-loss reverse: 1 yes 2 no
takeProfitType	int	Take-profit type 0 - market TP 1 - limit TP
takeProfitOrderPrice	decimal	Limit TP order price
stopLossType	long	Stop-loss type 0 - market SL 1 - limit SL
stopLossOrderPrice	decimal	Limit SL order price

Get Current Take-Profit/Stop-Loss Order List

Response Example

```
{
  "success": true,
  "code": 0,
  "data": [
    {
      "id": 357859177,
      "orderId": "720733527158642176",
      "symbol": "BTC_USDT",
      "positionId": "1027177055",
      "lossTrend": 1,
      "profitTrend": 1,
      "stopLossPrice": 111325,
      "takeProfitPrice": 113573.9,
      "state": 3,
      "triggerSide": 2,
      "positionType": 1,
      "vol": 2,
      "realityVol": 2,
      "placeOrderId": "720744238723187712",
      "errorCode": 0,
      "version": 2,
      "isFinished": 1,
    }
  ]
}
```

```
    "priceProtect": 0,
    "profitLossVolType": "SEPARATE",
    "takeProfitVol": 2,
    "stopLossVol": 2,
    "createTime": 1757506663000,
    "updateTime": 1757509217000,
    "volType": 1,
    "takeProfitReverse": 2,
    "stopLossReverse": 2,
    "closeTryTimes": 0,
    "reverseTryTimes": 0,
    "reverseErrorCode": 0,
    "takeProfitType": 0,
    "profit_LOSS_VOL_TYPE_SAME": "SAME",
    "profit_LOSS_VOL_TYPE_DIFFERENT": "SEPARATE"
  }
]
}
```

- **GET** `api/v1/private/stoporder/open_orders`

Required Permission: View Order Details

Rate limit: 20 times/2 seconds

Request Parameters:

Parameter	Type	Required	Description
symbol	string	false	Contract

Response Parameters:

Parameter	Type	Description
id	long	TP/SL order id
symbol	string	Contract
orderId	long	Limit order id; if placed by position, this value is 0
positionId	long	Position id

Parameter	Type	Description
lossTrend	int	Stop-loss type: 1 latest price 2 fair price 3 index price
profitTrend	int	Take-profit type: 1 latest price 2 fair price 3 index price
stopLossPrice	decimal	Stop-loss price
takeProfitPrice	decimal	Take-profit price
state	int	Status,1: untriggered,2: canceled,3: executed,4: invalidated,5: execution failed
triggerSide	int	Trigger direction, 0: not triggered,1: take-profit, 2: stop-loss
positionType	int	Position type,1: long, 2: short
vol	decimal	Order quantity
realityVol	decimal	Actual placed quantity
placeOrderId	long	Order id after successful placement
errorCode	int	Error code,0: normal, others see error code details
isFinished	int	Whether order is in final state (for query),0: non-final, 1: final
version	int	Version
priceProtect	int	Trigger protection: "1","0"
profitLossVolType	string	TP/SL quantity type (SAME: same quantity; SEPARATE: different quantities)
takeProfitVol	decimal	Take-profit quantity (when profitLossVolType == SEPARATE)

Parameter	Type	Description
stopLossVol	decimal	Stop-loss quantity (when profitLossVolType == SEPARATE)
createTime	long	Created time
updateTime	long	Updated time
volType	int	Quantity type 1、 partial TP/SL 2、 position TP/SL
takeProfitReverse	int	Take-profit reverse: 1 yes 2 no
stopLossReverse	int	Stop-loss reverse: 1 yes 2 no
takeProfitType	int	Take-profit type 0 - market TP 1 - limit TP
takeProfitOrderPrice	decimal	Limit TP order price
stopLossType	long	Stop-loss type 0 - market SL 1 - limit SL
stopLossOrderPrice	decimal	Limit SL order price

Place Trailing Order(Under Maintenance)

Response Example

```
{
  "success": true,
  "code": 0,
  "data": "739218627261666816"
}
```

- **POST** `api/v1/private/trackorder/place`

Required Permission: Order Placing

Rate limit: 20 times / 2 seconds

Request Parameters:

Parameter	Type	Required	Description
symbol	string	true	Contract name
leverage	int	true	Leverage
side	int	true	1 Open Long; 2 Close Short; 3 Open Short; 4 Close Long
vol	decimal	true	Order quantity
openType	int	true	Position mode: 1 Isolated; 2 Cross
trend	int	true	Price type: 1 Latest; 2 Fair; 3 Index
activePrice	decimal	false	Activation price
backType	int	true	Callback type: 1 Percentage; 2 Absolute value
backValue	decimal	true	Callback value
positionMode	int	true	Position mode. Default 0: no record for historical orders; 1: Two-way (hedged); 2: One-way
reduceOnly	boolean	false	Reduce-only

Response Parameters:

Common parameters; success: true for success, false for failure

Cancel Trailing Order(Under Maintenance)

Response Example

```
{
  "success": true,
  "code": 0
}
```

- **POST** `api/v1/private/trackorder/cancel`

Required Permission: Order Placing

Rate limit: 20 times / 2 seconds

Request Parameters:

Parameter	Type	Required	Description
symbol	string	false	Contract name
trackOrderId	int	false	Trailing order ID

Response Parameters:

Common parameters; success: true for success, false for failure

Modify Trailing Order(Under Maintenance)

Response Example

```
{
  "success": true,
  "code": 0
}
```

- **POST** `api/v1/private/trackorder/change_order`

Required Permission: Order Placing

Rate limit: 20 times / 2 seconds

Request Parameters:

Parameter	Type	Required	Description
symbol	string	true	Contract name

Parameter	Type	Required	Description
trackOrderId	long	true	Trailing order ID
trend	int	true	Price type: 1 Latest; 2 Fair; 3 Index
activePrice	decimal	false	Activation price
backType	int	true	Callback type: 1 Percentage; 2 Absolute value
backValue	decimal	true	Callback value
vol	decimal	true	Order quantity

Response Parameters:

Common parameters; success: true for success, false for failure

Query Trailing Orders

Response Example

```
{
  "success": true,
  "code": 0,
  "data": [
    {
      "id": "739628779353703936",
      "symbol": "DOGE_USDT",
      "leverage": 2,
      "side": 1,
      "vol": 100,
      "openType": 1,
      "trend": 1,
      "activePrice": 0,
      "markPrice": 0.18657,
      "backType": 1,
      "backValue": 0.02,
      "triggerPrice": 0.1903,
      "orderId": 0,
      "errorCode": 0,
    }
  ]
}
```

```
    "state": 1,
    "createTime": 1762011642623,
    "updateTime": 1762011642623,
    "positionMode": 1,
    "reduceOnly": false,
    "triggerType": 1
  }
]
```

- **GET** `api/v1/private/trackorder/list/orders`

Required Permission: View Order Details

Rate limit: 20 times / 2 seconds

Request Parameters:

Parameter	Type	Required	Description
symbol	string	false	Contract name
states	List<int>	true	Order status: 0 Not activated; 1 Activated; 2 Triggered successfully; 3 Trigger failed; 4 Canceled
side	int	false	1 Open Long; 2 Close Short; 3 Open Short; 4 Close Long
start_time	long	false	Start time
end_time	long	false	End time
pageIndex	int	false	Page index
pageSize	int	false	Page size

Response Parameters:

Parameter	Type	Description
id	long	Order ID
symbol	string	Contract name
leverage	int	Leverage
side	int	1 Open Long; 2 Close Short; 3 Open Short; 4 Close Long
vol	decimal	Order quantity
openType	int	Position mode: 1 Isolated; 2 Cross
trend	int	Price type: 1 Latest; 2 Fair; 3 Index
activePrice	decimal	Activation price
markPrice	decimal	Reference price (highest or lowest after activation)
backType	int	Callback type: 1 Percentage; 2 Absolute value
backValue	decimal	Callback value
triggerPrice	decimal	Trigger price (updates with the reference price)
orderId	decimal	Order ID after trigger success
errorCode	decimal	Error code when trigger fails
state	decimal	Current trailing order state (0 Not activated; 1 Activated; 2 Executed successfully; 3 Execution failed; 4 Canceled)
createTime	long	Create time
updateTime	long	Update time
positionMode	int	Position mode. Default 0: no record for historical orders; 1: Two-way; 2: One-way

Parameter	Type	Description
reduceOnly	boolean	Reduce-only
triggerType	int	Trigger condition: 1 $\geq$; 2 $\leq$