




PHYSIOLOGICAL ZONES

RECOVERY (Z1-2): DEEP GREEN - MITOCHONDRIAL BIOGENESIS & FAT OXIDATION. HR=75% MAX, LA=2mmol/L.

THRESHOLD (Z4): AMBER/DRANGE - LACTATE CLEARANCE & GLYCOLYTIC CAPACITY. HR 85-92% MAX, LA 3-5mmol/L.

ANAEROBIC (Z5+): CRIMSON RED - NEUROMUSCULAR POWER & MAX O2 UPTAKE. HR=92% MAX, LA=6mmol/L.

The Architecture of Endurance

A Macro-to-Micro Blueprint for Physiological Adaptation

ADAPTATION BLUEPRINT

MACRO ADAPTATIONS

ENHANCED EFFICIENCY: IMPROVED OXYGEN DELIVERY & UTILIZATION.

INCREASED THRESHOLD: SUSTAINED HIGHER POWER OUTPUTS.

MAXIMAL CAPACITY: GREATER PEAK PERFORMANCE & RECOVERY.


MICRO MECHANISMS

CAPILLARIZATION: INCREASED CAPILLARY DENSITY IN MUSCLES.

MITOCHONDRIAL DENSITY: MORE ATP PRODUCTION SITES.

ENZYME ACTIVITY: UPGRADED METABOLIC PATHWAYS.

THE FOUNDATIONAL LAW: THE FITNESS-FATIGUE MODEL



TRAINING STRESS IS THE PRODUCT OF INTENSITY AND DURATION.

The stimulus simply breaks you down; recovery makes you faster.

THE MACROCYCLE ARCHITECTURE

Phase 1: General Preparation

Volume: Highest
Intensity: Lowest

Target:
Aerobic foundations,
mitochondrial density,
muscular strength. 💪



Phase 2: Specific Preparation

Volume: Decreasing
Intensity: Increasing

Target:
Lactate threshold,
aerobic capacity, event-
specific skills. 🏃



Phase 3: Competition

Volume: Lowest
Intensity: Highest


Target:
Maximized fitness,
minimized fatigue via race
simulation. 🏁



Phase 4: Transition

Volume: Unstructured
Intensity: Minimal

Target:
Physical and mental
regeneration before the
next cycle. 🧠



THE PERIODIZATION MATRIX

Linear

Volume Distribution:
High volume/low intensity
shifting to low
volume/high intensity.

Target Athlete:
Ultra-distance, Ironman.

Primary Drawbacks:
Can foster a one-size-fits-
all approach; risks losing
top-end fitness early.

Block

Volume Distribution:
4-week concentrated
blocks on specific limiters.

Target Athlete:
Elite athletes needing
specific physiological
breakthroughs.

Primary Drawbacks:
High risk of extreme
fatigue.

Polarized

Volume Distribution:
~80% Low (Green),
~20% High (Red), ignoring
Threshold (Amber).

Target Athlete:
The vast majority of
endurance cyclists.

Primary Drawbacks:
Hard to maintain pure
Z1/Z2 for time-crunched
athletes.

Pyramidal

Volume Distribution:
Majority Low (Green),
moderate Threshold
(Amber), small amount
High (Red).

Target Athlete:
The vast majority of
endurance cyclists.

Primary Drawbacks:
Requires careful
monitoring to not overcook
the moderate zones.


WHY THRESHOLD DOMINANCE FAILS

THE MODERATE-INTENSITY TRAP



THE TRAP: Threshold-heavy training causes high systemic fatigue but prevents the accumulation of sufficient total volume necessary for structural aerobic adaptations.

THE PYRAMIDAL SOLUTION



THE SOLUTION: By keeping intensity strictly low for 80% of sessions, pyramidal models allow for massive total volume while preserving freshness for high-quality, maximal-effort intervals.

KEY INSIGHT: Many aerobic adaptations occur as a function of duration, not intensity. Just because you generate the same training stress doesn't mean you get the same biological response.

INTERVAL ARCHITECTURE: THE HARD START V02 MAX



PROTOCOL DETAILS

Goal: Maintain/increase aerobic capacity and cardiac output.

Format: 5x 6-minute intervals.

Rest: 4-minute recovery (~50% FTP).

THE MECHANISM

Constant-power intervals waste the first 1-2 minutes waiting for oxygen consumption to rise. An initial 1.5-minute >100% V02max surge instantly elevates heart rate, allowing the remainder of the interval to accumulate time-in-zone highly efficiently.


THE EVIDENCE

Rønnestad et al. (2020a) proved elite athletes using hard-starts accumulated significantly more time >90% V02max than those doing constant-power intervals, despite identical average work.

INTERVAL ARCHITECTURE: THE OVER/UNDER SAWTOOTH

PROTOCOL DETAILS


- **Goal:** Lactate clearance, transport, buffering, and tolerance.
- **Format:** 3 blocks of 8-10 minutes continuous alternating power.



EXECUTION SENSATION

Instead of targeting exact wattages, this is driven by sensation. 'Overs' should produce a moderately uncomfortable burning sensation. 'Unders' should feel the lactate slowly clearing back to baseline.

INTERVAL ARCHITECTURE: ANAEROBIC STAMINA



PROTOCOL DETAILS

Goal: Recruit Type IIX muscle fibres, increase maximal sprint power, improve neural connections.

Format: 3 blocks of 12x 30-second maximal sprints.

Rest: 15-second recoveries. 4-minute recovery between blocks.

THE MECHANISM

This is not about aerobic capacity; this is about neural firing efficiency and recruiting dormant fast-twitch muscle fibers.

The extreme short recovery (15s) forces the body to tolerate severe lactate accumulation without flushing the system.

THE INTERVAL SELECTION MATRIX

HARD START

Physiological Goal:
Aerobic Capacity
(Cardiac Output)

Work:Rest Ratio:
6-min work : 4-min rest

Target Zone:
Zone 5+ (Maximal)

The Sensation (RPE):
Gasping for air, heart
rate pinned above 90%
max.

OVER/UNDER

Physiological Goal:
Lactate Shuttling &
Clearance

Work:Rest Ratio:
Continuous 8-10 min
alternating blocks

Target Zone:
Zone 4/3 Alternating
(Threshold/Tempo)

The Sensation (RPE):
Rhythmic burning
accumulation, followed by
temporary relief.

ANAEROBIC SPRINTS


Physiological Goal:
Peak Anaerobic Power
(Neural Firing)

Work:Rest Ratio:
30-sec work : 15-sec rest

Target Zone:
Zone 6+ (Sprint)

The Sensation (RPE):
Violent muscular effort,
extreme leg fatigue.

THE BIOMECHANICS OF FATIGUE: CONCURRENT STRENGTH TRAINING



Data: Rønnestad et al. (2011)

THE MECHANISM

Why does strength equal endurance?

Increased maximal muscle strength means that at a given power output, muscle fibers are working at a lower percentage of their maximal capacity, significantly delaying structural exhaustion over long durations.

PROTOCOL RULES

- 2-3 sessions per week.
- Focus on multi-joint, lower-body exercises (squats, deadlifts).
- Periodized from 10-15 reps down to 4-6 reps over 12-16 weeks.

THE MICROCYCLE CALENDAR MODULE

MON	TUE	WED	THU	FRI	SAT	SUN
REST	HARD INTERVAL (Z5)	LOW INTENSITY BASE (Z2)	THRESHOLD INTERVAL (Z4)	ACTIVE RECOVERY (Z1)	LONG ENDURANCE RIDE (Z2)	MEDIUM ENDURANCE (Z2)

THE ARCHITECTURAL RULES


1. **Maximize potency:** Limit to 1-2 high-intensity sessions per week.
2. **Protect the foundation:** Always ensure one high-quality, multi-hour low-intensity ride (usually weekends).
3. **Shed fatigue:** Be liberal with recovery days; space out intense sessions to ensure quality execution.

MICROCYCLE ADJUSTMENTS FOR THE TIME-CRUNCHED




1. PROTECT THE WEEKEND LONG RIDE

A 1-hour **Z2** ride is not enough for structural adaptation. You must find a **multi-hour** window (usually weekends) for the foundational aerobic stimulus.



2. MAXIMIZE MID-WEEK POTENCY

With limited hours available mid-week, execute the most potent, stressful interval sessions (**Z4/Z5**). Use an **indoor trainer** to eliminate "dead time" and coasting.




3. PRIORITIZE RECOVERY OVER LOAD

Do not increase training load by excessively intensifying every ride to make up for lost volume. This guarantees plateaus. Focus solely on the execution quality of the **2 hard days**.



THE TELEMETRY DASHBOARD: DIAGNOSTIC FLOWCHART



Key Insight: Do not blindly trust metrics like TSS or CTL if they contradict your subjective sensation. A blunted heart rate response is a prime physiological indicator of fatigue.

THE FORMULA FOR BIOLOGICAL ADAPTATION

$$[(\text{Volume} \times \text{Intensity})] \times [\text{Recovery}] = \text{Adaptation}$$

Volume (Duration)

The primary driver for structural changes (**capillary density**, **fat oxidation**). Must be protected by keeping intensity strictly low (**Pyramidal**).

Intensity

The catalyst for **neural firing**, **VO2 max elevation**, and **lactate shuttling**. Must be **severe enough** to force adaptation, which requires **extreme freshness**.

Recovery

The silent multiplier. Without it, the equation equals zero.

All endurance training models are simply different arrangements of these three dials. The **Pyramidal architecture** succeeds because it restricts **intensity precisely** so that **Volume** and **Recovery** can be maximized.

THE TENETS OF CONSISTENCY

1 Consistency Trumps Volume

80% of a good plan is simply training regularly without burning out.

2 Defend Zone 2

Ensure ~80% of sessions are genuinely low intensity. Do not let Normalized Power trick you into the moderate-intensity trap.

3 Embrace Recovery

It is better to be 10% under-trained than 1% over-trained. Be liberal with rest days.

4 Target the Limiters

Understand where you lose the group (climbs, sprints, endurance) and deploy precise interval architecture to fix it.

5 Listen to the Machine

Adjust targets based on daily sensation. Avoid becoming a slave to testing data if the body says no.

6 Ignore the Noise

There are no magic bullets. Stick to evidence-based, time-tested application of duration and intensity.