



POWER & NMEA2000

Input: 9~16V (Max 20.8V)


전원단 입력부 수정(1/25)




CAN



3.3V LDO



SCREW HOLE



COMPANY: EOTRONIX		
TITLE: POWER/CAN		
DESIGNED:	DRAWING DATE:	REV:
CHECKED:	2024-02-23	v3.0
APPROVED:	SCALE: A2	SHEET: 1 OF 6

D

C

B

A




D

C

B

A


MCU




COMPANY: EOTRONIX		
TITLE: MCU_STM32F769NGH6		
DESIGNED:	DRAWING DATE:	REV:
CHECKED:	2024-02-23	v3.0
APROVED:	SCALE: A2	SHEET: 2 OF 6

(핀타입으로 변경 필요)


SDRAM (16MB)




Flash Memory(SPI Nor Flash/256Mb)



RGB LCD





EEPROM




부품추가 1/15

COMPANY: EOTRONIX		
TITLE: MEMORY/LCD		
DESIGNED:	DRAWING DATE:	REV:
CHECKED:	2024-02-23	v3.0
APPROVED:	SCALE: A2	SHEET: 3 OF 6

NMEA0183



BUZZER



COMPANY:		EOTRONIX	
TITLE:		NMEA0183/BUZZER	
DESIGNED:	DRAWING DATE:		REV:
CHECKED:	2024-02-23		v3.0
APPROVED:	SCALE: A2	SHEET: 4	OF 6

D

C

B

A

D

C

B

A

6

5


4

3


2

1


SWD




DEBUG



RESET



BOOT



COMPANY: EOTRONIX		
TITLE: DEBUG		
DESIGNED:	DRAWING DATE:	REV:
CHECKED:	2024-02-23	v3.0
APPROVED:	SCALE: A2	SHEET: 5 OF 6