




Input: 9~16V (Max 20.8V)




3.3V LDO



1.8V LDO



1.2V LDO



SCREW HOLE



COMPANY:		EOTRONIX		A
TITLE:		POWER		
DESIGNED:	DRAWING DATE:		REV:	
CHECKED:	2023-09-14		v2.0	
APPROVED:	SCALE: A2	SHEET: 1	OF 6	

D

C

B

A


D

C


B

A


CAN



JTAG




RESET




[사용 유무 확인 필요 : 소프트웨어]


* WATCH DOG *



APU USB DEBUG




APU DEBUG




COMPANY: EOTRONIX		
TITLE: INTERFACE/DEBUG		
DESIGNED:	DRAWING DATE:	REV:
CHECKED:	2023-09-14	v2.0
APROVED:	SCALE: A2	SHEET: 2 OF 6

RGB LCD(4인치/5인치)





Flash Memory(SPI NAND Flash/1Gb)



COMPANY:	EOTRONIX		
TITLE:	MEMORY/LCD		
DESIGNED:	DRAWING DATE:	REV:	
CHECKED:	2023-09-14	v2.0	
APPROVED:	SCALE: A2	SHEET: 3 OF 6	


[5인치 전용]

NMEA0183




[4인치 전용]

LED




KEY



[4인치/5인치 공용]

BUZZER



COMPANY: EOTRONIX		
TITLE: NMEA0183/BUZZER		
DESIGNED:	DRAWING DATE:	REV:
CHECKED:	2023-09-14	v2.0
APROVED:	SCALE: A2	SHEET: 4 OF 6

