

# NetSentinel AI

Complete Network Security & Compliance Report

AI-Powered Vendor-Agnostic Network Security Compliance Engine

## 1. Executive Summary

| Property           | Result           |
|--------------------|------------------|
| Configuration File | cisco_router.txt |
| Detected Vendor    | Cisco            |
| Selected Framework | CIS              |
| Security Score     | 14%              |
| Compliance         | 25%              |
| Overall Status     | CRITICAL         |
| Risk Level         | CRITICAL         |
| Risk Score         | 100              |

## 2. Device Identification

| Property         | Value         |
|------------------|---------------|
| Vendor           | Cisco         |
| Hostname         | SIH-Router-01 |
| Model            | None          |
| Serial Number    | None          |
| Software Version | 15.2          |
| Memory           | Not detected  |
| Processor        | Not detected  |
| Interfaces       | Not detected  |

## 3. Compliance Findings

| Control | Rule              | Status | Severity | Remediation                                             |
|---------|-------------------|--------|----------|---------------------------------------------------------|
| CIS-01  | Use SSH Version 2 | PASS   | HIGH     | Configure SSH version 2 and disable older SSH versions. |

| Control | Rule                              | Status  | Severity | Remediation                                                                     |
|---------|-----------------------------------|---------|----------|---------------------------------------------------------------------------------|
| CIS-02  | Disable Telnet                    | FAIL    | HIGH     | Disable Telnet and use SSH for administrative access.                           |
| CIS-03  | Disable Unsecured HTTP Management | UNKNOWN | HIGH     | Disable HTTP management and use HTTPS.                                          |
| CIS-04  | Enable Logging                    | FAIL    | MEDIUM   | Enable system logging and configure appropriate log storage.                    |
| CIS-05  | Avoid Plaintext Password          | FAIL    | CRITICAL | Replace plaintext passwords with secure credential mechanisms.                  |
| CIS-06  | Enable AAA                        | UNKNOWN | HIGH     | Enable AAA and configure appropriate authentication and authorization policies. |
| CIS-07  | Secure Network Management         | UNKNOWN | HIGH     | Migrate network management to SNMPv3.                                           |

## 4. Cross-Framework Security Summary

| Framework | Score | Compliance | Passed | Failed | Unknown | Risk     |
|-----------|-------|------------|--------|--------|---------|----------|
| CIS       | 14%   | 25%        | 1      | 3      | 3       | CRITICAL |
| NIST      | 0%    | 0%         | 0      | 2      | 4       | HIGH     |
| STIG      | 20%   | 25%        | 1      | 3      | 1       | CRITICAL |
| ISO       | 22%   | 33%        | 1      | 2      | 2       | HIGH     |

## 5. Risk Analysis

| Risk Metric       | Value    |
|-------------------|----------|
| Risk Level        | CRITICAL |
| Risk Score        | 100      |
| Risk Points       | 21       |
| Critical Findings | 1        |
| High Findings     | 1        |
| Medium Findings   | 1        |
| Low Findings      | 0        |
| Failed Controls   | 3        |

## 6. Unknown Configuration Queue

| ID          | Command                | Vendor | Status   |
|-------------|------------------------|--------|----------|
| UNKNOWN-001 | hostname SIH-Router-01 | Cisco  | unmapped |
| UNKNOWN-002 | version 15.2           | Cisco  | unmapped |

## 7. Priority Remediation

| Control | Rule                     | Severity | Recommended Remediation                                        |
|---------|--------------------------|----------|----------------------------------------------------------------|
| CIS-05  | Avoid Plaintext Password | CRITICAL | Replace plaintext passwords with secure credential mechanisms. |
| CIS-02  | Disable Telnet           | HIGH     | Disable Telnet and use SSH for administrative access.          |
| CIS-04  | Enable Logging           | MEDIUM   | Enable system logging and configure appropriate log storage.   |

## 8. AI Learning Summary

| Learning Metric        | Value |
|------------------------|-------|
| Total Learned Mappings | 1     |
| Learned Patterns Used  | 1     |

Generated by NetSentinel AI

Generated on 08-09-2026 00:47:27