BagelUnit Reel Kit commands

Version 1.9.0. Every command and what it does.

Most of the time you only need four: `/brand-setup`, `/bagelunit-reels` with your topic, `/analytics-readout` with your numbers, and `/kit-update`.

Get started (once per computer)

Type these in a terminal in the kit folder, or ask Claude Code there to run them.

`bash setup/install.sh`	Installs the kit on a Mac or Linux computer: checks the programs it needs, installs the reel engine, the sound library and the plugins. Safe to run again; run it after every kit update.
`node setup/install.mjs`	The same installer, for Windows (it works on every system).
`/brand-setup`	The first command after installing: makes your brand's own folder (named <brand>-reels) and asks about your brand.
`node setup/new-brand.mjs <folder>`	Makes a new brand folder from the command line, for example ~/Reels/acme (it becomes acme-reels).
`node setup/sync-template.mjs <brand folder>`	Shows what a kit update would change in a brand folder; add --apply to do it. /kit-update does this for you.

Set up and keep up to date

Type these in Claude Code inside a brand folder.

`/brand-setup`	Sets up the brand (name, handle, colours, logo, fonts, presenter, voice, call to action) or changes it later.
`/sticker-host`	Makes your sticker host, a cartoon of you or your mascot for Print reels: a base pose from one photo, then a starter 10, then any pose a reel needs (new, add <pose>, check <reel>, status).
`/kit-update`	Checks for a newer kit, shows what changed, updates this folder without touching your brand or reels, and offers to update the engine.

Make a reel

The main command, plus the steps it uses. Claude picks the right one; you can also type it.

`/bagelunit-reels`	Makes a reel: type it with your topic. Script, voice, animated shots, self-checks and the final mp4, with three approvals on the way.
`/viral-hook-writer`	Writes hooks (the first 1 to 3 seconds) for a reel.
`/hook-mining`	Makes new hooks from a file of hooks that already worked, keeping what made them work.
`/ab-hook-tester`	Writes two clearly different hooks for the same reel, to test which one wins.
`/reel-scripter`	Turns an idea or a hook into a full 30 to 45 second script.
`/reel-builder`	Turns an idea into a ready-to-shoot plan (lines, on-screen text, scenes), without rendering.

`/humanizer`	Rewrites a script, caption or reply so it sounds like you, not like AI, and checks the brand's banned words.

Check before you post

Run on every reel; Claude runs them at the approvals.

`/reel-factcheck`	Checks every claim against its source, before the voice is made and again on the final.
`/reel-review`	Reviews a draft or final against the kit's quality bar and writes a one-line verdict.
`/reel-predict`	Measures a reel and, once 8 or more posted reels have numbers, estimates where viewers may drop off.

Finish and post

`/caption-and-hashtags`	Writes the caption, hashtags and first comment, using only cleared facts.
`/cover-thumbnail-brief`	Writes the cover text and the brief for a cover that stops the scroll.
`/reel-posting`	Gets an approved reel posted: a posting card for posting by hand, scheduling, or setting up automatic posting.

Research and plan

`/comment-mining`	Reads your comments and DMs for the questions and words your audience uses, and turns them into ideas.
`/reel-sources`	Finds reference material: what people in your niche ask, reels to study, and a reel downloaded for study.
`/account-audit`	Finds the reels that beat an account's own median (yours or a competitor's), by arithmetic.
`/reel-analyzer`	Breaks down a reel you supply: hook, structure, pacing and visuals.
`/going-viral`	The strategy: pick the goal, the emotion behind it, then the hook and the angle.
`/virality`	Plans or reviews a reel so it gets watched, or explains why a post flopped.

After posting

`/analytics-readout`	Type it with your numbers a day or more after posting: adds them to brand/insights.csv and says in plain words what to make more of.
`/comment-responder`	Sets up a comment-to-DM reply for a keyword, with a person in the loop. Sends nothing unless you turn it on.
`/content-factory`	The opt-in autopilot that runs the whole loop, one reel at a time, only as far as your permissions allow.

Engine commands (Claude runs these for you)

node ~/.claude/skills/bagelunit-reels/tools/kit.mjs <command> reels/<slug>

`kit start`	Starts a new reel folder in a style (print, depth or talking). Only inside a set-up brand folder.
`kit host`	Links the brand's sticker host into the reel and names any pose the reel needs that the set does not have (--check).
`kit frames`	Takes still frames at chosen moments, plus a contact sheet, to look at before rendering.
`kit render`	Renders a half-size draft, or the final 1080x1920 video with --final.
`kit pace`	Checks the reel keeps moving and finds still stretches.
`kit effort`	Checks the reel was built for this script, not from ready-made pieces.
`kit lint`	Checks the shot rules: lengths, cuts on words, rhythm, first-frame motion.
`kit qa`	Checks the final file: size, loudness, black or frozen frames, text safe zone, sync.
`kit facts`	The mechanical half of the fact check, and records the fact-check verdict.
`kit gate`	Records an approval (A, B or C) and checks the final file has not changed since.
`kit measure`	Measures a video: cuts, words, loudness, silence, still stretches.
`kit calibrate`	Learns from your own Instagram numbers (needs 8 or more reels).
`kit predict`	Measured facts, plus a watch-time estimate once calibrated.
`kit sound`	Mixes the voice, effects and music.
`kit export`	Joins picture and sound into the finished mp4 for Instagram.
`kit live`	Serves the reel so you can watch it play in a browser.

From the plugins the installer adds

`/ig-*`	The instagram-agent plugin: research, hooks, scripts, captions, plans, DMs and audits.
`/hyperframes`	The HyperFrames plugin: an optional second engine (HTML scenes rendered to video).