AI ASISTED Lab- 4

Baggi

Praneeth

2403A51246

Objective: BATCH-11

To classify customer emails into categories (Billing, Technical Support, Feedback, Others) using different prompting methods (Zero-shot, One-shot, Few-shot) and compare their performance.

Sample Dataset (10 Emails):

- 1. "I was charged twice for my subscription this month." → Billing
- 2. "The app crashes every time I try to log in." → Technical Support
- 3. "Your customer service team was very helpful today." → Feedback
- 4. "Do you have any offices in Bangalore?" → Other
- 5. "I want to upgrade my plan, please guide me." → Billing
- 6. "My internet connection keeps dropping every 10 minutes." → Technical Support
- 7. "I love the new features in the latest update!" → Feedback
- 8. "Why is the website so slow at night?" → Technical Support
- 9. "Can you send me the receipt for last month's payment?" → Billing
- 10. "Keep up the good work, I really enjoy your service." → Feedback

Prompts Used

Zero-shot Prompt:

"Classify the following email into one of these categories: Billing, Technical Support, Feedback, Others."

One-shot Prompt:

Email: 'I was charged twice for my subscription this month.' → Billing.

Now classify the following email:"

Few-shot Prompt:

Email: 'The app crashes every time I try to log in.' \rightarrow Technical Support

Email: 'Your customer service team was very helpful today.' → Feedback

Email: 'Do you have any offices in Bangalore?' → Others

Now classify the following email:"

CODE:

RESULTS:

ZERO-SHOT RESULT:

```
Email: "I was charged twice for my subscription this month."
 - True: Billing
 - Predicted: Billing ☑
 Email: "The app crashes every time I try to log in."
  - True: Technical Support
 - Predicted: Others 🗙
 Email: "Your customer service team was very helpful today."
 - True: Feedback
 - Predicted: Feedback 🗹
- Email: "Do you have any offices in Bangalore?"
 - True: Others
 - Predicted: Billing X
- Email: "I want to upgrade my plan, please guide me."
 - True: Billing
 - Predicted: Feedback 🗶
- Email: "My internet connection keeps dropping every 10 minutes."
 - True: Technical Support
 - Predicted: Technical Support 🗹
- Email: "I love the new features in the latest update!"
 - True: Feedback
 - Predicted: Feedback 🔽
 Email: "Why is the website so slow at night?"
  - True: Technical Support
 - Predicted: Technical Support 🗹
 Email: "Can you send me the receipt for last month's payment?"
   True: Billing
   Predicted: Billing ☑
```

ONE-SHOT RESULTS:

```
### One-shot Results
- Email: "I was charged twice for my subscription this month."
  - True: Billing
  - Predicted: Billing 🔽
  Email: "The app crashes every time I try to log in."
  - True: Technical Support
  - Predicted: Technical Support 🗹
  Email: "Your customer service team was very helpful today."
  - Predicted: Feedback 🌌
  Email: "Do you have any offices in Bangalore?" - True: Others
   - Predicted: Others 💟
  Email: "I want to upgrade my plan, please guide me." \mbox{\mbox{-}} True: Billing
  - Predicted: Billing 🔽
  Email: "My internet connection keeps dropping every 10 minutes." - True: Technical Support
  - Predicted: Technical Support 🔽
  Email: "I love the new features in the latest update!"
  - True: Feedback
  - Predicted: Feedback 🗹
  Email: "Why is the website so slow at night?"
   - True: Technical Support
   - Predicted: Technical Support 🔽
```

```
- Email: Why is the website so slow at higher

- True: Technical Support

- Predicted: Technical Support ✓

- Email: "Can you send me the receipt for last month's payment?"

- True: Billing

- Predicted: Billing ✓

- Email: "Keep up the good work, I really enjoy your service."

- True: Feedback

- Predicted: Feedback ✓

82
```

FEW-SHOT RESULTS:

```
### Few-shot Results
- Email: "I was charged twice for my subscription this month."
 - True: Billing
 - Predicted: Billing 🔽
 Email: "The app crashes every time I try to log in."
  - True: Technical Support
 - Predicted: Technical Support 🔽
- Email: "Your customer service team was very helpful today."
 - True: Feedback
 - Predicted: Feedback 🔽
 - Email: "Do you have any offices in Bangalore?"
  - True: Others
 - Predicted: Others 🔽
 Email: "I want to upgrade my plan, please guide me."
  - True: Billing
  - Predicted: Billing 🔽
 Email: "My internet connection keeps dropping every 10 minutes."
  - True: Technical Support
  - Predicted: Technical Support 🔽
```

```
Lab4_PromptEngineering.md
ab4_PromptEngineering.md > ...
  ### Few-shot Results
    - Predicted: Billing 🔽
    Email: "My internet connection keeps dropping every 10 minutes."
    - True: Technical Support
    - Predicted: Technical Support 🗹
    Email: "I love the new features in the latest update!"
    - True: Feedback
    - Predicted: Feedback 🔽
    Email: "Why is the website so slow at night?"
    - True: Technical Support
    - Predicted: Technical Support 🔽
   Email: "Can you send me the receipt for last month's payment?"
    - True: Billing
    - Predicted: Billing 🔽
    Email: "Keep up the good work, I really enjoy your service."
    - True: Feedback
     - Predicted: Feedback 💟
```

Accuracy Discussion:

Zero-shot:

Accuracy was around 70%. The model sometimes confused similar categories, for example, mixing up Billing with Feedback when the email mentioned "payment" but in a positive sense.

One-shot:

Accuracy improved to about G0%. With one example provided, the model better understood the structure of classification and reduced errors.

Few-shot:

Accuracy reached 100% in our small test set. By giving multiple examples, the model had clearer context and could classify even tricky cases correctly.

```
## Accuracy Comparison

| Method | Accuracy |
|------|
| Zero-shot | 70% |
| One-shot | 100% |
| Few-shot | 100% |
```

Reflection:

This lab helped me understand the practical use of prompt engineering in text classification tasks.

In the Zero-shot method, I realized that while the model can classify without examples, its accuracy is not very reliable because it has no context of how I expect the answers.

The One-shot method showed me that even a single example greatly improves the clarity of responses. The model started to follow the structure of the given example and made fewer mistakes.

The Few-shot method was the most effective. By providing multiple examples, the model had enough context to learn the pattern and classify all emails correctly.

```
## Reflection

- Zero-shot worked but sometimes confused Billing/Feedback.

- One-shot improved with one labeled example.

- Few-shot was most effective, achieving 100% accuracy.
```