KOLT Python Third-Party Packages

Ahmet Uysal

Monday 25th November, 2019





Agenda

- 1. Installations
- 2. Package Management
- 3. Virtual Environments
- 4. Example: Telegram Bot



Go to python.org/downloads



- Go to python.org/downloads
- Install the latest version of Python for your operating system

- Go to python.org/downloads
- Install the latest version of Python for your operating system
- (Windows only) Make sure to add python to the environment variables by checking the corresponding permission on the installation or by hand

- Go to python.org/downloads
- Install the latest version of Python for your operating system
- (Windows only) Make sure to add python to the environment variables by checking the corresponding permission on the installation or by hand
- Check the installation by running python(Windows)/python3(macOS/Linux) in terminal.

```
C:\Users\auysal>python
Python 3.8.0 (tags/v3.8.0:fa919fd, Oct 14 2019, 19:37:50) [MSC v.1916 64 bit (AMD64)] on win32
Type "help", "copyright", "credits" or "license" for more information.
>>> print('Hello, world!')
Hello, world!
```



Installing an Editor/IDE(Integrated Development Environment)

- Having a specialized editor/IDE can help a lot.
- We will use Visual Studio Code but you are free to use any editor/IDE of your choice.
- Get Visual Studio Code from code.visualstudio.com/download



1. Installations

000

Install Python extension for VS Code.



Configuring Visual Studio Code for Python

- Install Python extension for VS Code.
- Select the Python(3.8.0) Interpreter in VS Code.

Configuring Visual Studio Code for Python

- Install Python extension for VS Code.
- Select the Python(3.8.0) Interpreter in VS Code.
- For more information, visit VS Code Python Tutorial.





1. Installations

Repository of software for the Python programming language.



Repository of software for the Python programming language.

• 23,000+ Python3 packages.



Repository of software for the Python programming language.

- 23,000+ Python3 packages.
- If you want a package, PyPI probably has it.



Repository of software for the Python programming language.

- 23,000+ Python3 packages.
- If you want a package, PyPI probably has it.

Visit *pypi.org* to explore packages.





• Recommended tool for installing Python packages.



1. Installations

- Recommended tool for installing Python packages.
- pip is already installed with modern Python distributions.

1. Installations

- Recommended tool for installing Python packages.
- pip is already installed with modern Python distributions.
- Try pip -V on your command line/terminal(pip3 -V for Macs).

1. Installations

pip

- Recommended tool for installing Python packages.
- pip is already installed with modern Python distributions.
- Try pip -V on your command line/terminal(pip3 -V for Macs).

```
$ pip -V
pip 19.2.3 from --PATH_TO_PIP-- (python 3.8)
```

- Recommended tool for installing Python packages.
- pip is already installed with modern Python distributions.
- Try pip -V on your command line/terminal(pip3 -V for Macs).

```
$ pip -V
pip 19.2.3 from --PATH_TO_PIP-- (python 3.8)
```

Any problems?





Install a package:



Install a package:

\$ pip install package_name # latest version



Install a package:

```
$ pip install package_name # latest version
```

\$ pip install package_name==1.0.1 # specific
version

Install a package:

```
$ pip install package_name # latest version
```

```
$ pip install package_name==1.0.1 # specific
version
```

```
$ pip install package_name>=1.0.1 # minimum
version
```

Install a package:

- \$ pip install package_name # latest version
- \$ pip install package_name==1.0.1 # specific version
- \$ pip install package_name>=1.0.1 # minimum version

Uninstall a package:



Install a package:

- \$ pip install package_name # latest version
- \$ pip install package_name==1.0.1 # specific version
- \$ pip install package_name>=1.0.1 # minimum version

Uninstall a package:

\$ pip uninstall package_name



Install a package:

- \$ pip install package_name # latest version
- \$ pip install package_name==1.0.1 # specific version
- \$ pip install package_name>=1.0.1 # minimum version

Uninstall a package:

\$ pip uninstall package_name

Update a package:



Install a package:

- \$ pip install package_name # latest version
- \$ pip install package_name==1.0.1 # specific version
- \$ pip install package_name>=1.0.1 # minimum version

Uninstall a package:

\$ pip uninstall package_name

Update a package:

\$ pip install --upgrade package_name



Install a package:

- \$ pip install package_name # latest version
- \$ pip install package_name==1.0.1 # specific version
- \$ pip install package_name>=1.0.1 # minimum version

Uninstall a package:

\$ pip uninstall package_name

Update a package:

\$ pip install --upgrade package_name Search PyPI for matches:



Install a package:

- \$ pip install package_name # latest version
- \$ pip install package_name==1.0.1 # specific version
- \$ pip install package_name>=1.0.1 # minimum version

Uninstall a package:

\$ pip uninstall package_name

Update a package:

\$ pip install --upgrade package_name

Search PyPI for matches:

\$ pip search query



Virtual Environments



Virtual Environments

A *virtual environment* is an isolated Python environment that contains the Python interpreter, installed libraries and scripts.



1. Installations

A *virtual environment* is an isolated Python environment that contains the Python interpreter, installed libraries and scripts.

Why do we need them?



Virtual Environments

1. Installations

A *virtual environment* is an **isolated** Python environment that contains the Python interpreter, installed **libraries** and scripts.

Why do we need them?



1. Installations

A *virtual environment* is an **isolated** Python environment that contains the Python interpreter, installed **libraries** and scripts.

Why do we need them?

What happens if two different programs use the same library?



1. Installations

A *virtual environment* is an **isolated** Python environment that contains the Python interpreter, installed **libraries** and scripts.

Why do we need them?

What happens if two different programs use the same library?

 We might want to use different versions of the same library.



Virtual Environments

1. Installations

A *virtual environment* is an **isolated** Python environment that contains the Python interpreter, installed **libraries** and scripts.

Why do we need them?

What happens if two different programs use the same library?

- We might want to use different versions of the same library.
- Updating a library for Program A can harm another Program B. (Breaking Changes)



Virtual Environments

A *virtual environment* is an **isolated** Python environment that contains the Python interpreter, installed **libraries** and scripts.

Why do we need them?

What happens if two different programs use the same library?

- We might want to use different versions of the same library.
- Updating a library for Program A can harm another Program B. (Breaking Changes)
- We want **isolation** between programs.



Creating Virtual Environments

Creating Virtual Environments

In Python 3.6+, the recommended way to create a virtual environment is using **venv** package, which is included in the standard installation (similar to **pip**).

1. Installations

In Python 3.6+, the recommended way to create a virtual environment is using **venv** package, which is included in the standard installation (similar to **pip**).

Creating a virtual environment:

\$ python -m venv /path/to/new/virtualenv



Creating Virtual Environments

In Python 3.6+, the recommended way to create a virtual environment is using **venv** package, which is included in the standard installation (similar to **pip**).

Creating a virtual environment:

\$ python -m venv /path/to/new/virtualenv

Activating a virtual environment:

cd(Change directory) to virtual environment folder.

In Windows: \$ Scripts\activate

In Mac/Linux: \$ source bin/activate



1. Installations

Creating Virtual Environments

In Python 3.6+, the recommended way to create a virtual environment is using **venv** package, which is included in the standard installation (similar to **pip**).

Creating a virtual environment:

\$ python -m venv /path/to/new/virtualenv

Activating a virtual environment:

cd(Change directory) to virtual environment folder.

In Windows: \$ Scripts\activate

In Mac/Linux: \$ source bin/activate

Deactivating a virtual environment:

\$ deactivate



1. Installations 2. Package Management 3. Virtual Environments 000

00

4. Example: Telegram Bot

1. Installations 2. Package Management 3. Virtual Environments 4. Example: Telegram Bot 000

00