



PRPO Template 1

url	https://wa-api.it-smm.id/api/v4/send-wa/approval										
method	POST										
param	<table> <tr> <td>message</td><td>{"11":"value_1","22":"value_2","33":"value_3","44":"value_4"}</td></tr> <tr> <td>template_id</td><td>prpo_tmp1</td></tr> <tr> <td>api_key</td><td>KpKHbl3jtW</td></tr> <tr> <td>to_no</td><td>6281xxxxx</td></tr> <tr> <td>shorten_url</td><td>44</td></tr> </table>	message	{"11":"value_1","22":"value_2","33":"value_3","44":"value_4"}	template_id	prpo_tmp1	api_key	KpKHbl3jtW	to_no	6281xxxxx	shorten_url	44
message	{"11":"value_1","22":"value_2","33":"value_3","44":"value_4"}										
template_id	prpo_tmp1										
api_key	KpKHbl3jtW										
to_no	6281xxxxx										
shorten_url	44										
notes	-										
example	<table> <tr> <td>message</td><td>{"11":"I-MEMO","22":"IM1200304x","33":"Hendri Handoyo","44":"https://google.com"}</td></tr> <tr> <td>template_id</td><td>prpo_tmp1</td></tr> <tr> <td>api_key</td><td>KpKHbl3jtW</td></tr> <tr> <td>to_no</td><td>6281392278844</td></tr> <tr> <td>shorten_url</td><td>44</td></tr> </table>	message	{"11":"I-MEMO","22":"IM1200304x","33":"Hendri Handoyo","44":"https://google.com"}	template_id	prpo_tmp1	api_key	KpKHbl3jtW	to_no	6281392278844	shorten_url	44
message	{"11":"I-MEMO","22":"IM1200304x","33":"Hendri Handoyo","44":"https://google.com"}										
template_id	prpo_tmp1										
api_key	KpKHbl3jtW										
to_no	6281392278844										
shorten_url	44										
curl	<pre>curl --location --request POST 'https://wa-api.it-smm.id/api/v4/send-wa/approval' \ --header 'Content-Type: multipart/form-data' \ --form 'to_no="6281392278844"' \ --form 'message="{\"11\": \"I-MEMO\", \"22\": \"IM1200304x\", \"33\": \"Hendri Handoyo\", \"44\": \"https://google.com\"}"' \ --form 'template_id="prpo_tmp1"' \ --form 'api_key="KpKHbl3jtW"' \ --form 'shorten_url="44"'</pre>										

API result		<pre> 1 { 2 "sid": "65952dc12744f7b1e20b2be1" 3 }</pre>
WA result		 A screenshot of a WhatsApp message on a dark background. The text reads: "Please do not forward & reply this message. I-MEMO APPROVAL", "Approval request of IM1200304x", "Dear Hendri Handoyo, Please click here to see details and respond: https://it-smm.id/OEkXx", "Thank you. Provided by IT Application SMM", and a timestamp "14.06".

PRPO Template 2

url		https://wa-api.it-smm.id/api/v4/send-wa/approval										
method		POST										
param		<table><tr><td>message</td><td>{"11": "value_1", "22": "value_2", "33": "value_3", "44": "value_4", "55": "value_5"}</td></tr><tr><td>template_id</td><td>prpo_tmp2</td></tr><tr><td>api_key</td><td>KpKHbl3jtW</td></tr><tr><td>to_no</td><td>6281xxxxx</td></tr><tr><td></td><td></td></tr></table>	message	{"11": "value_1", "22": "value_2", "33": "value_3", "44": "value_4", "55": "value_5"}	template_id	prpo_tmp2	api_key	KpKHbl3jtW	to_no	6281xxxxx		
message	{"11": "value_1", "22": "value_2", "33": "value_3", "44": "value_4", "55": "value_5"}											
template_id	prpo_tmp2											
api_key	KpKHbl3jtW											
to_no	6281xxxxx											
notes		-										
example												

	<table> <tr> <td>message</td><td>{ "11": "SAP ARIBA", "22": "WS230075808xx", "33": "Hendri Handoyo", "44": "WS2300758080", "55": "Approved" }</td></tr> <tr> <td>template_id</td><td>prpo_tmp2</td></tr> <tr> <td>api_key</td><td>KpKHbl3jtW</td></tr> <tr> <td>to_no</td><td>6281392278844</td></tr> <tr> <td></td><td></td></tr> </table>	message	{ "11": "SAP ARIBA", "22": "WS230075808xx", "33": "Hendri Handoyo", "44": "WS2300758080", "55": "Approved" }	template_id	prpo_tmp2	api_key	KpKHbl3jtW	to_no	6281392278844		
message	{ "11": "SAP ARIBA", "22": "WS230075808xx", "33": "Hendri Handoyo", "44": "WS2300758080", "55": "Approved" }										
template_id	prpo_tmp2										
api_key	KpKHbl3jtW										
to_no	6281392278844										
curl	<pre>curl --location --request POST 'https://wa-api.it-smm.id/api/v4/send-wa/approval' \ --header 'Content-Type: multipart/form-data' \ --form 'to_no="6281392278844"' \ --form 'message="{ "11": "SAP ARIBA", "22": "WS230075808xx", "33": "Hendri Handoyo", "44": "WS2300758080", "55": "Approved"}"' \ --form 'template_id="prpo_tmp2"' \ --form 'api_key="KpKHbl3jtW"'</pre>										
API result	 <pre>1 { 2 "sid": "65952d9a2744f7b1e20b2bdb" 3 }</pre>										
WA result	 Please do not forward & reply this message. SAP ARIBA APPROVAL Approval request of WS230075808xx Dear Hendri Handoyo, WS2300758080 has been Approved Thank you. Provided by IT Application SMM 13.54										