

Secure Exit

SIMATS
ENGINEERING

SIMATS Online Programming Lab

JAVA PROGRAMMING

BAGYA VENKATESH
192324263RA

Java Strings

View Only

[← Back](#)

QUESTIONS

Q1

Customer Registration Data
Analyzer
20 marks

1/1 answered

Q1 Customer Registration Data Analyzer 20 marks

An online shopping portal stores customer details in the following format:

Name|Email|City|Product

Example:

Rahul Sharma|rahul123@gmail.com|Chennai|Laptop

Read the customer record and perform the following operations.

Remove leading and trailing spaces from the input.

Split the input using the delimiter |.

Extract and store:

Customer Name

Email

City

Product

Print the length of the customer's name.

Print the first character of the customer's name.

Print the first name only.

Check whether the email contains '@' and ends with .com.

Check whether the city starts with the letter 'C' (case insensitive).

Replace every space in the customer name with an underscore (_).

Print the product name in uppercase.

Print the city name in lowercase.

Print the position of '@' in the email.

Print the last occurrence of the letter 'a' in the customer name.

If the city is "Chennai" (ignoring case), print Local Customer; otherwise print Outside Customer.

Input Format

A single string in the format

Name|Email|City|Product

Output Format

Print the following:

Name Length : <length>

First Character : <character>

First Name : <firstname>

Email : Valid/Invalid

City Starts With C : Yes/No

Modified Name : <name_with_underscores>

Product : <UPPERCASE>

City : <lowercase>

@ Position : <index>

Last Index of a : <index>

Customer Type : Local Customer / Outside Customer

Sample Input 1

Rahul Sharma|rahul123@gmail.com|Chennai|Laptop

Sample Output 1

Name Length : 12

First Character : R

First Name : Rahul

Email : Valid

City Starts With C : Yes

Modified Name : Rahul_Sharma

Product : LAPTOP

City : chennai

@ Position : 8

Last Index of a : 11

Customer Type : Local Customer

Your Code

```

1 import java.util.*;
2 public class Employee{
3     public static void main(String[] args)
4     {
5         Scanner sc = new Scanner(System.in);
6         String input =sc.nextLine().trim();
7         String[] data = input.trim().split(" ");
8         String name =data[0].trim();
9         String email=data[1].trim();
10        String city=data[2].trim();
11        String product=data[3].trim();
12        System.out.println("Name Length : "+name.length());
13        System.out.println("First Character : "+name.charAt(0));
14        System.out.println("First Name : "+name.substring(0,1));
15        if(email.contains("@")&&email.endsWith(".com"))
16        {
17            System.out.println("Email : Valid");
18        }
19        else{
20            System.out.println("Email : Invalid");
21        }
22        if(city.toLowerCase().startsWith("b"))
23        {
24            System.out.println("City Starts with B");
25        }
26        else{
27            System.out.println("City Starts with other character");
28        }
29        System.out.println("Modified Name : "+name.replaceAll(" ", ""));
30        System.out.println("Product : "+product);
31        System.out.println("City : "+city);
32        System.out.println("@ Position : "+email.indexOf("@"));
33        System.out.println("Last Index of @ : "+email.lastIndexOf("@"));
34        if(city.equalsIgnoreCase("Chennai"))
35        {
36            System.out.println("Customer is from Chennai");
37        }
38        else
39        {
40            System.out.println("Customer is not from Chennai");
41        }
42    }
43 }

```



Input

Anitha Devi|anitha@yahoo.in|Bangalore|Mobile



Output

```
Name Length : 11
First Character : A
First Name : Anitha
Email : Invalid
City Starts With C : No
Modified Name : Anitha Devi
```

Visible Test Cases

Test Case 1



Test Case 2



Test Case 3



20.00 / 20 marks

✓ Submitted