

Student 6: **BAGYA VENKATESH** 192324263RA

2 / 2 submitted

Q1. Food Delivery Billing System (Multiple Inheritance using Two Interfaces)

Score: 10.00 TC: 3/3 passed

CODE

```
import java.util.*;
interface DeliveryCharge{
    double calculateDeliveryCharge();
}
interface CouponDiscount{
    double calculateDiscount();
}
class FoodOrder implements
    DeliveryCharge,CouponDiscount{
    double foodcost;
    String coupon;
    FoodOrder(double f,String c){
        foodcost=f;
        coupon=c;
    }
    public double calculateDeliveryCharge(){
        if(foodcost>=500)
            return 0.0;
        else
            return 50.0;
    }
    public double calculateDiscount(){
        if(coupon.equalsIgnoreCase("SAVE10"))
            return foodcost*0.10;
        else
            return 0;
    }
    void display(){
        double dc=calculateDeliveryCharge();
        double dis=calculateDiscount();
        System.out.println("Food Cost : "+foodcost);
        System.out.println("Delivery Charge : "+dc);
        System.out.println("Discount : "+dis);
        System.out.println("Final Bill : "+(foodcost+dc-dis));
    }
    public static void main(String[] args){
        Scanner sc = new Scanner(System.in);
        double f=sc.nextDouble();
        sc.nextLine();
        String c=sc.nextLine();
        FoodOrder obj = new FoodOrder(f,c);
        obj.display();
    }
}
```

INPUT

600
SAVE10

OUTPUT

Food Cost : 600.0
Delivery Charge : 0.0
Discount : 60.0
Final Bill : 540.0

Report

Q2. Hotel Billing System (Multiple Inheritance using One Class and One Interface)

Score: 10.00 TC: 3/3 passed

CODE

```
import java.util.*;
public class Room{
    int roomNo;
    String guest;
    double rent;
    Room(int r,String g,double rt){
        roomNo=r;
        guest=g;
        rent=rt;
    }
    public static void main(String[] args){
        Scanner sc = new Scanner(System.in);
        int r=sc.nextInt();
        sc.nextLine();
        String g= sc.nextLine();
        double rt = sc.nextDouble();

        Hotelbill h = new Hotelbill(r,g,rt);
        h.display();
    }
}
interface service{
    double cservice();
}
class Hotelbill extends Room implements service{
    Hotelbill(int r,String g,double rt){
        super(r,g,rt);
    }
    public double cservice(){
        if(rent>=5000)
            return rent*0.12;
        else
            return rent*0.08;
    }
    void display(){
        double sc = cservice();
        System.out.println("Room Number : "+roomNo);
        System.out.println("Guest Name : "+guest);
        System.out.println("Room Rent : "+rent);
        System.out.println("Service Charge : "+sc);
        System.out.println("Final Bill : "+(rent+sc));
    }
}
```

INPUT

```
205
Ananya
6000
```

OUTPUT

```
Room Number : 205
Guest Name : Ananya
Room Rent : 6000.0
Service Charge : 720.0
Final Bill : 6720.0
```