

In order to compare participants' modeling performance between sets we computed the difference between the linearly regressed reference elevation and the mean elevation for each set. The difference between the reference and mean elevation maps should show where the mean elevation values for each set are too low or too high. There were, however, systematic errors in the scanned models. Table ?? shows the vertical shift in the hand sculpted and projection augmented models caused by scanning and georeferencing. We used linear regression to account for these systematic errors in the difference calculation,

$$z = (a + b * x) - y \quad (1)$$

where:

- x is the reference elevation map
- y is the mean elevation of maps in a set
- z is the difference
- a is the offset
- b is the slope.

We vertically rescaled and translated the reference elevation using the linear regression of the reference and mean elevation maps calculated with the module *r.regression.line* [?]. Then we calculated the difference between the linearly regressed reference elevation and the mean elevation of all maps in a set with the module *r.mapcalc* [?].

Author's addresses: B. A. Harmon and A. Petrasova and V. Petras and H. Mitasova and R. K. Meentemeyer, Center for Geospatial Analytics, North Carolina State University; B. A. Harmon, E. H. Bressler and A. Rice, Department of Landscape Architecture, North Carolina State University.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

© 2010 ACM. 1073-0516/2010/03-ART39 \$15.00

DOI: 0000001.0000001

In order to compare participants' modeling performance between sets we computed the difference between the linearly regressed reference elevation and the mean elevation for each set. The difference between the reference and mean elevation maps should show where the mean elevation values for each set are too low or too high. There were, however, systematic errors in the scanned models. Table ?? shows the vertical shift in the hand sculpted and projection augmented models caused by scanning and georeferencing. We vertically rescaled and translated the reference elevation using the linear regression of the reference and mean elevation maps to account for these systematic errors in the difference calculation,

$$\Delta = (a + b * x) - y \quad (2)$$

where:

Δ is the difference

x is the reference elevation map

y is the mean elevation of maps in a set

a is the offset

b is the slope.