Embodied Spatial Cognition in Tangible Computing

BRENDAN ALEXANDER HARMON, North Carolina State University ANNA PETRASOVA, North Carolina State University VACLAV PETRAS, North Carolina State University HELENA MITASOVA, North Carolina State University ROSS KENDALL MEENTEMEYER, North Carolina State University

. . .

CCS Concepts: ${}^{\bullet}$ Human-centered computing \to Human computer interaction (HCI); Laboratory experiments;

Additional Key Words and Phrases: Tangible user interfaces, tangible interaction, embodied cognition, spatial thinking, geospatial modeling

ACM Reference Format:

Brendan A. Harmon, Anna Petrasova, Vaclav Petras, Helena Mitasova, and Ross K. Meentemeyer, 2016. Embodied Spatial Cognition in Tangible Computing. *ACM Trans. Embedd. Comput. Syst.* 9, 4, Article 39 (March 2010), 2 pages.

DOI: 0000001.0000001

1. INTRODUCTION

Theoretically tangible interaction should offload cognitive processes through bodily action, physical simulation, and digital computation.

Should improve spatial performance.

Research questions:

Can tangible interfaces improve spatial performance?

Which tangible analytics improve spatial performance the most?

Aim: Improve spatial performance

A comparative study of 3D spatial performance with hand modeling, digital modeling, and tangible interaction.

Two experiments.

2. METHODOLOGY

2.1. Tangible Landscape

Concept. A tangible user interface powered by open source GIS. Coupling a digital and physical model of a landscape so that you can intuitively feel and shape it with your hands. Near-real time interaction.

Evolution. An evolution of Illuminating Clay and the Tangible Geospatial Modeling System.

Design. Tangible Landscape couples a digital and a physical model through a continuous cycle of 3D scanning, geospatial modeling, and projection. Intuitive scientific

Author's addresses: B. A. Harmon and A. Petrasova and V. Petras and H. Mitasova and R. K. Meentemeyer, Center for Geospatial Analytics, North Carolina State University.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

© 2010 ACM. 1539-9087/2010/03-ART39 \$15.00

DOI: 0000001.0000001

39:2 B. Harmon et al.




Fig. 1. Caption.

modeling with Tangible Landscape. Tangible Landscape is designed to make scientific data, models, and simulations exploratory, engaging, and fun.

Figure 1...

 $Modes\ of\ interaction.$

Applications.

2.2. Coupling experiment

2.3. Analytics experiment

2.4. Case studies

Coffee & Viz. Scientific gaming: Structured problem solving with rules, challenging objectives, and scoring

- 3. RESULTS
- 4. DISCUSSION
- 5. FUTURE WORK
- 6. CONCLUSION

APPENDIX

In this appendix ...

ELECTRONIC APPENDIX

The electronic appendix for this article can be accessed in the ACM Digital Library.

ACKNOWLEDGMENTS

. . .

Online Appendix to: Embodied Spatial Cognition in Tangible Computing

BRENDAN ALEXANDER HARMON, North Carolina State University ANNA PETRASOVA, North Carolina State University VACLAV PETRAS, North Carolina State University HELENA MITASOVA, North Carolina State University ROSS KENDALL MEENTEMEYER, North Carolina State University

Α. ...

. . .

© 2010 ACM. 1539-9087/2010/03-ART39 \$15.00 DOI: 0000001.0000001