

# Cucumber Report

Apr 15, 2023, 10:39:28 AM

**Start : Apr 15, 10:36:31.462 AM**

**End : Apr 15, 10:39:26.994 AM**

**Duration : 2 m 55.532 s**

Features






PASSED - 2  
FAILED - 3  
SKIPPED - 0

Scenarios

PASSED - 30  
FAILED - 26  
SKIPPED - 0


Steps

PASSED - 116  
FAILED - 26  
SKIPPED - 33




<b>Feature</b>		<b>Scenario</b>					<b>Step</b>			
<b>Name</b>	<b>Duration</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	
<u>Launch Start page and Test Home Page</u>	9.409 s	14	1	13	0	43	17	13	13	
<u>Title of your feature</u>	11.774 s	8	8	0	0	21	21	0	0	
<u>performing signin</u>	9.378 s	10	10	0	0	30	30	0	0	
<u>To validate Queue Data Structure</u>	1 m 30.634 s	16	8	8	0	55	34	8	13	
<u>To Validate Graph Data Structure</u>	54.188 s	8	3	5	0	26	14	5	7	


<b>Tag</b>	<b>Scenario</b>				<b>Feature</b>			
	<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>
@startPage		14	1	13	0	1	0	1




#	Feature Name	T	P	F	S	Duration
1	<u>Launch Start page and Test Home Page</u>	14	1	13	0	9.409 s
2	<u>Title of your feature</u>	8	8	0	0	11.774 s
3	<u>performing signin</u>	10	10	0	0	9.378 s
4	<u>To validate Queue Data Structure</u>	16	8	8	0	1 m 30.634 s
5	<u>To Validate Graph Data Structure</u>	8	3	5	0	54.188 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Launch Start page and Test Home Page</u>	<u>launch the home page of dsalgo portal</u>	3	3	0	0	1.462 s
2	<u>Launch Start page and Test Home Page</u>	<u>user is on home page</u>	2	0	1	1	0.591 s
3	<u>Launch Start page and Test Home Page</u>	<u>user is on home page</u>	2	0	1	1	0.494 s
4	<u>Launch Start page and Test Home Page</u>	<u>user is on home page</u>	2	0	1	1	0.480 s
5	<u>Launch Start page and Test Home Page</u>	<u>user is on home page</u>	2	0	1	1	0.446 s
6	<u>Launch Start page and Test Home Page</u>	<u>user is on home page</u>	2	0	1	1	0.434 s
7	<u>Launch Start page and Test Home Page</u>	<u>User is on Home page and click on dropdown without sign in</u>	4	2	1	1	0.735 s
8	<u>Launch Start page and Test Home Page</u>	<u>User is on Home page and click on dropdown without sign in</u>	4	2	1	1	0.681 s
9	<u>Launch Start page and Test Home Page</u>	<u>User is on Home page and click on dropdown without sign in</u>	4	2	1	1	0.685 s
10	<u>Launch Start page and Test Home Page</u>	<u>User is on Home page and click on dropdown without sign in</u>	4	2	1	1	0.633 s




#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
11	<u>Launch Start page and Test Home Page</u>	<u>User is on Home page and click on dropdown without sign in</u>	4	2	1	1	0.669 s
12	<u>Launch Start page and Test Home Page</u>	<u>User is on Home page and click on dropdown without sign in</u>	4	2	1	1	0.630 s
13	<u>Launch Start page and Test Home Page</u>	<u>User is on Home page and click on sign in</u>	3	1	1	1	0.401 s
14	<u>Launch Start page and Test Home Page</u>	<u>User is on Home page and click on Register</u>	3	1	1	1	0.431 s
15	<u>Title of your feature</u>	<u>The user is presented with error message for empty fields below Username textbox</u>	3	3	0	0	0.573 s
16	<u>Title of your feature</u>	<u>The user is presented with error message for empty fields below Password textbox</u>	2	2	0	0	0.330 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
17	<u>Title of your feature</u>	<u>The user is presented with error message for empty fields belo Password Confirmation textbox</u>	2	2	0	0	0.369 s
18	<u>Title of your feature</u>	<u>to register with all the data</u>	3	3	0	0	2.593 s
19	<u>Title of your feature</u>	<u>to register with all the data</u>	3	3	0	0	5.033 s
20	<u>Title of your feature</u>	<u>to register with all the data</u>	3	3	0	0	1.233 s
21	<u>Title of your feature</u>	<u>to register with all the data</u>	3	3	0	0	1.182 s
22	<u>Title of your feature</u>	<u>Verifying signin link</u>	2	2	0	0	0.206 s
23	<u>performing signin</u>	<u>Redirect to Register page</u>	3	3	0	0	0.408 s
24	<u>performing signin</u>	<u>Redirect to login page</u>	3	3	0	0	0.253 s
25	<u>performing signin</u>	<u>User on login page and login with invalid inputs</u>	3	3	0	0	0.729 s
26	<u>performing signin</u>	<u>User on login page and login with invalid inputs</u>	3	3	0	0	0.475 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
27	<u>performing signin</u>	<u>User on login page and login with invalid inputs</u>	3	3	0	0	0.457 s
28	<u>performing signin</u>	<u>"User on login page and login with invalid and valid inputs from Excel"</u>	3	3	0	0	1.376 s
29	<u>performing signin</u>	<u>"User on login page and login with invalid and valid inputs from Excel"</u>	3	3	0	0	1.477 s
30	<u>performing signin</u>	<u>"User on login page and login with invalid and valid inputs from Excel"</u>	3	3	0	0	1.464 s
31	<u>performing signin</u>	<u>"User on login page and login with invalid and valid inputs from Excel"</u>	3	3	0	0	1.979 s
32	<u>performing signin</u>	<u>Verifying signout link</u>	3	3	0	0	0.552 s
33	<u>To validate Queue Data Structure</u>	<u>The user is logged in to DS Algo portal</u>	4	4	0	0	0.530 s
34	<u>To validate Queue Data Structure</u>	<u>User is naviagted to Queue Data structure from homepage</u>	3	1	1	1	10.382 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
35	<a href="#">To validate Queue Data Structure</a>	<a href="#">User is navigated to Implementation of Queue in Python</a>	3	1	1	1	10.326 s
36	<a href="#">To validate Queue Data Structure</a>	<a href="#">User is navigated to tryEditor Page</a>	3	1	1	1	10.391 s
37	<a href="#">To validate Queue Data Structure</a>	<a href="#">User enters valid Python code and Presented with Result</a>	4	1	1	2	10.355 s
38	<a href="#">To validate Queue Data Structure</a>	<a href="#">User enters Invalid Python code and Presented with Error Message</a>	5	2	1	2	13.324 s
39	<a href="#">To validate Queue Data Structure</a>	<a href="#">User navigates to Implementation using collections.deque</a>	3	3	0	0	0.391 s
40	<a href="#">To validate Queue Data Structure</a>	<a href="#">User navigates to tryEditor page</a>	3	3	0	0	0.616 s
41	<a href="#">To validate Queue Data Structure</a>	<a href="#">User enters valid Python code and Presented with Result</a>	4	1	1	2	10.449 s
42	<a href="#">To validate Queue Data Structure</a>	<a href="#">User is navigated to Implementation using array</a>	3	3	0	0	0.321 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
43	<u>To validate Queue Data Structure</u>	<u>User is naviagted to tryEditor page from Implementation using array page</u>	3	3	0	0	0.542 s
44	<u>To validate Queue Data Structure</u>	<u>User enters valid Python code and Presented with Result</u>	4	1	1	2	10.425 s
45	<u>To validate Queue Data Structure</u>	<u>User is navigated to Queue Operations</u>	3	3	0	0	0.533 s
46	<u>To validate Queue Data Structure</u>	<u>User is navigated to tryEditor Page</u>	3	3	0	0	0.848 s
47	<u>To validate Queue Data Structure</u>	<u>User enters valid Python code and Presented with Result</u>	4	1	1	2	10.425 s
48	<u>To validate Queue Data Structure</u>	<u>User navigated to Practice Questions</u>	3	3	0	0	0.355 s
49	<u>To Validate Graph Data Structure</u>	<u>User should be able to navigate to Graph Data Structure Page</u>	3	3	0	0	1.931 s
50	<u>To Validate Graph Data Structure</u>	<u>User should be able to navigate to Graph Page</u>	3	1	1	1	10.375 s
51	<u>To Validate Graph Data Structure</u>	<u>User should be able to navigate to tryEditor Page</u>	3	1	1	1	10.325 s




#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
52	<u>To Validate Graph Data Structure</u>	<u>User enters valid Python code and Presented with Result</u>	4	1	1	2	10.371 s
53	<u>To Validate Graph Data Structure</u>	<u>User should be able to navigate to Graph representations Page</u>	3	1	1	1	10.340 s
54	<u>To Validate Graph Data Structure</u>	<u>User should be able to navigate to tryEditor Page</u>	3	3	0	0	0.006 s
55	<u>To Validate Graph Data Structure</u>	<u>User should be able to enter a invalid Python code and Presented with Error Message</u>	4	1	1	2	10.387 s
56	<u>To Validate Graph Data Structure</u>	<u>The user is able to navigate to "Practice Questions" in graph Page</u>	3	3	0	0	0.311 s

## Launch Start page and Test Home Page





### launch the home page of dsalgo portal




#	Step / Hook Details	Status	Duration
1	Given user opens the dsalgo portal link	PASSED	0.493 s
2	When user clicks on "Get Started" button	PASSED	0.909 s
3	Then user redirected to home page	PASSED	0.016 s

### user is on home page





#	Step / Hook Details	Status	Duration
1	<p>When The user click any of the Get started button "Data Structures-Introduction" in home page</p> <pre>java.lang.Error: Unresolved compilation problem:  Cannot switch on a value of type String for source level below 1.7. Only convertible int values or enum variables are permitted   at pageObjectModel.HomePage_POM.getStarted_home(HomePage_POM.java:79)   at stepDefination.HomePage_SD.the_user_click_any_of_the_get_started_button_in_home_page(HomePage_SD.java:34)   at ?.The user click any of the Get started button "Data Structures-Introduction" in home page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC01_HomePage.feature:10) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.019 s
	<p>AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.563 s
2	Then It should Alert the user with the message "You are not logged in"	SKIPPED	0.002 s

### user is on home page




#	Step / Hook Details	Status	Duration
1	<p>When The user click any of the Get started button "Linked List" in home page</p> <pre>java.lang.Error: Unresolved compilation problem:  Cannot switch on a value of type String for source level below 1.7. Only convertible int values or enum variables are permitted   at pageObjectModel.HomePage_POM.getStarted_home(HomePage_POM.java:79)   at stepDefination.HomePage_SD.the_user_click_any_of_the_get_started_button_in_home_page(HomePage_SD.java:34)   at ?.The user click any of the Get started button "Linked List" in home page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC01_HomePage.feature:10) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.005 s


#	Step / Hook Details	Status	Duration
	AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario)  My screenshot  	PASSED	0.482 s
2	Then It should Alert the user with the message "You are not logged in"	SKIPPED	0.001 s

**user is on home page**


#	Step / Hook Details	Status	Duration
1	When The user click any of the Get started button "Stack" in home page  java.lang.Error: Unresolved compilation problem: Cannot switch on a value of type String for source level below 1.7. Only convertible int values or enum variables are permitted at pageObjectModel.HomePage_POM.getStarted_home(HomePage_POM.java:79) at stepDefinition.HomePage_SD.the_user_click_any_of_the_get_started_button_in_home_page(HomePage_SD.java:34) at ?.The user click any of the Get started button "Stack" in home page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC01_HomePage.feature:10) * Not displayable characters are replaced by '?'.	FAILED	0.006 s
	AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario)  My screenshot  	PASSED	0.468 s
2	Then It should Alert the user with the message "You are not logged in"	SKIPPED	0.001 s

## user is on home page




#	Step / Hook Details	Status	Duration
1	When The user click any of the Get started button "Queue" in home page  java.lang.Error: Unresolved compilation problem: Cannot switch on a value of type String for source level below 1.7. Only convertible int values or enum variables are permitted at pageObjectModel.HomePage_POM.getStarted_home(HomePage_POM.java:79) at stepDefination.HomePage_SD.the_user_click_any_of_the_get_started_button_in_home_page(HomePage_SD.java:34) at ?.The user click any of the Get started button "Queue" in home page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC01_HomePage.feature:10) * Not displayable characters are replaced by '?'.	FAILED	0.003 s
	AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario)  My screenshot 	PASSED	0.439 s
2	Then It should Alert the user with the message "You are not logged in"	SKIPPED	0.000 s

## user is on home page




#	Step / Hook Details	Status	Duration
1	<p>When The user click any of the Get started button "Tree" in home page</p> <pre>java.lang.Error: Unresolved compilation problem:  Cannot switch on a value of type String for source level below 1.7. Only convertible int values or enum variables are permitted   at pageObjectModel.HomePage_POM.getStarted_home(HomePage_POM.java:79)   at stepDefinition.HomePage_SD.the_user_click_any_of_the_get_started_button_in_home_page(HomePage_SD.java:34)   at ?.The user click any of the Get started button "Tree" in home page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC01_HomePage.feature:10) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.005 s
	<p>AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.421 s
2	Then It should Alert the user with the message "You are not logged in"	SKIPPED	0.001 s

### User is on Home page and click on dropdown without sign in




#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.170 s
2	When The user clicks on data structure dropdown	PASSED	0.087 s
3	When The user clicks on dropdown "Arrays" without login  java.lang.Error: Unresolved compilation problem: Cannot switch on a value of type String for source level below 1.7. Only convertible int values or enum variables are permitted at pageObjectModel.HomePage_POM.clickDropdown(HomePage_POM.java:128) at stepDefination.HomePage_SD.the_user_clicks_on_dropdown_without_login(HomePage_SD.java:55) at ?.The user clicks on dropdown "Arrays" without login(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC01_HomePage.feature:23) * Not displayable characters are replaced by '?'.  AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) My screenshot 	FAILED	0.004 s
4	Then The user get warning message "You are not logged in"	SKIPPED	0.001 s


### User is on Home page and click on dropdown without sign in



#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.156 s
2	When The user clicks on data structure dropdown	PASSED	0.071 s
3	When The user clicks on dropdown "Linked list" without login  java.lang.Error: Unresolved compilation problem: Cannot switch on a value of type String for source level below 1.7. Only convertible int values or enum variables are permitted	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	at pageObjectModel.HomePage_POM.clickDropdown(HomePage_POM.java:128) at stepDefination.HomePage_SD.the_user_clicks_on_dropdown_without_login(HomePage_SD.java:55) at ?.The user clicks on dropdown "Linked list" without login(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC01_HomePage.feature:23) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.435 s
4	Then The user get warning message "You are not logged in"	SKIPPED	0.001 s


### User is on Home page and click on dropdown without sign in



#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.158 s
2	When The user clicks on data structure dropdown	PASSED	0.075 s
3	When The user clicks on dropdown "Stack" without login java.lang.Error: Unresolved compilation problem: Cannot switch on a value of type String for source level below 1.7. Only convertible int values or enum variables are permitted at pageObjectModel.HomePage_POM.clickDropdown(HomePage_POM.java:128) at stepDefination.HomePage_SD.the_user_clicks_on_dropdown_without_login(HomePage_SD.java:55) at ?.The user clicks on dropdown "Stack" without login(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC01_HomePage.feature:23) * Not displayable characters are replaced by '?'.	FAILED	0.003 s
	AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario)	PASSED	0.432 s

#	Step / Hook Details	Status	Duration
	<p>My screenshot</p>		
4	Then The user get warning message "You are not logged in"	SKIPPED	0.001 s


### User is on Home page and click on dropdown without sign in




#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.142 s
2	When The user clicks on data structure dropdown	PASSED	0.074 s
3	<p>When The user clicks on dropdown "Queue" without login</p> <p>java.lang.Error: Unresolved compilation problem: Cannot switch on a value of type String for source level below 1.7. Only convertible int values or enum variables are permitted</p> <p>at pageObjectModel.HomePage_POM.clickDropdown(HomePage_POM.java:128)</p> <p>at stepDefination.HomePage_SD.the_user_clicks_on_dropdown_without_login(HomePage_SD.java:55)</p> <p>at ?.The user clicks on dropdown "Queue" without login(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC01_HomePage.feature:23)</p> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.005 s
	<p>AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p>	PASSED	0.395 s


#	Step / Hook Details	Status	Duration
4	Then The user get warning message "You are not logged in"	SKIPPED	0.001 s

### User is on Home page and click on dropdown without sign in




#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.145 s
2	When The user clicks on data structure dropdown	PASSED	0.070 s
3	When The user clicks on dropdown "Tree" without login  java.lang.Error: Unresolved compilation problem: Cannot switch on a value of type String for source level below 1.7. Only convertible int values or enum variables are permitted at pageObjectModel.HomePage_POM.clickDropdown(HomePage_POM.java:128) at stepDefination.HomePage_SD.the_user_clicks_on_dropdown_without_login(HomePage_SD.java:55) at ?.The user clicks on dropdown "Tree" without login(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC01_HomePage.feature:23) * Not displayable characters are replaced by '?'.	FAILED	0.003 s
	AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario)  My screenshot 	PASSED	0.431 s
4	Then The user get warning message "You are not logged in"	SKIPPED	0.000 s


### User is on Home page and click on dropdown without sign in




#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.146 s
2	When The user clicks on data structure dropdown	PASSED	0.065 s
3	When The user clicks on dropdown "Graph" without login  java.lang.Error: Unresolved compilation problem: Cannot switch on a value of type String for source level below 1.7. Only convertible int values or enum variables are permitted at pageObjectModel.HomePage_POM.clickDropdown(HomePage_POM.java:128) at stepDefination.HomePage_SD.the_user_clicks_on_dropdown_without_login(HomePage_SD.java:55) at ?.The user clicks on dropdown "Graph" without login(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC01_HomePage.feature:23) * Not displayable characters are replaced by '?'.	FAILED	0.004 s
	AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario)  My screenshot 	PASSED	0.403 s
4	Then The user get warning message "You are not logged in"	SKIPPED	0.000 s


User is on Home page and click on sign in



#	Step / Hook Details	Status	Duration
1	Given The user opens Home Page	PASSED	0.002 s
2	When The user clicks Sign in  java.lang.Error: Unresolved compilation problem: Cannot switch on a value of type String for source level below 1.7. Only convertible int values or enum variables are permitted at pageObjectModel.HomePage_POM.clickSignOrRegister(HomePage_POM.java:157) at stepDefination.HomePage_SD.the_user_clicks_sign_in(HomePage_SD.java:73) at ?.The user clicks Sign in(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC01_HomePage.feature:36) * Not displayable characters are replaced by '?'.	FAILED	0.004 s
	AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario)  My screenshot 	PASSED	0.387 s
3	Then The user should be redirected to Sign in page	SKIPPED	0.000 s

### User is on Home page and click on Register




#	Step / Hook Details	Status	Duration
1	Given The user opens Home Page	PASSED	0.002 s
2	When The user clicks Register  java.lang.Error: Unresolved compilation problem: Cannot switch on a value of type String for source level below 1.7. Only convertible int values or enum variables are permitted at pageObjectModel.HomePage_POM.clickSignOrRegister(HomePage_POM.java:157) at stepDefination.HomePage_SD.the_user_clicks_register(HomePage_SD.java:84) at ?.The user clicks Register(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC01_HomePage.feature:41) * Not displayable characters are replaced by '?'.	FAILED	0.003 s
	AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario)  My screenshot  	PASSED	0.420 s
3	Then The user should be redirected to Register form	SKIPPED	0.000 s

## Title of your feature



## The user is presented with error message for empty fields below Username textbox



#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page	PASSED	0.400 s
2	When The user clicks "Register" button with all fields empty	PASSED	0.102 s
3	Then It should display an error "Please fill out username field." below Username textbox	PASSED	0.058 s

### The user is presented with error message for empty fields below Password textbox

PASSED	DURATION - 0.330 s	 <p>Bar chart showing step execution times. Step 1 (username) took ~0.330s, Step 2 (password) took ~0.102s.</p>	Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	 <p>2</p>
/ 10:36:41.511 AM // 10:36:41.841 AM /				
<i>Title of your feature</i>				


#	Step / Hook Details	Status	Duration
1	When User click Register with username as "NumPySDET100" only	PASSED	0.275 s
2	Then User verify the message at password on Register Page as "Please fill out password field."	PASSED	0.049 s

### The user is presented with error message for empty fields below Password Confirmation textbox

PASSED	DURATION - 0.369 s	 <p>Bar chart showing step execution times. Step 1 (username) took ~0.369s, Step 2 (password) took ~0.049s.</p>	Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	 <p>2</p>
/ 10:36:41.927 AM // 10:36:42.296 AM /				
<i>Title of your feature</i>				


#	Step / Hook Details	Status	Duration
1	When User click Register with password as "PasswordSDET100" only	PASSED	0.304 s
2	Then User verify the message at confirmation password on Register Page as "Please fill out password confirmation field."	PASSED	0.059 s

to register with all the data




#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page	PASSED	0.398 s
2	When user enter the sheetname "Sheet1" and row number 0	PASSED	1.783 s
3	Then user click on Register button	PASSED	0.406 s

**to register with all the data**




#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page	PASSED	0.367 s
2	When user enter the sheetname "Sheet1" and row number 1	PASSED	4.382 s
3	Then user click on Register button	PASSED	0.279 s

**to register with all the data**




#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page	PASSED	0.141 s
2	When user enter the sheetname "Sheet1" and row number 2	PASSED	0.861 s
3	Then user click on Register button	PASSED	0.227 s

### to register with all the data




#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page	PASSED	0.118 s
2	When user enter the sheetname "Sheet1" and row number 3	PASSED	0.822 s
3	Then user click on Register button	PASSED	0.235 s

### Verifying signin link




#	Step / Hook Details	Status	Duration
1	Given The user clicks on signin link on register page	PASSED	0.200 s
2	Then The user redirected to signinpage from registerpage	PASSED	0.003 s

### performing signin




### Redirect to Register page




#	Step / Hook Details	Status	Duration
1	Given User is on Signln page	PASSED	0.125 s
2	When User Clicks on Register link	PASSED	0.269 s
3	Then User should be redirected to Register page	PASSED	0.002 s

## Redirect to login page




#	Step / Hook Details	Status	Duration
1	Given User is on register page	PASSED	0.003 s
2	When user click on loginbtn	PASSED	0.242 s
3	Then user in on loginpage	PASSED	0.001 s

## User on login page and login with invalid inputs




#	Step / Hook Details	Status	Duration
1	Given The user is on signin page	PASSED	0.002 s
2	When The user enter invalid "user" and "password"	PASSED	0.681 s
3	Then click login button to verify	PASSED	0.042 s

## User on login page and login with invalid inputs




#	Step / Hook Details	Status	Duration
1	Given The user is on signin page	PASSED	0.001 s
2	When The user enter invalid "" and ""	PASSED	0.434 s
3	Then click login button to verify	PASSED	0.035 s

### User on login page and login with invalid inputs




#	Step / Hook Details	Status	Duration
1	Given The user is on signin page	PASSED	0.001 s
2	When The user enter invalid "" and ""	PASSED	0.415 s
3	Then click login button to verify	PASSED	0.037 s

### "User on login page and login with invalid and valid inputs from Excel"




#	Step / Hook Details	Status	Duration
1	Given The user is on login page	PASSED	0.384 s
2	When The user enter sheet "signin" and 0	PASSED	0.462 s
3	Then click login button	PASSED	0.524 s

### "User on login page and login with invalid and valid inputs from Excel"




#	Step / Hook Details	Status	Duration
1	Given The user is on login page	PASSED	0.358 s
2	When The user enter sheet "signin" and 1	PASSED	0.610 s
3	Then click login button	PASSED	0.505 s

### "User on login page and login with invalid and valid inputs from Excel"




#	Step / Hook Details	Status	Duration
1	Given The user is on login page	PASSED	0.363 s
2	When The user enter sheet "signin" and 2	PASSED	0.592 s
3	Then click login button	PASSED	0.503 s

### "User on login page and login with invalid and valid inputs from Excel"




#	Step / Hook Details	Status	Duration
1	Given The user is on login page	PASSED	0.354 s
2	When The user enter sheet "signin" and 3	PASSED	0.644 s
3	Then click login button	PASSED	0.978 s

### Verifying signout link




#	Step / Hook Details	Status	Duration
1	Given The user is in the Home page with valid log in	PASSED	0.001 s
2	When The user clicks "Sign out"	PASSED	0.545 s
3	Then The user redirected to homepage	PASSED	0.002 s

### To validate Queue Data Structure




### The user is logged in to DS Algo portal



#	Step / Hook Details	Status	Duration
1	Given The user is on Signin page of DS Algo portal	PASSED	0.514 s
2	When The user enter valid "bahnisikha.dalbehera@gmail.com" and "Bahnirupa"	PASSED	0.001 s

#	Step / Hook Details	Status	Duration
3	And The user click on login button	PASSED	0.001 s
4	Then The user redirected to homepage	PASSED	0.001 s


## User is naviagted to Queue Data structure from homepage



#	Step / Hook Details	Status	Duration
1	Given User is on Home Page of Dsalgo Portal	PASSED	0.001 s
2	<p>When User clicks on getstarted button</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[5][@class='col']//a"} (Session info: chrome=111.0.5563.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dd8e8a690cc98364a91921bb94e08ec1, findElement {using=xpath, value="//div[5][@class='col']//a"]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50599}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50599/devtoo..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dd8e8a690cc98364a91921bb94e08ec1     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)     at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)</pre>	FAILED	10.061 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at pageObjectModel.Queue_POM.getstart_queue(Queue_POM.java:49) at stepDefinition.Queue_SD.user_clicks_on_getstarted_button(Queue_SD.java:39) at ?.User clicks on getstarted button(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC08_QueuePage.feature:12) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.315 s
3	Then User is navigated to Queue data structure	SKIPPED	0.000 s


## User is navigated to Implementation of Queue in Python



#	Step / Hook Details	Status	Duration
1	Given User is on Queue Data Structure	PASSED	0.001 s
2	<p>When User clicks on Implementation of Queue in Python</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Implementation of Queue in Python"} (Session info: chrome=111.0.5563.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dd8e8a690cc98364a91921bb94e08ec1, findElement {using=link text, value=Implementation of Queue in Python}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: </pre>	FAILED	10.042 s

#	Step / Hook Details	Status	Duration
	<pre>111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50599}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50599/devtoo..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dd8e8a690cc98364a91921bb94e08ec1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at pageObjectModel.Queue_POM.implement_queue(Queue_POM.java:55) at stepDefinatation.Queue_SD.user_clicks_on_implementation_of_queue_in_python(Queue_SD.java:58) at ?.User clicks on Implementation of Queue in Python(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC08_QueuePage.feature:17) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.278 s
3	Then User is directed to Implementation of Queue in Python	SKIPPED	0.000 s


## User is navigated to tryEditor Page



#	Step / Hook Details	Status	Duration
1	Given User is on Implementation of Queue in Python	PASSED	0.002 s
2	<p>When User clicks on Try here button</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Try here&gt;&gt;&gt;"} (Session info: chrome=111.0.5563.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dd8e8a690cc98364a91921bb94e08ec1, findElement {using=link text, value=Try here&gt;&gt;&gt;} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50599}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50599/devtoo..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dd8e8a690cc98364a91921bb94e08ec1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</pre>	FAILED	10.061 s

#	Step / Hook Details	Status	Duration
	<pre>at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at pageObjectModel.Queue_POM.try_button(Queue_POM.java:86) at stepDefination.Queue_SD.user_clicks_on_try_here_button(Queue_SD.java:74) at ?.User clicks on Try here button(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC08_QueuePage.feature:22) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p>	PASSED	0.326 s
3	Then User is navigated to tryEditor Page	SKIPPED	0.001 s


### User enters valid Python code and Presented with Result




#	Step / Hook Details	Status	Duration
1	Given User is on Try Editor Page	PASSED	0.001 s
2	<p>And User Enters "print('Hello, world!') in the Editor</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//form/div/div/div/textarea"} (Session info: chrome=111.0.5563.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dd8e8a690cc98364a91921bb94e08ec1, findElement {using=xpath, value=//form/div/div/div/textarea}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50599}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName:}</pre>	FAILED	10.016 s

#	Step / Hook Details	Status	Duration
	<p>WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50599/devtoo..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dd8e8a690cc98364a91921bb94e08ec1</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.sendKeys(Unknown Source) at pageObjectModel.Queue_POM.textarea(Queue_POM.java:91) at stepDefinition.Queue_SD.user_enters_in_the_editor(Queue_SD.java:92) at ?.User Enters "print("Hello, world!")" in the Editor(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC08_QueuePage.feature:27) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario)	PASSED	0.334 s
	My screenshot		
			
3	And clicks on Run Button	SKIPPED	0.000 s
4	Then The User is Presented with a Result	SKIPPED	0.001 s


User enters Invalid Python code and Presented with Error Message



#	Step / Hook Details	Status	Duration
1	Given User is navigated to Implementation of Queue in python	PASSED	1.248 s
2	When User clicks on Try here button	PASSED	1.567 s
3	<p>And User Enters Invalid python code "print('Hello, world!') in the Editor</p> <pre>org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dd8e8a690cc98364a91921bb94e08ec1, sendKeysToElement {id=fc4da9b1-f834-4f8d-acb2-4b59eec0503d, value=[Ljava.lang.CharSequence@64c37088}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50599}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50599/devtoo..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (dd8e8a690cc98364a91921bb94e08ec1)] -&gt; xpath: //form/div/div/div/textarea] Session ID: dd8e8a690cc98364a91921bb94e08ec1</pre> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)      at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)      at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)      at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)      at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)      at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)      at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)      at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)      at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)      at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)      at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257)      at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:113)      at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)      at java.base/java.lang.reflect.Method.invoke(Method.java:578)      at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)      at jdk.proxy2/jdk.proxy2.\$Proxy43.sendKeys(Unknown Source)</p>	FAILED	10.205 s


#	Step / Hook Details	Status	Duration
	at pageObjectModel.Queue_POM.textarea(Queue_POM.java:91) at stepDefination.Queue_SD.user_enters_invalid_python_code_in_the_editor(Queue_SD.java:118) at ?.User Enters Invalid python code "print'Hello, world!'" in the Editor(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC08_QueuePage.feature:34) * Not displayable characters are replaced by '?'.  AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario)		
	My screenshot 	PASSED	0.296 s
4	And clicks on Run Button	SKIPPED	0.000 s
5	Then The User is Presented with a Error Message for Invalid python code	SKIPPED	0.001 s

### User navigates to Implementation using collections.deque




#	Step / Hook Details	Status	Duration
1	Given User is on Queue Data Structure	PASSED	0.001 s
2	When User clicks on the Implementation using collections.deque link	PASSED	0.380 s
3	Then User is navigated to Implementation using collections.deque page	PASSED	0.003 s

### User navigates to tryEditor page




#	Step / Hook Details	Status	Duration
1	Given User is on Implementation using collections.deque page	PASSED	0.003 s
2	When User clicks on Try here button	PASSED	0.603 s
3	Then User is navigated to tryEditor Page	PASSED	0.002 s


### User enters valid Python code and Presented with Result



#	Step / Hook Details	Status	Duration
1	Given User is on Try Editor Page	PASSED	0.001 s
2	When User Enters "print('Implementation using collections.deque')" in the Editor  org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dd8e8a690cc98364a91921bb94e08ec1, sendKeysToElement {id=0d47f9fc-c142-42ef-a549-a8cdd502e19e, value=[Ljava.lang.CharSequence;@44d6f9cf}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50599}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50599/devtoo..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (dd8e8a690cc98364a91921bb94e08ec1)] > xpath: //form/div/div/div/textarea] Session ID: dd8e8a690cc98364a91921bb94e08ec1	FAILED	10.181 s


#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:113) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy43.sendKeys(Unknown Source) at pageObjectModel.Queue_POM.textarea(Queue_POM.java:91) at stepDefination.Queue_SD.user_enters_in_the_editor(Queue_SD.java:92) at ?.User Enters "print('Implementation using collections.deque')" in the Editor(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC08_QueuePage.feature:50) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.262 s
3	And clicks on Run Button	SKIPPED	0.000 s
4	Then The User is Presented with a Result	SKIPPED	0.000 s

User is navigated to Implementation using array




#	Step / Hook Details	Status	Duration
1	Given User is on Queue Data Structure	PASSED	0.001 s
2	When User clicks on Implementation using array link	PASSED	0.313 s
3	Then User is navigated to Implementation using array page	PASSED	0.001 s

### User is naviagted to tryEditor page from Implementation using array page




#	Step / Hook Details	Status	Duration
1	Given User is on Implementation using array page	PASSED	0.005 s
2	When User clicks on Try here button	PASSED	0.521 s
3	Then User is navigated to tryEditor Page	PASSED	0.004 s


### User enters valid Python code and Presented with Result



#	Step / Hook Details	Status	Duration
1	Given User is on Try Editor Page	PASSED	0.001 s
2	<p>When User Enters "print('Implementation using array page') in the Editor</p> <pre>org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dd8e8a690cc98364a91921bb94e08ec1, sendKeysToElement {id=c3c08b62-a6c4-4344-8c10-87b70e8752f1, value=[Ljava.lang.CharSequence;@145ef9e8}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50599}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50599/devtoo..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (dd8e8a690cc98364a91921bb94e08ec1)] -&gt; xpath: //form/div/div/div/textarea] Session ID: dd8e8a690cc98364a91921bb94e08ec1</pre> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)      at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)      at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)      at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)      at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)      at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)      at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)      at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)      at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)      at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)      at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257)      at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:113)      at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)      at java.base/java.lang.reflect.Method.invoke(Method.java:578)      at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)      at jdk.proxy2/jdk.proxy2.\$Proxy43.sendKeys(Unknown Source)      at pageObjectModel.Queue_POM.textarea(Queue_POM.java:91)      at stepDefinition.Queue_SD.user_enters_in_the_editor(Queue_SD.java:92)</p>	FAILED	10.158 s


#	Step / Hook Details	Status	Duration
	at ?.User Enters "print('Implementation using array page')" in the Editor(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC08_QueuePage.feature:66) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario)  My screenshot  	PASSED	0.257 s
3	And clicks on Run Button	SKIPPED	0.000 s
4	Then The User is Presented with a Result	SKIPPED	0.001 s

### User is navigated to Queue Operations




#	Step / Hook Details	Status	Duration
1	Given User is on Queue Data Structure	PASSED	0.001 s
2	When User clicks on Queue Operations link	PASSED	0.524 s
3	Then User is navigated to Queue Operations Page	PASSED	0.002 s

### User is navigated to tryEditor Page




#	Step / Hook Details	Status	Duration
1	Given User is on Queue Operations Page	PASSED	0.002 s
2	When User clicks on Try here button	PASSED	0.839 s
3	Then User is navigated to tryEditor Page	PASSED	0.002 s


### User enters valid Python code and Presented with Result



#	Step / Hook Details	Status	Duration
1	Given User is on Try Editor Page	PASSED	0.001 s
2	When User Enters "print('Queue Operations') in the Editor  org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dd8e8a690cc98364a91921bb94e08ec1, sendKeysToElement {id=e3e60d67-00c8-4938-adc9-9b867b20c676, value=[Ljava.lang.CharSequence;@71c91121}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50599}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50599/devtoo..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (dd8e8a690cc98364a91921bb94e08ec1)] -> xpath: //form/div/div/div/textarea] Session ID: dd8e8a690cc98364a91921bb94e08ec1	FAILED	10.126 s


#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:113) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy43.sendKeys(Unknown Source) at pageObjectModel.Queue_POM.textarea(Queue_POM.java:91) at stepDefination.Queue_SD.user_enters_in_the_editor(Queue_SD.java:92) at ?.User Enters "print('Queue Operations') in the Editor(file:///C:/Users/Padma/eclipse-kalpanasworkspace/ SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC08_QueuePage.feature:82) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.291 s
3	And clicks on Run Button	SKIPPED	0.001 s
4	Then The User is Presented with a Result	SKIPPED	0.000 s

User navigated to Practice Questions




#	Step / Hook Details	Status	Duration
1	Given User is on Implementation of Queue in Python	PASSED	0.001 s
2	When User clicks on Practice Questions link	PASSED	0.346 s
3	Then User is navigated to Practice Questions	PASSED	0.002 s

## To Validate Graph Data Structure




## User should be able to navigate to Graph Data Structure Page




#	Step / Hook Details	Status	Duration
1	Given User is on Home Page of DsAlgo Portal	PASSED	0.412 s
2	When User clicks on Graph Get started button	PASSED	1.510 s

#	Step / Hook Details	Status	Duration
3	Then User re-directed to Graph Page	PASSED	0.002 s


## User should be able to navigate to Graph Page




#	Step / Hook Details	Status	Duration
1	Given User is on Graph Data Structure Page	PASSED	0.002 s
2	<p>When User clicks on Graph link in Graph Page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/ul[2]/a[text()='Graph']"} (Session info: chrome=111.0.5563.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dd8e8a690cc98364a91921bb94e08ec1, findElement {using=xpath, value=/ul[2]/a[text()='Graph']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50599}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50599/devtoo..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 30000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dd8e8a690cc98364a91921bb94e08ec1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)</pre>	FAILED	10.054 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at pageObjectModel.GraphPage_POM.grph_link(GraphPage_POM.java:47) at stepDefinition.Graph_SD.user_clicks_on_graph_link_in_graph_page(Graph_SD.java:36) at ?.User clicks on Graph link in Graph Page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC10_GraphPage.feature:9) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.314 s
3	Then User is re-directed to Graphlink of Graph Page	SKIPPED	0.001 s


### User should be able to navigate to tryEditor Page




#	Step / Hook Details	Status	Duration
1	Given User is on Graph link of Graph Page	PASSED	0.001 s
2	<p>When User clicks on Try here button of Graph page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Try here&gt;&gt;&gt;"} (Session info: chrome=111.0.5563.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dd8e8a690cc98364a91921bb94e08ec1, findElement {using=link text, value=Try}</pre>	FAILED	10.017 s

#	Step / Hook Details	Status	Duration
	<p>here&gt;&gt;&gt;]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50599}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50599/devtoo..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dd8e8a690cc98364a91921bb94e08ec1</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)  at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source)  at pageObjectModel.GraphPage_POM.clck_try_button(GraphPage_POM.java:52)  at stepDefination.Graph_SD.user_clicks_on_try_here_button_of_Graph_page(Graph_SD.java:54)  at ?.User clicks on Try here button of Graph page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC10_GraphPage.feature:14)</p> <p>* Not displayable characters are replaced by '?'.</p>		
	<p>AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.304 s
3	Then User is re-directed to tryEditor Page	SKIPPED	0.001 s


## User enters valid Python code and Presented with Result




#	Step / Hook Details	Status	Duration
1	Given User is on tryEditor Page	PASSED	0.001 s
2	<p>When User enters Valid Python code "print('Implementation of Graph')"</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//form/div[@class='input']/textarea"} (Session info: chrome=111.0.5563.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dd8e8a690cc98364a91921bb94e08ec1, findElement {using=xpath, value=/form/div[@class='input']/textarea}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50599}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50599/devtoo..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dd8e8a690cc98364a91921bb94e08ec1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</pre>	FAILED	10.047 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.sendKeys(Unknown Source) at pageObjectModel.GraphPage_POM.pass_code_txarea(GraphPage_POM.java:56) at stepDefination.Graph_SD.user_enters_valid_python_code(Graph_SD.java:70) at ?.User enters Valid Python code "print('Implementation of Graph')"(file:///C:/Users/Padma/eclipse-kalpanasworkspace/ SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC10_GraphPage.feature:18) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.318 s
3	And clicks on Run button	SKIPPED	0.001 s
4	Then User is presented with the Result	SKIPPED	0.001 s


## User should be able to navigate to Graph representations Page



#	Step / Hook Details	Status	Duration
1	Given User is on Graph Data Structure Page	PASSED	0.001 s
2	When User clicks on Graph Representations link <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Graph Representations"} (Session info: chrome=111.0.5563.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dd8e8a690cc98364a91921bb94e08ec1, findElement {using=link text, value=Graph Representations}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:</pre>	FAILED	10.016 s


#	Step / Hook Details	Status	Duration
	<pre>111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50599}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50599/devtoo..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dd8e8a690cc98364a91921bb94e08ec1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at pageObjectModel.GraphPage_POM.grph_rep_link(GraphPage_POM.java:68) at stepDefination.Graph_SD.user_clicks_on_graph_representations_link(Graph_SD.java:105) at ?.User clicks on Graph Representations link(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC10_GraphPage.feature:24) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.318 s
3	Then User is navigated to Graph Representations Page	SKIPPED	0.000 s

## User should be able to navigate to tryEditor Page



#	Step / Hook Details	Status	Duration
1	Given User is on Graph Representations Page	PASSED	0.001 s
2	When User clicks on Try here button of Graph Representations page	PASSED	0.001 s
3	Then User is re-directed to tryEditor Page	PASSED	0.000 s


## User should be able to enter a invalid Python code and Presented with Error Message



#	Step / Hook Details	Status	Duration
1	Given User is on tryEditor Page	PASSED	0.001 s
2	When User enters code "print(Graph Representation)"  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Graph Representations"} (Session info: chrome=111.0.5563.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dd8e8a690cc98364a91921bb94e08ec1, findElement {using=link text, value=Graph Representations}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50599}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50599/devtoo..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,	FAILED 10.072 s	

#	Step / Hook Details	Status	Duration
	<pre>webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dd8e8a690cc98364a91921bb94e08ec1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at pageObjectModel.GraphPage_POM.grph_rep_link(GraphPage_POM.java:68) at stepDefinition.Graph_SD.user_enters_code(Graph_SD.java:91) at ?.User enters code "print(Graph Representation"(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC10_GraphPage.feature:34) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p>	PASSED	0.310 s
3	And clicks on Run button	SKIPPED	0.000 s
4	Then User is presented with Error Message	SKIPPED	0.000 s

The user is able to navigate to "Practice Questions" in graph Page



#	Step / Hook Details	Status	Duration
1	Given User is on Graph Representations Page	PASSED	0.001 s
2	When User clicks on Practice Questions of Graph page	PASSED	0.304 s
3	Then The user should be redirected to Practice Questions of Graph page	PASSED	0.001 s