

Cucumber Report

Apr 15, 2023, 9:46:03 AM

Start : Apr 15, 9:45:20.717 AM

End : Apr 15, 9:46:02.459 AM

Duration : 41.742 s

Features







PASSED - 2
FAILED - 3
SKIPPED - 0

Scenarios

PASSED - 21
FAILED - 34
SKIPPED - 0


Steps

PASSED - 153
FAILED - 34
SKIPPED - 44




Feature		Scenario					Step			
Name	Duration	T	P	F	S	T	P	F	S	
<u>Launch Start page and Test Home Page</u>	10.778 s	14	1	13	0	43	17	13	13	
<u>Title of your feature</u>	11.810 s	8	8	0	0	21	21	0	0	
<u>performing signin</u>	8.568 s	10	10	0	0	30	30	0	0	
<u>To validate Queue Data Structure</u>	10.217 s	15	1	14	0	111	76	14	21	
<u>To Validate Graph Data Structure</u>	0.222 s	8	1	7	0	26	9	7	10	


Tag	Scenario				Feature			
	Name	T	P	F	S	T	P	F
@startPage		14	1	13	0	1	0	1




#	Feature Name	T	P	F	S	Duration
1	<u>Launch Start page and Test Home Page</u>	14	1	13	0	10.778 s
2	<u>Title of your feature</u>	8	8	0	0	11.810 s
3	<u>performing signin</u>	10	10	0	0	8.568 s
4	<u>To validate Queue Data Structure</u>	15	1	14	0	10.217 s
5	<u>To Validate Graph Data Structure</u>	8	1	7	0	0.222 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Launch Start page and Test Home Page	launch the home page of dsalgo portal	3	3	0	0	2.517 s
2	Launch Start page and Test Home Page	user is on home page	2	0	1	1	0.515 s
3	Launch Start page and Test Home Page	user is on home page	2	0	1	1	0.425 s
4	Launch Start page and Test Home Page	user is on home page	2	0	1	1	0.452 s
5	Launch Start page and Test Home Page	user is on home page	2	0	1	1	0.422 s
6	Launch Start page and Test Home Page	user is on home page	2	0	1	1	0.443 s
7	Launch Start page and Test Home Page	User is on Home page and click on dropdown without sign in	4	2	1	1	0.737 s
8	Launch Start page and Test Home Page	User is on Home page and click on dropdown without sign in	4	2	1	1	0.748 s
9	Launch Start page and Test Home Page	User is on Home page and click on dropdown without sign in	4	2	1	1	0.906 s
10	Launch Start page and Test Home Page	User is on Home page and click on dropdown without sign in	4	2	1	1	0.680 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Launch Start page and Test Home Page</u>	<u>User is on Home page and click on dropdown without sign in</u>	4	2	1	1	0.664 s
12	<u>Launch Start page and Test Home Page</u>	<u>User is on Home page and click on dropdown without sign in</u>	4	2	1	1	0.685 s
13	<u>Launch Start page and Test Home Page</u>	<u>User is on Home page and click on sign in</u>	3	1	1	1	0.426 s
14	<u>Launch Start page and Test Home Page</u>	<u>User is on Home page and click on Register</u>	3	1	1	1	0.443 s
15	<u>Title of your feature</u>	<u>The user is presented with error message for empty fields below Username textbox</u>	3	3	0	0	0.632 s
16	<u>Title of your feature</u>	<u>The user is presented with error message for empty fields below Password textbox</u>	2	2	0	0	0.349 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
17	<u>Title of your feature</u>	<u>The user is presented with error message for empty fields belo Password Confirmation textbox</u>	2	2	0	0	0.403 s
18	<u>Title of your feature</u>	<u>to register with all the data</u>	3	3	0	0	2.557 s
19	<u>Title of your feature</u>	<u>to register with all the data</u>	3	3	0	0	4.849 s
20	<u>Title of your feature</u>	<u>to register with all the data</u>	3	3	0	0	1.221 s
21	<u>Title of your feature</u>	<u>to register with all the data</u>	3	3	0	0	1.220 s
22	<u>Title of your feature</u>	<u>Verifying signin link</u>	2	2	0	0	0.387 s
23	<u>performing signin</u>	<u>Redirect to Register page</u>	3	3	0	0	0.722 s
24	<u>performing signin</u>	<u>Redirect to login page</u>	3	3	0	0	0.517 s
25	<u>performing signin</u>	<u>User on login page and login with invalid inputs</u>	3	3	0	0	0.721 s
26	<u>performing signin</u>	<u>User on login page and login with invalid inputs</u>	3	3	0	0	0.473 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
27	<u>performing signin</u>	<u>User on login page and login with invalid inputs</u>	3	3	0	0	0.471 s
28	<u>performing signin</u>	<u>"User on login page and login with invalid and valid inputs from Excel"</u>	3	3	0	0	1.325 s
29	<u>performing signin</u>	<u>"User on login page and login with invalid and valid inputs from Excel!"</u>	3	3	0	0	1.438 s
30	<u>performing signin</u>	<u>"User on login page and login with invalid and valid inputs from Excel!"</u>	3	3	0	0	1.291 s
31	<u>performing signin</u>	<u>"User on login page and login with invalid and valid inputs from Excel!"</u>	3	3	0	0	1.070 s
32	<u>performing signin</u>	<u>Verifying signout link</u>	3	3	0	0	0.293 s
33	<u>To validate Queue Data Structure</u>	<u>User is naviagted to Queue Data structure from homepage</u>	7	7	0	0	0.365 s
34	<u>To validate Queue Data Structure</u>	<u>User is navigated to Implementation of Queue in Python</u>	7	5	1	1	9.174 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
35	<u>To validate Queue Data Structure</u>	<u>User is navigated to tryEditor Page</u>	7	5	1	1	0.043 s
36	<u>To validate Queue Data Structure</u>	<u>User enters valid Python code and Presented with Result</u>	8	5	1	2	0.030 s
37	<u>To validate Queue Data Structure</u>	<u>User enters Invalid Python code and Presented with Error Message</u>	9	4	1	4	0.035 s
38	<u>To validate Queue Data Structure</u>	<u>User navigates to Implementation using collections.deque</u>	7	5	1	1	0.026 s
39	<u>To validate Queue Data Structure</u>	<u>User navigates to tryEditor page</u>	7	5	1	1	0.024 s
40	<u>To validate Queue Data Structure</u>	<u>User enters valid Python code and Presented with Result</u>	8	5	1	2	0.021 s
41	<u>To validate Queue Data Structure</u>	<u>User is navigated to Implementation using array</u>	7	5	1	1	0.025 s
42	<u>To validate Queue Data Structure</u>	<u>User is naviagted to tryEditor page from Implementation using array page</u>	7	5	1	1	0.027 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
43	<u>To validate Queue Data Structure</u>	<u>User enters valid Python code and Presented with Result</u>	8	5	1	2	0.022 s
44	<u>To validate Queue Data Structure</u>	<u>User is navigated to Queue Operations</u>	7	5	1	1	0.025 s
45	<u>To validate Queue Data Structure</u>	<u>User is navigated to tryEditor Page</u>	7	5	1	1	0.022 s
46	<u>To validate Queue Data Structure</u>	<u>User enters valid Python code and Presented with Result</u>	8	5	1	2	0.027 s
47	<u>To validate Queue Data Structure</u>	<u>User navigated to Practice Questions</u>	7	5	1	1	0.022 s
48	<u>To Validate Graph Data Structure</u>	<u>User should be able to navigate to Graph Data Structure Page</u>	3	0	1	2	0.019 s
49	<u>To Validate Graph Data Structure</u>	<u>User should be able to navigate to Graph Page</u>	3	1	1	1	0.014 s
50	<u>To Validate Graph Data Structure</u>	<u>User should be able to navigate to tryEditor Page</u>	3	1	1	1	0.015 s
51	<u>To Validate Graph Data Structure</u>	<u>User enters valid Python code and Presented with Result</u>	4	1	1	2	0.012 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
52	<u>To Validate Graph Data Structure</u>	<u>User should be able to navigate to Graph representations Page</u>	3	1	1	1	0.011 s
53	<u>To Validate Graph Data Structure</u>	<u>User should be able to navigate to tryEditor Page</u>	3	3	0	0	0.004 s
54	<u>To Validate Graph Data Structure</u>	<u>User should be able to enter a invalid Python code and Presented with Error Message</u>	4	1	1	2	0.015 s
55	<u>To Validate Graph Data Structure</u>	<u>The user is able to navigate to "Practice Questions" in graph Page</u>	3	1	1	1	0.014 s

Launch Start page and Test Home Page





launch the home page of dsalgo portal




#	Step / Hook Details	Status	Duration
1	Given user opens the dsalgo portal link	PASSED	0.890 s
2	When user clicks on "Get Started" button	PASSED	1.531 s
3	Then user redirected to home page	PASSED	0.016 s

user is on home page





#	Step / Hook Details	Status	Duration
1	<p>When The user click any of the Get started button "Data Structures-Introduction" in home page</p> <pre>java.lang.Error: Unresolved compilation problem: Cannot switch on a value of type String for source level below 1.7. Only convertible int values or enum variables are permitted at pageObjectModel.HomePage_POM.getStarted_home(HomePage_POM.java:79) at stepDefination.HomePage_SD.the_user_click_any_of_the_get_started_button_in_home_page(HomePage_SD.java:34) at ?.The user click any of the Get started button "Data Structures-Introduction" in home page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC01_HomePage.feature:10) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.019 s
	<p>AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.489 s
2	Then It should Alert the user with the message "You are not logged in"	SKIPPED	0.001 s


user is on home page




#	Step / Hook Details	Status	Duration
1	<p>When The user click any of the Get started button "Linked List" in home page</p> <pre>java.lang.Error: Unresolved compilation problem: Cannot switch on a value of type String for source level below 1.7. Only convertible int values or enum variables are permitted at pageObjectModel.HomePage_POM.getStarted_home(HomePage_POM.java:79) at stepDefination.HomePage_SD.the_user_click_any_of_the_get_started_button_in_home_page(HomePage_SD.java:34) at ?.The user click any of the Get started button "Linked List" in home page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC01_HomePage.feature:10) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.006 s


#	Step / Hook Details	Status	Duration
	AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.414 s
2	Then It should Alert the user with the message "You are not logged in"	SKIPPED	0.001 s

user is on home page


#	Step / Hook Details	Status	Duration
1	When The user click any of the Get started button "Stack" in home page java.lang.Error: Unresolved compilation problem: Cannot switch on a value of type String for source level below 1.7. Only convertible int values or enum variables are permitted at pageObjectModel.HomePage_POM.getStarted_home(HomePage_POM.java:79) at stepDefinition.HomePage_SD.the_user_click_any_of_the_get_started_button_in_home_page(HomePage_SD.java:34) at ?.The user click any of the Get started button "Stack" in home page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC01_HomePage.feature:10) * Not displayable characters are replaced by '?'.	FAILED	0.005 s
	AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.439 s
2	Then It should Alert the user with the message "You are not logged in"	SKIPPED	0.001 s


user is on home page




#	Step / Hook Details	Status	Duration
1	<p>When The user click any of the Get started button "Queue" in home page</p> <pre>java.lang.Error: Unresolved compilation problem: Cannot switch on a value of type String for source level below 1.7. Only convertible int values or enum variables are permitted at pageObjectModel.HomePage_POM.getStarted_home(HomePage_POM.java:79) at stepDefination.HomePage_SD.the_user_click_any_of_the_get_started_button_in_home_page(HomePage_SD.java:34) at ?.The user click any of the Get started button "Queue" in home page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC01_HomePage.feature:10) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.006 s
	<p>AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.409 s
2	Then It should Alert the user with the message "You are not logged in"	SKIPPED	0.001 s


user is on home page




#	Step / Hook Details	Status	Duration
1	When The user click any of the Get started button "Tree" in home page java.lang.Error: Unresolved compilation problem: Cannot switch on a value of type String for source level below 1.7. Only convertible int values or enum variables are permitted at pageObjectModel.HomePage_POM.getStarted_home(HomePage_POM.java:79) at stepDefinition.HomePage_SD.the_user_click_any_of_the_get_started_button_in_home_page(HomePage_SD.java:34) at ?.The user click any of the Get started button "Tree" in home page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC01_HomePage.feature:10) * Not displayable characters are replaced by '?'. 	FAILED	0.008 s
	AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.431 s
2	Then It should Alert the user with the message "You are not logged in"	SKIPPED	0.001 s

User is on Home page and click on dropdown without sign in



#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.165 s
2	When The user clicks on data structure dropdown	PASSED	0.090 s
3	When The user clicks on dropdown "Arrays" without login java.lang.Error: Unresolved compilation problem: Cannot switch on a value of type String for source level below 1.7. Only convertible int values or enum variables are permitted at pageObjectModel.HomePage_POM.clickDropdown(HomePage_POM.java:128) at stepDefination.HomePage_SD.the_user_clicks_on_dropdown_without_login(HomePage_SD.java:55) at ?.The user clicks on dropdown "Arrays" without login(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC01_HomePage.feature:23) * Not displayable characters are replaced by '?'. AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) My screenshot 	FAILED	0.004 s
4	Then The user get warning message "You are not logged in"	SKIPPED	0.001 s


User is on Home page and click on dropdown without sign in




#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.199 s
2	When The user clicks on data structure dropdown	PASSED	0.071 s
3	When The user clicks on dropdown "Linked list" without login java.lang.Error: Unresolved compilation problem: Cannot switch on a value of type String for source level below 1.7. Only convertible int values or enum variables are permitted	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	at pageObjectModel.HomePage_POM.clickDropdown(HomePage_POM.java:128) at stepDefination.HomePage_SD.the_user_clicks_on_dropdown_without_login(HomePage_SD.java:55) at ?.The user clicks on dropdown "Linked list" without login(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC01_HomePage.feature:23) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.462 s
4	Then The user get warning message "You are not logged in"	SKIPPED	0.001 s


User is on Home page and click on dropdown without sign in




#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.362 s
2	When The user clicks on data structure dropdown	PASSED	0.082 s
3	When The user clicks on dropdown "Stack" without login java.lang.Error: Unresolved compilation problem: Cannot switch on a value of type String for source level below 1.7. Only convertible int values or enum variables are permitted at pageObjectModel.HomePage_POM.clickDropdown(HomePage_POM.java:128) at stepDefination.HomePage_SD.the_user_clicks_on_dropdown_without_login(HomePage_SD.java:55) at ?.The user clicks on dropdown "Stack" without login(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC01_HomePage.feature:23) * Not displayable characters are replaced by '?'.	FAILED	0.005 s
	AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario)	PASSED	0.445 s

#	Step / Hook Details	Status	Duration
	<p>My screenshot</p> 		
4	Then The user get warning message "You are not logged in"	SKIPPED	0.001 s


User is on Home page and click on dropdown without sign in




#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.165 s
2	When The user clicks on data structure dropdown	PASSED	0.073 s
3	When The user clicks on dropdown "Queue" without login <pre>java.lang.Error: Unresolved compilation problem: Cannot switch on a value of type String for source level below 1.7. Only convertible int values or enum variables are permitted at pageObjectModel.HomePage_POM.clickDropdown(HomePage_POM.java:128) at stepDefination.HomePage_SD.the_user_clicks_on_dropdown_without_login(HomePage_SD.java:55) at ?.The user clicks on dropdown "Queue" without login(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100(numpy_ninja_ds_algo/src/test/resources/features/TC01_HomePage.feature:23) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.002 s
	AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.429 s


#	Step / Hook Details	Status	Duration
4	Then The user get warning message "You are not logged in"	SKIPPED	0.000 s

User is on Home page and click on dropdown without sign in




#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.151 s
2	When The user clicks on data structure dropdown	PASSED	0.078 s
3	When The user clicks on dropdown "Tree" without login java.lang.Error: Unresolved compilation problem: Cannot switch on a value of type String for source level below 1.7. Only convertible int values or enum variables are permitted at pageObjectModel.HomePage_POM.clickDropdown(HomePage_POM.java:128) at stepDefination.HomePage_SD.the_user_clicks_on_dropdown_without_login(HomePage_SD.java:55) at ?.The user clicks on dropdown "Tree" without login(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC01_HomePage.feature:23) * Not displayable characters are replaced by '?'.	FAILED	0.003 s
	AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.420 s
4	Then The user get warning message "You are not logged in"	SKIPPED	0.000 s


User is on Home page and click on dropdown without sign in




#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.163 s
2	When The user clicks on data structure dropdown	PASSED	0.077 s
3	When The user clicks on dropdown "Graph" without login java.lang.Error: Unresolved compilation problem: Cannot switch on a value of type String for source level below 1.7. Only convertible int values or enum variables are permitted at pageObjectModel.HomePage_POM.clickDropdown(HomePage_POM.java:128) at stepDefination.HomePage_SD.the_user_clicks_on_dropdown_without_login(HomePage_SD.java:55) at ?.The user clicks on dropdown "Graph" without login(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC01_HomePage.feature:23) * Not displayable characters are replaced by '?'. AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) My screenshot	FAILED	0.004 s
4	Then The user get warning message "You are not logged in"	SKIPPED	0.001 s


User is on Home page and click on sign in



#	Step / Hook Details	Status	Duration
1	Given The user opens Home Page	PASSED	0.003 s
2	When The user clicks Sign in java.lang.Error: Unresolved compilation problem: Cannot switch on a value of type String for source level below 1.7. Only convertible int values or enum variables are permitted at pageObjectModel.HomePage_POM.clickSignOrRegister(HomePage_POM.java:157) at stepDefination.HomePage_SD.the_user_clicks_sign_in(HomePage_SD.java:73) at ?.The user clicks Sign in(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC01_HomePage.feature:36) * Not displayable characters are replaced by '?'.	FAILED	0.003 s
	AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.416 s
3	Then The user should be redirected to Sign in page	SKIPPED	0.000 s

User is on Home page and click on Register




#	Step / Hook Details	Status	Duration
1	Given The user opens Home Page	PASSED	0.003 s
2	When The user clicks Register java.lang.Error: Unresolved compilation problem: Cannot switch on a value of type String for source level below 1.7. Only convertible int values or enum variables are permitted at pageObjectModel.HomePage_POM.clickSignOrRegister(HomePage_POM.java:157) at stepDefination.HomePage_SD.the_user_clicks_register(HomePage_SD.java:84) at ?.The user clicks Register(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC01_HomePage.feature:41) * Not displayable characters are replaced by '?'.	FAILED	0.002 s
	AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.433 s
3	Then The user should be redirected to Register form	SKIPPED	0.000 s

Title of your feature



The user is presented with error message for empty fields below Username textbox



#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page	PASSED	0.446 s
2	When The user clicks "Register" button with all fields empty	PASSED	0.113 s
3	Then It should display an error "Please fill out username field." below Username textbox	PASSED	0.063 s

The user is presented with error message for empty fields below Password textbox

PASSED	DURATION - 0.349 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 9:45:32.186 AM // 9:45:32.535 AM /	Title of your feature			


#	Step / Hook Details	Status	Duration
1	When User click Register with username as "NumpySDET100" only	PASSED	0.295 s
2	Then User verify the message at password on Register Page as "Please fill out password field."	PASSED	0.050 s

The user is presented with error message for empty fields below Password Confirmation textbox

PASSED	DURATION - 0.403 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 9:45:32.565 AM // 9:45:32.968 AM /	Title of your feature			


#	Step / Hook Details	Status	Duration
1	When User click Register with password as "PasswordSDET100" only	PASSED	0.340 s
2	Then User verify the message at confirmation password on Register Page as "Please fill out password confirmation field."	PASSED	0.059 s

to register with all the data




#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page	PASSED	0.175 s
2	When user enter the sheetname "Sheet1" and row number 0	PASSED	1.877 s
3	Then user click on Register button	PASSED	0.497 s

to register with all the data




#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page	PASSED	0.168 s
2	When user enter the sheetname "Sheet1" and row number 1	PASSED	4.394 s
3	Then user click on Register button	PASSED	0.282 s

to register with all the data




#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page	PASSED	0.136 s
2	When user enter the sheetname "Sheet1" and row number 2	PASSED	0.834 s
3	Then user click on Register button	PASSED	0.245 s

to register with all the data




#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page	PASSED	0.134 s
2	When user enter the sheetname "Sheet1" and row number 3	PASSED	0.825 s
3	Then user click on Register button	PASSED	0.255 s

Verifying signin link




#	Step / Hook Details	Status	Duration
1	Given The user clicks on signin link on register page	PASSED	0.375 s
2	Then The user redirected to signinpage from registerpage	PASSED	0.002 s

performing signin




Redirect to Register page




#	Step / Hook Details	Status	Duration
1	Given User is on Signln page	PASSED	0.134 s
2	When User Clicks on Register link	PASSED	0.578 s
3	Then User should be redirected to Register page	PASSED	0.002 s

Redirect to login page




#	Step / Hook Details	Status	Duration
1	Given User is on register page	PASSED	0.003 s
2	When user click on loginbtn	PASSED	0.506 s
3	Then user in on loginpage	PASSED	0.001 s

User on login page and login with invalid inputs




#	Step / Hook Details	Status	Duration
1	Given The user is on signin page	PASSED	0.003 s
2	When The user enter invalid "user" and "password"	PASSED	0.676 s
3	Then click login button to verify	PASSED	0.039 s

User on login page and login with invalid inputs




#	Step / Hook Details	Status	Duration
1	Given The user is on signin page	PASSED	0.002 s
2	When The user enter invalid "" and ""	PASSED	0.432 s
3	Then click login button to verify	PASSED	0.035 s

User on login page and login with invalid inputs




#	Step / Hook Details	Status	Duration
1	Given The user is on signin page	PASSED	0.002 s
2	When The user enter invalid "" and ""	PASSED	0.424 s
3	Then click login button to verify	PASSED	0.038 s

"User on login page and login with invalid and valid inputs from Excel"




#	Step / Hook Details	Status	Duration
1	Given The user is on login page	PASSED	0.144 s
2	When The user enter sheet "signin" and 0	PASSED	0.593 s
3	Then click login button	PASSED	0.584 s

"User on login page and login with invalid and valid inputs from Excel"




#	Step / Hook Details	Status	Duration
1	Given The user is on login page	PASSED	0.376 s
2	When The user enter sheet "signin" and 1	PASSED	0.649 s
3	Then click login button	PASSED	0.407 s

"User on login page and login with invalid and valid inputs from Excel"




#	Step / Hook Details	Status	Duration
1	Given The user is on login page	PASSED	0.123 s
2	When The user enter sheet "signin" and 2	PASSED	0.567 s
3	Then click login button	PASSED	0.596 s

"User on login page and login with invalid and valid inputs from Excel"




#	Step / Hook Details	Status	Duration
1	Given The user is on login page	PASSED	0.113 s
2	When The user enter sheet "signin" and 3	PASSED	0.495 s
3	Then click login button	PASSED	0.455 s

Verifying signout link




#	Step / Hook Details	Status	Duration
1	Given The user is in the Home page with valid log in	PASSED	0.002 s
2	When The user clicks "Sign out"	PASSED	0.285 s
3	Then The user redirected to homepage	PASSED	0.002 s

To validate Queue Data Structure




User is naviagted to Queue Data structure from homepage



#	Step / Hook Details	Status	Duration
1	Given The user is on Signin page of DS Algo portal	PASSED	0.003 s
2	When The user enter valid "bahnisikha.dalbehera@gmail.com" and "Bahnirupa"	PASSED	0.002 s

#	Step / Hook Details	Status	Duration
3	And The user click on login button	PASSED	0.001 s
4	Then The user redirected to homepage	PASSED	0.002 s
5	Given User is on Home Page of Dsalgo Portal	PASSED	0.001 s
6	When User clicks on getstarted button	PASSED	0.342 s
7	Then User is navigated to Queue data structure	PASSED	0.002 s

User is navigated to Implementation of Queue in Python




#	Step / Hook Details	Status	Duration
1	Given The user is on Signin page of DS Algo portal	PASSED	0.000 s
2	When The user enter valid "bahnisikha.dalbehera@gmail.com" and "Bahnirupa"	PASSED	0.001 s
3	And The user click on login button	PASSED	0.001 s
4	Then The user redirected to homepage	PASSED	0.001 s
5	Given User is on Queue Data Structure	PASSED	0.001 s
6	When User clicks on Implementation of Queue in Python org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.linkText: Implementation of Queue in Python For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at pageObjectModel.Queue_POM.implement_queue(Queue_POM.java:48) at stepDefination.Queue_SD.user_clicks_onImplementation_of_queue_in_python(Queue_SD.java:58) at ?.User clicks on Implementation of Queue in Python(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/)	FAILED	9.122 s

#	Step / Hook Details	Status	Duration
	src/test/resources/features/TC08_QueuePage.feature:17) * Not displayable characters are replaced by '?'.		
AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario)	<pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [790484b0eb96e0efdeef891f9adbfe28, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65005}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65005/devtoo..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 790484b0eb96e0efdeef891f9adbfe28 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at hooks.Hook.afterstep(Hook.java:41)</pre>	FAILED	0.031 s

7 Then User is directed to Implementation of Queue in Python SKIPPED 0.001 s


User is navigated to tryEditor Page



#	Step / Hook Details	Status	Duration
1	Given The user is on Signin page of DS Algo portal	PASSED	0.001 s
2	When The user enter valid "bahnisikha.dalbehera@gmail.com" and "Bahnirupa"	PASSED	0.001 s
3	And The user click on login button	PASSED	0.000 s
4	Then The user redirected to homepage	PASSED	0.005 s
5	Given User is on Implementation of Queue in Python	PASSED	0.002 s
6	When User clicks on Try here button org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [790484b0eb96e0efdeef891f9adbfe28, findElement {using=link text, value=Try here>>>}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65005}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65005/devtoo..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 790484b0eb96e0efdeef891f9adbfe28 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at pageObjectModel.Queue_POM.try_button(Queue_POM.java:79) at stepDefinition.Queue_SD.user_clicks_on_try_here_button(Queue_SD.java:74) at ?.User clicks on Try here button(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC08_QueuePage.feature:22) * Not displayable characters are replaced by '?'.	FAILED	0.011 s
	AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario)	FAILED	0.007 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found		

#	Step / Hook Details	Status	Duration
	(Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [790484b0eb96e0efdeef891f9adbfe28, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63...}, userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65005}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65005/devtoo..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 790484b0eb96e0efdeef891f9adbfe28 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at hooks.Hook.afterstep(Hook.java:41)		
7	Then User is navigated to tryEditor Page	SKIPPED	0.000 s

User enters valid Python code and Presented with Result




#	Step / Hook Details	Status	Duration
1	Given The user is on Signin page of DS Algo portal	PASSED	0.002 s
2	When The user enter valid "bahnisikha.dalbehera@gmail.com" and "Bahnirupa"	PASSED	0.001 s

#	Step / Hook Details	Status	Duration
3	And The user click on login button	PASSED	0.000 s
4	Then The user redirected to homepage	PASSED	0.001 s
5	Given User is on Try Editor Page	PASSED	0.000 s
6	And User Enters "print('Hello, world!') in the Editor org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [790484b0eb96e0efdeef891f9adbfe28, findElement {using=xpath, value=//form/div/div/div/textarea}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65005}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65005/devtoo..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 790484b0eb96e0efdeef891f9adbfe28 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.sendKeys(Unknown Source) at pageObjectModel.Queue_POM.textarea(Queue_POM.java:84) at stepDefination.Queue_SD.user_enters_in_the_editor(Queue_SD.java:92) at ?.User Enters "print("Hello, world!")" in the Editor(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC08_QueuePage.feature:27) * Not displayable characters are replaced by '?'.	FAILED	0.007 s
	AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	[790484b0eb96e0efdeef891f9adbfe28, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65005}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65005/devtoo..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 790484b0eb96e0efdeef891f9adbfe28 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at hooks.Hook.afterstep(Hook.java:41)		
7	And clicks on Run Button	SKIPPED	0.001 s
8	Then The User is Presented with a Result	SKIPPED	0.001 s

User enters Invalid Python code and Presented with Error Message




#	Step / Hook Details	Status	Duration
1	Given The user is on Signin page of DS Algo portal	PASSED	0.001 s
2	When The user enter valid "bahnisikha.dalbehera@gmail.com" and "Bahnirupa"	PASSED	0.001 s
3	And The user click on login button	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
4	Then The user redirected to homepage	PASSED	0.002 s
5	<p>Given User is navigated to Implementation of Queue in python</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [790484b0eb96e0efdeef891f9adbfe28, get {url=https://dsportalapp.herokuapp.com/queue/implementation-lists/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65005}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65005/devtoo... , se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 790484b0eb96e0efdeef891f9adbfe28 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at pageObjectModel.Queue_POM.call_que_implement(Queue_POM.java:52) at stepDefinination.Queue_SD.user_is_navigated_to_Implementation_of_queue_in_python(Queue_SD.java:111) at ?.User is navigated to Implementation of Queue in python(file:///C:/Users/Padma/eclipse-kalpanasworkspace/ SDET100(numpy_ninja_ds_algo/src/test/resources/features/TC08_QueuePage.feature:32)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.008 s
	<p>AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [790484b0eb96e0efdeef891f9adbfe28, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65005}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65005/devtoo... , se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 790484b0eb96e0efdeef891f9adbfe28 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)</pre>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at hooks.Hook.afterstep(Hook.java:41)		
6	When User clicks on Try here button	SKIPPED	0.001 s
7	And User Enters Invalid python code "print'Hello, world!'" in the Editor	SKIPPED	0.001 s
8	And clicks on Run Button	SKIPPED	0.000 s
9	Then The User is Presented with a Error Message for Invalid python code	SKIPPED	0.000 s

User navigates to Implementation using collections.deque




#	Step / Hook Details	Status	Duration
1	Given The user is on Signin page of DS Algo portal	PASSED	0.000 s
2	When The user enter valid "bahnisikha.dalbehera@gmail.com" and "Bahnirupa"	PASSED	0.001 s
3	And The user click on login button	PASSED	0.000 s
4	Then The user redirected to homepage	PASSED	0.001 s
5	Given User is on Queue Data Structure	PASSED	0.000 s
6	When User clicks on the Implementation using collections.deque link org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	<pre>(Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [790484b0eb96e0efdeef891f9adbfe28, get {url=https://dsportalapp.herokuapp.com/queue/implementation-collections/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65005}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65005/devtoo..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 790484b0eb96e0efdeef891f9adbfe28 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at pageObjectModel.Queue_POM.call_que_colln(Queue_POM.java:58) at stepDefinination.Queue_SD.user_clicks_on_the_implementation_using_collections_deque_link(Queue_SD.java:139) at ?.User clicks on the Implementation using collections.deque link(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100(numpy_ninja_ds_algo/src/test/resources/features/TC08_QueuePage.feature:40) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [790484b0eb96e0efdeef891f9adbfe28, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65005}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65005/devtoo..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 790484b0eb96e0efdeef891f9adbfe28 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</pre>	FAILED	0.007 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at hooks.Hook.afterstep(Hook.java:41)</pre>		
7	Then User is navigated to Implementation using collections.deque page	SKIPPED	0.000 s

User navigates to tryEditor page




#	Step / Hook Details	Status	Duration
1	Given The user is on Signin page of DS Algo portal	PASSED	0.000 s
2	When The user enter valid "bahnisikha.dalbehera@gmail.com" and "Bahnirupa"	PASSED	0.001 s
3	And The user click on login button	PASSED	0.001 s
4	Then The user redirected to homepage	PASSED	0.001 s
5	Given User is on Implementation using collections.deque page	PASSED	0.001 s
6	When User clicks on Try here button	FAILED	0.005 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [790484b0eb96e0efdeef891f9adbfe28, findElement {using=link text, value=Try here>>>}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65005}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65005/devtoo..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:recoveryKey: true}		

#	Step / Hook Details	Status	Duration
	<pre>webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 790484b0eb96e0efdeef891f9adbfe28 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at pageObjectModel.Queue_POM.try_button(Queue_POM.java:79) at stepDefinition.Queue_SD.user_clicks_on_try_here_button(Queue_SD.java:74) at ?.User clicks on Try here button(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC08_QueuePage.feature:45) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [790484b0eb96e0efdeef891f9adbfe28, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65005}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65005/devtoo..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 790484b0eb96e0efdeef891f9adbfe28 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</pre>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at hooks.Hook.afterstep(Hook.java:41)</pre>		
7	Then User is navigated to tryEditor Page	SKIPPED	0.000 s

User enters valid Python code and Presented with Result




#	Step / Hook Details	Status	Duration
1	Given The user is on Signin page of DS Algo portal	PASSED	0.001 s
2	When The user enter valid "bahnisikha.dalbehera@gmail.com" and "Bahnirupa"	PASSED	0.000 s
3	And The user click on login button	PASSED	0.000 s
4	Then The user redirected to homepage	PASSED	0.001 s
5	Given User is on Try Editor Page	PASSED	0.000 s
6	When User Enters "print('Implementation using collections.deque')" in the Editor <code>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [790484b0eb96e0efdeef891f9adbfe28, findElement {using=xpath, value=/form/div/div/div/textarea}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65005}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65005/devtoo..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 790484b0eb96e0efdeef891f9adbfe28 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)</code>	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.sendKeys(Unknown Source) at pageObjectModel.Queue_POM.textarea(Queue_POM.java:84) at stepDefination.Queue_SD.user_enters_in_the_editor(Queue_SD.java:92) at ?.User Enters "print('Implementation using collections.deque')" in the Editor(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC08_QueuePage.feature:50) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [790484b0eb96e0efdeef891f9adbfe28, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65005}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65005/devtoo..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 790484b0eb96e0efdeef891f9adbfe28 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) </pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at hooks.Hook.afterstep(Hook.java:41)		
7	And clicks on Run Button	SKIPPED	0.000 s
8	Then The User is Presented with a Result	SKIPPED	0.000 s


User is navigated to Implementation using array



#	Step / Hook Details	Status	Duration
1	Given The user is on Signin page of DS Algo portal	PASSED	0.000 s
2	When The user enter valid "bahnisikha.dalbehera@gmail.com" and "Bahnirupa"	PASSED	0.001 s
3	And The user click on login button	PASSED	0.001 s
4	Then The user redirected to homepage	PASSED	0.001 s
5	Given User is on Queue Data Structure	PASSED	0.001 s
6	When User clicks on Implementation using array link org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [790484b0eb96e0efdeef891f9adbfe28, get {url=https://dsportalapp.herokuapp.com/queue/Implementation-array/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65005}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65005/devtoo. ..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 790484b0eb96e0efdeef891f9adbfe28 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at pageObjectModel.Queue_POM.call_qu_imp_array(Queue_POM.java:64) at stepDefination.Queue_SD.user_clicks_onImplementation_using_array_link(Queue_SD.java:154) at ?.User clicks on Implementation using array link(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC08_QueuePage.feature:56) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [790484b0eb96e0efdeef891f9adbfe28, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65005}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65005/devtoo..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 790484b0eb96e0efdeef891f9adbfe28 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at hooks.Hook.afterstep(Hook.java:41)	FAILED	0.006 s
7	Then User is navigated to Implementation using array page	SKIPPED	0.000 s

User is naviagted to tryEditor page from Implementation using array page




#	Step / Hook Details	Status	Duration
1	Given The user is on Signin page of DS Algo portal	PASSED	0.000 s
2	When The user enter valid "bahnisikha.dalbehera@gmail.com" and "Bahnirupa"	PASSED	0.001 s
3	And The user click on login button	PASSED	0.000 s
4	Then The user redirected to homepage	PASSED	0.002 s
5	Given User is on Implementation using array page	PASSED	0.000 s
6	<p>When User clicks on Try here button</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [790484b0eb96e0efdeef891f9adbfe28, findElement {using=link text, value=Try here>>>}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65005}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65005/devtoo..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 790484b0eb96e0efdeef891f9adbfe28 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)</pre>	FAILED	0.011 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at pageObjectModel.Queue_POM.try_button(Queue_POM.java:79) at stepDefinition.Queue_SD.user_clicks_on_try_here_button(Queue_SD.java:74) at ?.User clicks on Try here button(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC08_QueuePage.feature:61) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [790484b0eb96e0efdeef891f9adbfe28, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65005}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65005/devtoo..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 790484b0eb96e0efdeef891f9adbfe28 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at hooks.Hook.afterstep(Hook.java:41)	FAILED	0.005 s
7	Then User is navigated to tryEditor Page	SKIPPED	0.000 s

User enters valid Python code and Presented with Result

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.sendKeys(Unknown Source) at pageObjectModel.Queue_POM.textarea(Queue_POM.java:84) at stepDefination.Queue_SD.user_enters_in_the_editor(Queue_SD.java:92) at ?.User Enters "print('Implementation using array page')" in the Editor(file:///C:/Users/Padma/eclipse-kalpanasworkspace/ SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC08_QueuePage.feature:66) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [790484b0eb96e0efdeef891f9adbfe28, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65005}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65005/devtoo..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 790484b0eb96e0efdeef891f9adbfe28 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at hooks.Hook.afterstep(Hook.java:41) </pre>	FAILED	0.006 s
7	And clicks on Run Button	SKIPPED	0.000 s
8	Then The User is Presented with a Result	SKIPPED	0.000 s

User is navigated to Queue Operations



#	Step / Hook Details	Status	Duration
1	Given The user is on Signin page of DS Algo portal	PASSED	0.001 s
2	When The user enter valid "bahnisikha.dalbehera@gmail.com" and "Bahnirupa"	PASSED	0.001 s
3	And The user click on login button	PASSED	0.001 s
4	Then The user redirected to homepage	PASSED	0.002 s
5	Given User is on Queue Data Structure	PASSED	0.001 s
6	When User clicks on Queue Operations link org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [790484b0eb96e0efdeef891f9adbfe28, get {url=https://dsportalapp.herokuapp.com/queue/QueueOp/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65005}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65005/devtoo..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 790484b0eb96e0efdeef891f9adbfe28 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at pageObjectModel.Queue_POM.call_array_op(Queue_POM.java:69) at stepDefinition.Queue_SD.user_clicks_on_queue_operations_link(Queue_SD.java:170) at ?.User clicks on Queue Operations link(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/)	FAILED	0.005 s


#	Step / Hook Details	Status	Duration
	resources/features/TC08_QueuePage.feature:72 * Not displayable characters are replaced by '?'.		
AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario)	<pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [790484b0eb96e0efdeef891f9adbfe28, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65005}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65005/devtoo..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 790484b0eb96e0efdeef891f9adbfe28 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at hooks.Hook.afterstep(Hook.java:41)</pre>	FAILED	0.006 s

7 Then User is navigated to Queue Operations Page

SKIPPED




Steps
Total - 7
Pass - 5
Fail - 1
Skip - 1



#	Step / Hook Details	Status	Duration
1	Given The user is on Signin page of DS Algo portal	PASSED	0.001 s
2	When The user enter valid "bahnisikha.dalbehera@gmail.com" and "Bahnirupa"	PASSED	0.001 s
3	And The user click on login button	PASSED	0.000 s
4	Then The user redirected to homepage	PASSED	0.001 s
5	Given User is on Queue Operations Page	PASSED	0.001 s
6	When User clicks on Try here button org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [790484b0eb96e0efdeef891f9adbfe28, findElement {using=link text, value=Try here>>>}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65005}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65005/devtoo..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 790484b0eb96e0efdeef891f9adbfe28 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at pageObjectModel.Queue_POM.try_button(Queue_POM.java:79) at stepDefinition.Queue_SD.user_clicks_on_try_here_button(Queue_SD.java:74) at ?.User clicks on Try here button(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC08_QueuePage.feature:77) * Not displayable characters are replaced by '?'.	FAILED	0.008 s
	AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario)	FAILED	0.004 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found		

#	Step / Hook Details	Status	Duration
	(Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [790484b0eb96e0efdeef891f9adbfe28, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63...}, userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65005}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65005/devtoo..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 790484b0eb96e0efdeef891f9adbfe28 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at hooks.Hook.afterstep(Hook.java:41)		
7	Then User is navigated to tryEditor Page	SKIPPED	0.000 s

User enters valid Python code and Presented with Result




#	Step / Hook Details	Status	Duration
1	Given The user is on Signin page of DS Algo portal	PASSED	0.001 s
2	When The user enter valid "bahnisikha.dalbehera@gmail.com" and "Bahnirupa"	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
3	And The user click on login button	PASSED	0.001 s
4	Then The user redirected to homepage	PASSED	0.001 s
5	Given User is on Try Editor Page	PASSED	0.000 s
6	When User Enters "print('Queue Operations') in the Editor org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [790484b0eb96e0efdeef891f9adbfe28, findElement {using=xpath, value=//form/div/div/div/textarea}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65005}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65005/devtoo..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 790484b0eb96e0efdeef891f9adbfe28 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.sendKeys(Unknown Source) at pageObjectModel.Queue_POM.textarea(Queue_POM.java:84) at stepDefination.Queue_SD.user_enters_in_the_editor(Queue_SD.java:92) at ?.User Enters "print('Queue Operations') in the Editor(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC08_QueuePage.feature:82) * Not displayable characters are replaced by '?'.	FAILED	0.006 s
	AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:	FAILED	0.007 s

#	Step / Hook Details	Status	Duration
	[790484b0eb96e0efdeef891f9adbfe28, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65005}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65005/devtoo..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 790484b0eb96e0efdeef891f9adbfe28 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqaqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqaqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqaqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqaqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqaqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqaqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqaqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqaqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqaqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at hooks.Hook.afterstep(Hook.java:41)		
7	And clicks on Run Button	SKIPPED	0.001 s
8	Then The User is Presented with a Result	SKIPPED	0.000 s

User navigated to Practice Questions



#	Step / Hook Details	Status	Duration
1	Given The user is on Signin page of DS Algo portal	PASSED	0.001 s
2	When The user enter valid "bahnisikha.dalbehera@gmail.com" and "Bahnirupa"	PASSED	0.000 s
3	And The user click on login button	PASSED	0.001 s


#	Step / Hook Details	Status	Duration
4	Then The user redirected to homepage	PASSED	0.001 s
5	Given User is on Implementation of Queue in Python	PASSED	0.001 s
6	<p>When User clicks on Practice Questions link</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [790484b0eb96e0efdeef891f9adbfe28, get {url=https://dsportalapp.herokuapp.com/queue/practice}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65005}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65005/devtoo..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 790484b0eb96e0efdeef891f9adbfe28 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at pageObjectModel.Queue_POM.call_ptr_qut(Queue_POM.java:74) at stepDefinination.Queue_SD.user_clicks_on_practice_questions_link(Queue_SD.java:186) at ?.User clicks on Practice Questions link(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC08_QueuePage.feature:88) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.005 s
	AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario)	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at hooks.Hook.afterstep(Hook.java:41)		
7	Then User is navigated to Practice Questions	SKIPPED	0.001 s

To Validate Graph Data Structure



User should be able to navigate to Graph Data Structure Page




#	Step / Hook Details	Status	Duration
1	Given User is on Home Page of DsAlgo Portal	FAILED	0.009 s

#	Step / Hook Details	Status	Duration
	<pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [790484b0eb96e0efdeef891f9adbfe28, get {url=https://dsportalapp.herokuapp.com/home}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65005}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65005/devtoo..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 790484b0eb96e0efdeef891f9adbfe28 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at pageObjectModel.GraphPage_POM.home_page(GraphPage_POM.java:37) at stepDefination.Graph_SD.user_is_on_home_page_of_ds_algo_portal(Graph_SD.java:14) at ?.User is on Home Page of DsAlgo Portal(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/ resources/features/TC10_GraphPage.feature:3) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [790484b0eb96e0efdeef891f9adbfe28, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65005}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65005/devtoo..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 790484b0eb96e0efdeef891f9adbfe28 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</pre>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at hooks.Hook.afterstep(Hook.java:41)</pre>		
2	When User clicks on Graph Get started button	SKIPPED	0.000 s
3	Then User re-directed to Graph Page	SKIPPED	0.000 s

User should be able to navigate to Graph Page




#	Step / Hook Details	Status	Duration
1	Given User is on Graph Data Structure Page	PASSED	0.001 s
2	<p>When User clicks on Graph link in Graph Page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [790484b0eb96e0efdeef891f9adbfe28, findElement {using=xpath, value=/ul[2]/a[text()='Graph']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65005}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65005/devtoo..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 790484b0eb96e0efdeef891f9adbfe28 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)</pre>	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at pageObjectModel.GraphPage_POM.grph_link(GraphPage_POM.java:47) at stepDefination.Graph_SD.user_clicks_on_graph_link_in_graph_page(Graph_SD.java:36) at ?.User clicks on Graph link in Graph Page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC10_GraphPage.feature:9) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [790484b0eb96e0efdeef891f9adbfe28, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65005}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65005/devtoo..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 790484b0eb96e0efdeef891f9adbfe28 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) </pre>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at hooks.Hook.afterstep(Hook.java:41)		
3	Then User is re-directed to Graphlink of Graph Page	SKIPPED	0.000 s


User should be able to navigate to tryEditor Page



#	Step / Hook Details	Status	Duration
1	Given User is on Graph link of Graph Page	PASSED	0.002 s
2	When User clicks on Try here button of Graph page org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [790484b0eb96e0efdeef891f9adbfe28, findElement {using=link text, value=Try here>>>} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65005}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65005/devtoo..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 790484b0eb96e0efdeef891f9adbfe28 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at pageObjectModel.GraphPage_POM.clck_try_button(GraphPage_POM.java:52) at stepDefination.Graph_SD.user_clicks_on_try_here_button_of_Graph_page(Graph_SD.java:54) at ?.User clicks on Try here button of Graph page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC10_GraphPage.feature:14) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [790484b0eb96e0efdeef891f9adbfe28, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65005}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65005/devtoo..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 790484b0eb96e0efdeef891f9adbfe28 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at hooks.Hook.afterstep(Hook.java:41) </pre>	FAILED	0.004 s
3	Then User is re-directed to tryEditor Page	SKIPPED	0.001 s


User enters valid Python code and Presented with Result



#	Step / Hook Details	Status	Duration
1	Given User is on tryEditor Page	PASSED	0.001 s
2	<p>When User enters Valid Python code "print('Implementation of Graph')"</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [790484b0eb96e0efdeef891f9adbfe28, findElement {using=xpath, value=/form/div[@class='input']/textarea}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65005}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65005/devtoo... , se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 790484b0eb96e0efdeef891f9adbfe28 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.sendKeys(Unknown Source) at pageObjectModel.GraphPage_POM.pass_code_txarea(GraphPage_POM.java:56)</pre>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	<pre>at stepDefinition.Graph_SD.user_enters_valid_python_code(Graph_SD.java:70) at ?.User enters Valid Python code "print('Implementation of Graph')"(file:///C:/Users/Padma/eclipse-kalpanasworkspace/ SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC10_GraphPage.feature:18) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [790484b0eb96e0efdeef891f9adbfe28, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65005}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65005/devtoo..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 790484b0eb96e0efdeef891f9adbfe28 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at hooks.Hook.afterstep(Hook.java:41)</pre>	FAILED	0.004 s
3	And clicks on Run button	SKIPPED	0.001 s
4	Then User is presented with the Result	SKIPPED	0.000 s


User should be able to navigate to Graph representations Page



#	Step / Hook Details	Status	Duration
1	Given User is on Graph Data Structure Page	PASSED	0.001 s
2	When User clicks on Graph Representations link org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [790484b0eb96e0efdeef891f9adbfe28, findElement {using=link text, value=Graph Representations}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65005}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65005/devtoo..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 790484b0eb96e0efdeef891f9adbfe28 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at pageObjectModel.GraphPage_POM.grph_rep_link(GraphPage_POM.java:68) at stepDefination.Graph_SD.user_clicks_on_graph_representations_link(Graph_SD.java:105)	FAILED	0.005 s


#	Step / Hook Details	Status	Duration
	at ?.User clicks on Graph Representations link(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC10_GraphPage.feature:24) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [790484b0eb96e0efdeef891f9adbfe28, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65005}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65005/devtoo..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 790484b0eb96e0efdeef891f9adbfe28 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at hooks.Hook.afterstep(Hook.java:41)	FAILED	0.003 s
3	Then User is navigated to Graph Representations Page	SKIPPED	0.001 s

User should be able to navigate to tryEditor Page



#	Step / Hook Details	Status	Duration
1	Given User is on Graph Representations Page	PASSED	0.000 s
2	When User clicks on Try here button of Graph Representations page	PASSED	0.001 s
3	Then User is re-directed to tryEditor Page	PASSED	0.001 s


User should be able to enter a invalid Python code and Presented with Error Message



#	Step / Hook Details	Status	Duration
1	Given User is on tryEditor Page	PASSED	0.001 s
2	When User enters code "print(Graph Representation)" org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [790484b0eb96e0efdeef891f9adbfe28, findElement {using=link text, value=Graph Representations}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDatumDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65005}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65005/devtoo..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 790484b0eb96e0efdeef891f9adbfe28 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at pageObjectModel.GraphPage_POM.grph_rep_link(GraphPage_POM.java:68) at stepDefination.Graph_SD.user_enters_code(Graph_SD.java:91) at ?.User enters code "print(Graph Representation"(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC10_GraphPage.feature:34) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [790484b0eb96e0efdeef891f9adbfe28, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65005}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65005/devtoo..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 790484b0eb96e0efdeef891f9adbfe28 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at hooks.Hook.afterstep(Hook.java:41) </pre>	FAILED	0.004 s
3	And clicks on Run button	SKIPPED	0.000 s
4	Then User is presented with Error Message	SKIPPED	0.001 s

The user is able to navigate to "Practice Questions" in graph Page



#	Step / Hook Details	Status	Duration
1	Given User is on Graph Representations Page	PASSED	0.001 s
2	When User clicks on Practice Questions of Graph page org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [790484b0eb96e0efdeef891f9adbfe28, get {url=https://dsportalapp.herokuapp.com/graph/practice}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65005}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65005/devtoo..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 790484b0eb96e0efdeef891f9adbfe28 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at pageObjectModel.GraphPage_POM.grph_prac_quest(GraphPage_POM.java:72) at stepDefination.Graph_SD.user_clicks_on_practice_questions_of_graph_page(Graph_SD.java:133) at ?.User clicks on Practice Questions of Graph page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC10_GraphPage.feature:45) * Not displayable characters are replaced by '?'.	FAILED	0.005 s
	AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario)	FAILED	0.005 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found		

#	Step / Hook Details	Status	Duration
	<p>(Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [790484b0eb96e0efdeef891f9adbfe28, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65005}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65005/devtoo..., se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 790484b0eb96e0efdeef891f9adbfe28</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at hooks.Hook.afterstep(Hook.java:41) </pre>		
3	Then The user should be redirected to Practice Questions of Graph page	SKIPPED	0.000 s