
[BH] KEGG: GABAergic synapse
[BH] KEGG: Maturity onset diabetes of the young
[BH] KEGG: Thyroid hormone signaling pathway
[BH] KEGG: Retrograde endocannabinoid signaling
[BH] KEGG: Type II diabetes mellitus
[BH] KEGG: Insulin secretion
[BH] GO_MF: small GTPase binding
[BH] GO_MF: GTPase binding
[BH] GO_MF: guanyl-nucleotide exchange factor activity
[BH] GO_MF: transmembrane transporter binding
[BH] GO_MF: nucleoside-triphosphatase regulator activity
[BH] GO_MF: GTPase regulator activity
[BH] GO_CC: transmembrane transporter complex
[BH] GO_CC: cation channel complex
[BH] GO_CC: transporter complex
[BH] GO_CC: presynaptic active zone
[BH] GO_CC: distal axon
[BH] GO_CC: postsynaptic density
[BH] GO_BP: amide transport
[BH] GO_BP: hormone transport
[BH] GO_BP: peptide hormone secretion
[BH] GO_BP: peptide secretion
[BH] GO_BP: peptide transport
[BH] GO_BP: locomotory behavior
0.02
0.03
0.04
0.05
0.06
0.07
0.08
Gene ratio (Count / tested query)
−log10(nominal P); ≥10 capped
0
2
4
6
8
10
Overlap genes (linear point area)
5
20
50