

6



5

4

3

2

1



REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:

COMPANY:			
TITLE:			
CODE:	SIZE:	DRAWING NO:	REV:
SCALE:		SHEET: 11	

DRAWN:	DATED:
CHECKED:	DATED:
QUALITY CONTROL:	DATED:
RELEASED:	DATED:

D

C

B

A


D

C

B

A

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:



DRAWN:	DATED:	COMPANY:			
CHECKED:	DATED:	TITLE:			
QUALITY CONTROL:	DATED:	CODE:	SIZE: C	DRAWING NO:	REV:
RELEASED:	DATED:	SCALE:		SHEET: 2 of 11	

D

C

B

A


D

C

B


A

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:



DRAWN:		DATED:		COMPANY:			
CHECKED:		DATED:		TITLE:			
QUALITY CONTROL:		DATED:		CODE:	SIZE:	DRAWING NO:	REV:
RELEASED:		DATED:		SCALE:			
				SHEET: 3 of 11			

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:



COMPANY:

TITLE:

DRAWN:	DATED:
CHECKED:	DATED:
QUALITY CONTROL:	DATED:
RELEASED:	DATED:

CODE:	SIZE:	DRAWING NO:	REV:
	C		
SCALE:	SHEET: 4F	11	

6

5

4

3

2

1

D

D

C

C


B

B

A

A

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:



DRAWN:	DATED:
CHECKED:	DATED:
QUALITY CONTROL:	DATED:
RELEASED:	DATED:

COMPANY:			
TITLE:			
CODE:	SIZE: C	DRAWING NO:	REV:
SCALE:		SHEET: 5 of 11	

6

5

4

3

2

1

D

C

B

A


D

C

B

A

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:



DRAWN:	DATED:
CHECKED:	DATED:
QUALITY CONTROL:	DATED:
RELEASED:	DATED:

COMPANY:			
TITLE:			
CODE:	SIZE:	DRAWING NO:	REV:
	C		
SCALE:		SHEET: 6 OF 11	

6

5

4

3

2

1

D

C

B

A


D

C

B

A





REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:



DRAWN:	DATED:
CHECKED:	DATED:
QUALITY CONTROL:	DATED:
RELEASED:	DATED:

COMPANY:			
TITLE:			
CODE:	SIZE: C	DRAWING NO:	REV:
SCALE:		SHEET: 2 of 11	

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:



COMPANY:			
TITLE:			
CODE:	SIZE:	DRAWING NO:	REV:
	C		
SCALE:		SHEET: 8/ 11	

DRAWN:	DATED:
CHECKED:	DATED:
QUALITY CONTROL:	DATED:
RELEASED:	DATED:

6

5

4

3

2

1

D

C

B

A


D

C

B

A

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:



DRAWN:	DATED:
CHECKED:	DATED:
QUALITY CONTROL:	DATED:
RELEASED:	DATED:

COMPANY:			
TITLE:			
CODE:	SIZE: C	DRAWING NO:	REV:
SCALE:		SHEET: 9 of 11	

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:

D

D

C


C

B

B

A

A



Current Mode:
L - Low (500-900mA) current. (Default) Pull-down to GND or leave unconnected.
M - Medium (1.5A) current. Pull-up to VDD with 500-k Ω resistor.
H - High (3.0A) current. Pull-up to VDD with 10-k Ω resistor.

DR pin:
DR of plug. This open drain output indicates the detected plug orientation. Type-C plug position 2 (H) connects Port A to Port C on USB1. Type-C plug position 1 (L) connects Port A to Port B on USB1.

Port:
H - DFP (Pull-up to VDD if DFP mode is desired)
NC - DFP (Default) (Leave unconnected if DFP mode is desired)
L - UFP (Pull-down or tie to GND if UFP mode is desired)

