VIOLIN PRINCE / STUDIO REFERENCE


VIOLIN PRODUCTION PLAYBOOK

Plugin catalogue, practical specifications, and three reusable effects chains

01 / Soft, bright main violin

02 / Electric indie-pop lead

03 / Big chorus stack



PREPARED FOR WAVEFORM 14 • 25 OCTOBER 2026

START HERE

How to use this playbook

This document organises the plugins you listed by their main job, then turns that toolbox into three practical violin setups. It is intended as a working reference for your covers, including “Back to Friends.”

> **A plugin category is not a quality ranking**
> A popular compressor or reverb may not suit your recording. Choose by the audible problem you want to solve, audition alternatives at matched loudness, and keep only the changes that help the full mix.

Three rules before building chains

- Fix the source first. Check performance timing, recording noise, gain and tone before adding colour effects.
- Use one main processor per job initially. For example, choose one main compressor and one main distortion instead of stacking several that do similar work.
- Judge in context. Match the processed and bypassed loudness, then listen with the entire backing track playing. A louder or wider sound is not automatically a better blend.

Contents

01	Plugin catalogue: input, preamp and channel tools
02	Plugin catalogue: cleanup, EQ and dynamics
03	Plugin catalogue: saturation and distortion
04	Plugin catalogue: pitch, harmony and tuning
05	Plugin catalogue: creative, modulation and spatial effects
06	Plugin catalogue: reverb, delay, stereo and instruments
07	Preset 1: Soft, Bright Main Violin
08	Preset 2: Electric Indie Lead
09	Preset 3: Chorus Stack
10	Comparison workflow, verification notes and sources

Name-handling note: obvious spoken-name variants are normalised where the intended product is clear (for example, “Grallian 3” to “Graillon 3”). Names that could refer to more than one product are preserved and flagged for checking in your plugin browser.

YouTube | Website

PLUGIN CATALOGUE / 01

Input, preamps, channel strips and amp colour

Use these near the start when you need sensible gain staging, a broad tonal signature, preamp colour, or amplifier-style processing. None is compulsory if the clean recording already sounds good.

PLUGIN	ROLE / SPECIFICATION	WHEN TO AUDITION
Kilohearts Gain	Straightforward gain trim.	Set a consistent level into later plugins and avoid accidental clipping.
Brit Channel	British-style channel/preamp and EQ processing; exact installed build may vary.	Try for a coloured channel sound or broad tone shaping.
UAD 610-A Preamp & EQ	Tube preamp and EQ emulation.	Compare for warm, rounded character; use conservative drive.
UAD 610-B Preamp & EQ	Alternative 610 tube preamp/EQ voicing.	Compare with 610-A for a different balance of warmth and definition.
UAD Century Tube Channel Strip	Tube preamp/channel strip with EQ and optical level control.	Try when a combined input, tone and leveling stage is convenient.
UAD Showtime '64 Tube Amp	Guitar-amplifier emulation.	Use for intentionally amp-like, more electric violin tones, not transparent cleanup.
Celine 64	Exact product identity not verified from this name alone.	Check the plugin title/vendor; then classify by its visible controls.
Soul by Dawson	Exact plugin identity and specification not verified.	Keep as an unclassified tone/creative tool until confirmed.
NA Black	Name is ambiguous without the full product/vendor label.	Verify whether this is an amp or distortion plugin before using it in a chain.

Good starting choice

For the clean lead, compare no preamp against either UAD 610-A or 610-B. For the electric lead, audition Showtime '64 Tube Amp only when you want an amp-like effect. Avoid stacking every preamp and amp model by default.

YouTube | Website

PLUGIN CATALOGUE / 02

Cleanup, noise control and de-essing

These solve different problems: denoisers reduce background noise, gates reduce low-level sound between notes, and de-essers dynamically control a harsh frequency band.

PLUGIN	ROLE / SPECIFICATION	WHEN TO AUDITION
Denoiser (instance 1)	Noise-reduction processor; manufacturer/algorithm not specified.	Use for audible steady background noise; listen for watery or metallic artifacts.
Denoiser (instance 2)	Second entry with the same displayed name.	Check whether it is a duplicate install or a different denoiser.
Noise Gate by Muse FX	Gate/noise control from the MuseFX set.	Reduce noise between phrases without cutting quiet bow tails.
Kilohearts Gate	Threshold-based level gate.	Use gently for unwanted noise in pauses; avoid chopping natural decay.
Hush	Listed as “Hush Resonator”; exact label is unclear.	Verify whether Hush and Resonator are separate entries in the browser.
DS by Muse FX	Likely a de-esser based on the abbreviation, but confirm its full title.	Try only if a narrow high-frequency region is repeatedly harsh.
Techivation T-De-Esser 2	Dynamic high-frequency smoothing tool.	Alternative to a dynamic band in TDR Nova; compare the more natural result.
NA Tuner	Tuning utility rather than a mix processor.	Check tuning before/while recording; it will not glue tracks together.

PLUGIN CATALOGUE / 03

EQ and tonal correction

This is the category to reach for first when the violin sounds thin, boxy, boomy or piercing relative to the backing track.

PLUGIN	ROLE / SPECIFICATION	WHEN TO AUDITION
TDR Nova	Parametric EQ with dynamic EQ behaviour.	Best first choice for narrow resonances or harsh notes that vary in level.
Kilohearts 3-Band EQ	Broad three-band equalisation.	Fast wide tonal changes without many controls.
Simple EQ by Muse FX	Basic EQ; exact bands depend on the version.	Quick broad shaping when dynamic control is unnecessary.
Pro EQ	Generic name; exact vendor/model not identified.	Verify the manufacturer and available filter types in your host.
Techivation Tilt EQ	Tilt-style tonal-balance tool with colour options.	Try when the overall sound is too bright or too dark.
BEAM Filter	Creative and conventional filter module from Lunacy Audio BEAM.	Use for filtering; creative modes may be more tonal than transparent.
Kilohearts Filter	General-purpose filter effect.	Use for simple cuts or controlled filter movement.

TDR Nova starter notes

Investigate a high-pass around 80–110 Hz only if rumble is present. If boxy, test 250–400 Hz with a small cut. If harsh, try a broad dynamic band around 2.5–4.5 kHz and only 1–3 dB of reduction on offending notes. These are search ranges, not mandatory cuts.

YouTube | Website

PLUGIN CATALOGUE / 04

Compression, dynamics, transient shaping and peak control

Compression reduces level variation. Transient shaping changes attack/sustain. A clipper controls peaks through clipping and is not a substitute for gentle level compression.

PLUGIN	ROLE / SPECIFICATION	WHEN TO AUDITION
Compress by Muse FX	General compressor; verify its controls in the installed version.	Try as a straightforward first compressor, especially for learning basic gain reduction.
Kilohearts Dynamics	Dynamics processing with attack/release and compression/expansion options.	Flexible, relatively transparent control; useful as a comparison baseline.
UAD LA-2A Tube Compressor	Optical tube leveler.	Try for smooth sustained-line control with modest gain reduction.
UAD 1176 FET Compressor	Fast FET compressor/limiter.	Try for firmer attack control and punchier dynamics.
Kilohearts Clipper	Peak clipping processor.	Control occasional peaks or add intentional clipping colour; use sparingly.
Kilohearts Transient Shaper	Attack/sustain shaping.	Adjust how sharply notes start or how much their body is emphasised.
Master by Muse FX	Mastering-focused tool based on its displayed name; exact chain varies.	Use cautiously on a track; check if it is designed for the full mix/master bus.

Compressor quick comparison

OPTION	CHARACTER	STARTING POINT
LA-2A	Smooth and sustained	Start near 1–3 dB gain reduction on louder phrases; set output gain to loudness-match.
1176	Fast and assertive	Try 4:1; adjust attack/release and input carefully. Higher 1176 attack/release numbers mean faster times.
Kilohearts Dynamics	Flexible and adjustable	Try 2:1, 15–25 ms attack, 80–150 ms release and 1–3 dB gain reduction.

YouTube | Website

PLUGIN CATALOGUE / 05

Saturation and harmonic colour

Saturation adds harmonics and density. It may make the violin feel fuller or more present, but too much can exaggerate bow noise and upper-mid harshness.

PLUGIN	ROLE / SPECIFICATION	WHEN TO AUDITION
CHOW Tape Metal (exact name to verify)	Could be CHOW Tape Model or another tape-related plugin; the spoken name is ambiguous.	If it is CHOW Tape Model, audition subtle tape saturation/texture rather than aggressive drive.
Softube Saturation Knob	Simple saturation with three tonal modes.	Quick harmonic colour; match output loudness after adding drive.
Saturation Knob (unbranded duplicate entry)	May be a duplicate of Softube Saturation Knob; vendor not stated.	Verify if this is a second separate plugin or just the same entry.
Techivation T-Saturator	Saturation with multiple models and frequency targeting.	Compare tube/tape/clip/fold-style colours; keep amount modest at first.
UAD Vibe Analog Machines Essentials	Analogue-inspired colour/texture effect collection.	Explore for deliberate vintage-style colour; keep only if the tone improves.

PLUGIN CATALOGUE / 06

Distortion and amplifier processing

Choose a single primary distortion for the electric-lead preset. Do not place every drive plugin in series unless the stacked sound is intentional.

PLUGIN	ROLE / SPECIFICATION	WHEN TO AUDITION
Prince Violin Distortion	Your custom plugin; exact controls depend on the installed build.	First choice when you want your own signature violin distortion sound.
Kilohearts Distortion	General-purpose distortion with selectable character.	Alternative to your custom plugin for a simpler or different drive texture.
NA Black	Exact product and manufacturer need verification.	If it is your Black amp/distortion effect, compare it against the other drive options.
UAD Showtime '64 Tube Amp	Amplifier emulation.	Use when you deliberately want an amp-like/electric tone rather than clean violin.

Saturation vs distortion

For a natural lead, start with no saturation and add one colour tool only if necessary. For an electric cover, use one primary distortion and then correct the harsh frequencies it creates with TDR Nova. Add tape colour afterward only if it contributes something you can hear and prefer.

PLUGIN CATALOGUE / 07

Pitch correction, harmonies and tuning

Pitch correction changes notes toward a target. A harmonizer generates additional musical voices. A tuner measures tuning. Frequency shifting can create inharmonic/metallic sounds instead of key-aware harmony.

PLUGIN	ROLE / SPECIFICATION	WHEN TO AUDITION
Graillon 3	Pitch correction/pitch-shifting tool; monophonic instrument use is possible.	Use gently if a recorded note needs correction or test creative pitch effects.
MAutoPitch (MeldaProduction)	Automatic pitch correction and formant/stereo options.	Compare against Graillon 3; do not assume vocal presets will suit violin.
Harmonize by Muse FX	Exact controls not verified from the name supplied.	Use if the installed version generates harmony voices; choose notes that fit the song key/chords.
HelloShift (Prince Boydo)	Your custom plugin; exact algorithm/control set needs its own docs.	Use as part of your signature chain; test before vs after distortion.
Pitch Fix by Muse FX	Pitch-related processing based on the displayed name.	Compare its operation against Graillon 3 and MAutoPitch.
Kilohearts Frequency Shifter	Frequency shifting, distinct from ordinary musical pitch shifting.	Use for deliberate metallic/experimental colour, not conventional harmony.
NA Tuner	Tuning utility.	Check the source before effects; it does not automatically correct the recorded audio.

Harmony is an arrangement decision

For a chorus, one harmony voice can be enough. Use Harmonize only if it supports the intervals/key-aware behaviour you need. Keep the original lead strongest, and check every generated note against the chord changes. A frequency shifter or chorus does not create a proper independent musical harmony.

PLUGIN CATALOGUE / 08

Creative filters, modulation and transitions

These tools can make the violin move, widen, pulse, reverse or develop a signature texture. They are usually optional on a main lead and more useful in selected phrases, fills or transitions.

PLUGIN	ROLE / SPECIFICATION	WHEN TO AUDITION
BEAM Haze	Lunacy Audio's immersive chorus-layer effect/module.	Try for a lush chorus-like layer; check stereo width and mono compatibility.
BEAM Time	Lunacy Audio time-warp/buffer-shuffling effect.	Use for transitions and experimental rhythmic edits, not as an always-on glue processor.
Chorus by Muse FX	Chorus/modulation effect.	Subtle thickness or a doubled impression; keep depth low on a lead.
Kilohearts Ensemble	Multiple modulated voices for a thicker group impression.	Useful for a chorus layer from one take; less organic than separately performed doubles.
Kilohearts Flanger	Modulated short-delay/comb-filter effect.	Use for intentional movement, not default lead processing.
Kilohearts Comb Filter	Adds repeated peaks and dips across the frequency spectrum.	Experimental hollow/metallic tones; mix subtly.
Kilohearts Formant Filter	Vowel-like spectral shaping.	Creative spoken/vowel colour or special fills.
Kilohearts Resonator	Emphasises resonant frequencies.	Ringing, tuned or metallic textures.
Kilohearts Ring Mod	Ring modulation.	Inharmonic, bell-like or robotic texture.
Kilohearts Shaper	Wave-shaping effect.	Experimental harmonics/texture; verify the chosen mode.
Kilohearts Reverser	Reverse-style effect.	Transitions, swells and reverse tails.
Kilohearts Tape Stop	Tape-stop/slowing-style transition effect.	Use at selected endings or transitions.
Kilohearts Trance Gate (listed as "Transgate")	Rhythmic gating.	Create rhythmic pulses from sustained notes.
Kilohearts Stereo	Stereo processing.	Check width and mono compatibility.
Rotary by Muse FX	Rotary-speaker-style modulation.	Swirling and moving character.
Wahwood (Prince Boydo)	Your custom wah effect.	Automate expressive sweeps; pull back when it masks the melody.
NA WAH Wah	Wah effect; exact vendor/version needs confirmation.	Alternative wah character; compare against Wahwood.
Kilohearts Dynamics	Dynamics effect also useful as a creative envelope tool.	Already detailed in the dynamics section; avoid duplication in the active chain.

YouTube | Website

PLUGIN CATALOGUE / 09

Reverb, delay, stereo and instruments

Reverb creates a sense of space. Delay creates repeats. Wideners change the stereo image. Instruments generate parts; they are not insert effects for the recorded violin.

PLUGIN	ROLE / SPECIFICATION	WHEN TO AUDITION
ChronoVerb (Prince Boydo)	Your custom reverb; the exact algorithm depends on the current build.	Your own reverb option. Compare decay, early reflections, tone and density in context.
ValhallaRoom	Algorithmic reverb with room/hall-style spaces.	First candidate for a short natural room or a larger but controlled space.
Convology XT	Convolution reverb using impulse responses from spaces/gear.	Try sampled rooms, plates or vintage spaces when its tone fits better.
UAD Pure Plate Reverb	Plate reverb emulation.	Try for a dense plate-style tail or a smoother sustained background.
Kilohearts Reverb	General reverb effect.	Useful as an alternative for comparison.
BEAM Space	Lunacy Audio dynamic convolution reverb effect/module.	Explore unusual spatial textures as well as conventional spaces.
D Reverb 2	Exact manufacturer/algorithm unverified.	Compare the actual tail and tone in the installed version.
Reverb (generic name)	Manufacturer/model unspecified.	Identify the exact entry before relying on product-specific guidance.
Valhalla Supermassive	Delay/reverb effect for echoes and expansive tails.	Use as a separate atmospheric/rhythmic send, not necessarily as the main room.
Delay by Muse FX	Delay effect.	Rhythmic repeats and phrase-end movement.
Widener by Polyverb	Exact identity unverified; may be confused with Polyverse Wider.	Verify exact manufacturer; widen subtly and test mono compatibility.
ML Drums	Drum instrument/library based on your installed version.	Generate or arrange drum parts; not a violin insert.
PolyMAX Synth (UAD)	Polyphonic synthesizer instrument.	Create pads or supporting synth parts to arrange around the violin.

Auxiliary-return rule

For dedicated reverb/delay AUX channels, set the effect to 100% wet and use the send/return level to balance it. Try one primary room (ValhallaRoom or ChronoVerb, for example) and a distinct Supermassive ambience send. Too much overlapping reverb and delay can make the violin seem farther away, not more glued.

YouTube | Website

PRESET 01

Soft, Bright Main Violin

Goal: an intimate, natural lead with clear bow articulation, gentle dynamics and a believable space. Designed as the starting point for a conventional violin cover.

01 · Input gain — Kilohearts Gain or clip gain
Set a healthy input level; do not clip the input or the plugin chain.

↓

02 · TDR Nova
Remove rumble or boxiness if audible; use a dynamic band only for harsh notes.

↓

03 · UAD 610-A OR 610-B (optional)
Start with near-neutral EQ and modest drive; bypass unless it improves the tone.

↓

04 · UAD LA-2A OR Kilohearts Dynamics
Choose one main compressor at first; smooth phrases without crushing vibrato or bow attacks.

↓

05 · Final TDR Nova OR T-De-Esser 2 (optional)
Only if compression or preamp colour makes the upper mids/highs unpleasant.

↓

06 · Main output / level matching
Match bypass loudness and listen with the full backing track.

Settings to audition

STAGE	STARTING POINT	LISTEN FOR
TDR Nova high-pass	About 80–110 Hz if low-frequency rumble exists.	If the violin gets thin, lower or disable the filter.
Boxiness	Test 250–400 Hz with a small 1–2 dB cut if needed.	Do not cut just because the number is listed.
Dynamic harshness band	Investigate 2.5–4.5 kHz; aim for only 1–3 dB reduction on harsh notes.	Threshold should react to the offending notes, not every note.
Compression	Target about 1–3 dB gain reduction on stronger phrases.	Use the LA-2A for smoothness or Kilohearts Dynamics for more adjustable control.
ValhallaRoom AUX	Try 0.7–1.2 s decay and 10–20 ms pre-delay if available.	100% wet on return; bring up send until the space is felt, not heard as an obvious effect.
Supermassive AUX (optional)	Very low send for atmosphere; experiment with a shorter/less expansive mode.	If the violin moves backward, reduce the send.

Keep out of the first version

Leave Wahwood, HelloShift, heavy distortion and chorus off while you build the clean sound. Add them later only where the arrangement benefits.

YouTube | Website

PRESET 02

Electric Indie Lead

Goal: a more expressive and textured violin for modern indie-pop covers, including “Back to Friends.” The distortion is a deliberate character choice, not a mandatory ingredient for every note.

01 · Input gain — Kilohearts Gain or clip gain
Keep a stable level going into nonlinear effects.

↓

02 · TDR Nova — pre-EQ
Correct source problems before adding drive.

↓

03 · Wahwood — automated if desired
Shape movement for fills/phrase endings; do not let the sweep obscure the melody.

↓

04 · HelloShift — optional
Add your custom shifting/texture effect. Compare before vs after distortion because the order changes the tone.

↓

05 · Choose ONE primary distortion
Prince Violin Distortion OR Kilohearts Distortion OR another amp/distortion option.

↓

06 · TDR Nova — post-EQ
Tame harsh frequencies created by the drive stage.

↓

07 · Choose ONE compressor
Kilohearts Dynamics for flexible control OR UAD 1176 for a faster, more assertive character.

↓

08 · CHOW tape-style colour (optional)
Only after confirming the exact plugin name/version; use a subtle amount if it adds useful texture.

↓

09 · Main output / level matching
Compare the distorted sound against the clean sound at the same perceived loudness.

Starting settings

STAGE	STARTING POINT	LISTEN FOR
Pre-EQ	High-pass near 80–110 Hz only if rumble exists.	Do not remove the natural body of the violin.
Distortion	Start from your preferred preset and lower output to loudness-match bypass.	Distortion often sounds “better” just because it is louder.
Post-EQ	Investigate 2.5–5 kHz if the driven signal becomes sharp.	Make small cuts; do not automatically darken the entire sound.
Kilohearts Dynamics	Try 2:1, 15–25 ms attack, 80–150 ms release, 1–3 dB reduction.	Adjust to the phrase; not every performance needs compression.
UAD 1176 alternative	Try 4:1 and moderate gain reduction; adjust attack/release by ear.	On a 1176, higher knob numbers mean faster attack/release times.
ChronoVerb / ValhallaRoom AUX	Choose one as the primary room; keep the send moderate.	The reverb should place the part, not push it into the background.
Supermassive AUX	Separate, low-level rhythmic/atmospheric send.	Mute it while setting your main reverb, then add back if needed.

YouTube | Website

PRESET 03

Big Chorus Stack: Double, Triple and Harmony

Goal: make the chorus sound wider and fuller than the verse. The most convincing version comes from arranging multiple performances; effects can help when only one take is available.

Method A — Best natural result: record three performances

Track 1 · Main violin
Your clean or electric lead chain; keep centred and strongest.

↓

Track 2 · Double Left
A separately recorded take; pan approximately 30–45% left.

↓

Track 3 · Double Right
Another separately recorded take; pan approximately 30–45% right.

↓

Optional Track 4 · Harmony
A musical harmony line only if it fits the key and changing chords.

Blend guidance

• Start each double about 6–10 dB below the main lead, then raise/lower while listening to the whole mix.

• Use the same broad tonal approach, but allow the side performances to differ naturally; avoid making all tracks identical in loudness and tone.

• Keep the lead centred. Doubles create width; a harmony creates additional musical information. They are not interchangeable.

Method B — One take only: parallel thickness

TOOL	STARTING POINT	LISTEN FOR
Kilohearts Ensemble	Try 3 voices, low detune, moderate spread and a subtle mix around 10–20% as an insert.	Makes a group/unison impression through modulated copies; less organic than separate performances.
Kilohearts Chorus OR Chorus by Muse FX	Try 2–3 taps/voices, low depth, slow movement, 8–15% mix as an insert.	Adds a softer doubled impression. Choose one first rather than stacking both.
Widener (identity to verify)	Use a small amount and compare mono playback.	Width can cause phase/mono problems; verify exact plugin identity.

Method C — Actual harmony notes

Use Harmonize by Muse FX if its installed interface supports the required musical intervals and key/chord tracking. Keep generated harmony below the original lead. Since the exact controls of this Muse FX version could not be verified from its name alone, no invented parameter numbers are included.

A simple chorus template

Centre lead + one left double + one right double + optional single harmony voice. Add Ensemble or Chorus as a subtle parallel layer only if the real takes still need extra thickness. Use ChronoVerb/ValhallaRoom for the main space and Supermassive only for a distinct atmosphere.

YouTube | Website

PRACTICAL WORKFLOW

How to audition the chains without guessing

Use this short test sequence any time you are unsure whether a plugin improves the recording.

01 · Establish the reference

Play the backing track and violin together. Set the violin level first, before adding effects.

02 · Check timing

If the violin feels detached rhythmically, inspect recording latency and phrase alignment before processing.

03 · Correct only clear problems

Use TDR Nova for rumble, boxiness or harsh peaks. Bypass each change to confirm it helps.

04 · Compare compressors

Try LA-2A, Kilohearts Dynamics and 1176 one at a time, at matched loudness.

05 · Add colour selectively

For the electric preset, compare one distortion or saturation choice at a time.

06 · Add space last

Set a short room first; only then add Supermassive at a separate send if the song benefits.

07 · Check mono and quieter playback

If the violin vanishes, becomes hollow or gets harsh, revisit level, EQ and stereo processing.

08 · Save a version

Keep an untouched or clean version so you can return to the original tone quickly.

Quick symptom guide

SYMPTOM	FIRST THING TO CHECK
Violin sounds pasted on top	Check level, timing, reverb balance, and competition in the backing track. Try a small dynamic EQ reduction on the backing track keyed by the violin if sidechain routing is available.
Violin sounds distant	Lower the reverb/delay send; check the direct signal and pre-delay.
Violin sounds thin	Back off high-pass/upper-mid cuts; compare the unprocessed track.
Violin sounds harsh after distortion	Reduce drive or add a small post-distortion dynamic EQ cut. Do not automatically add more reverb.
Chorus sounds wide but hollow	Reduce widening/chorus, check mono, and favour separately recorded doubles over extreme stereo tricks.

A note on the backing-track sidechain

TDR Nova supports dynamic EQ and external sidechain operation in compatible hosts/routing. If Waveform exposes that route in your setup, a broad dynamic band on the backing track can dip by roughly 1–2 dB around the violin while the violin plays. If not, try a very small static EQ cut in the competing backing-track range instead.

YouTube | Website

REFERENCE NOTES

Verified specifications, uncertain names and official sources

The public product references below were checked while preparing this guide. They support broad plugin-role descriptions; they do not guarantee that every installed version, custom plugin or preset has exactly the same controls.

Names to verify directly in your plugin browser

NAME	VERIFICATION NOTE
Celine 64	Exact product identity unclear.
CHOW Tape Metal	Possibly a spoken/name variant of CHOW Tape Model; verify the exact title before applying tape-model settings.
Harmonize by Muse FX	Exact installed product controls were not verifiable from the supplied name.
Hush Resonator	May represent two plugin names or one label; check how it appears in the browser.
NA Black / NA WAH Wah	Vendor and exact product identity need confirmation.
Pro EQ / Reverb / D Reverb 2	Generic names; verify manufacturer and version.
Saturation Knob (unbranded)	May duplicate Softube Saturation Knob.
Soul by Dawson	Exact identity and controls unverified.
Widener by Polyverb	Do not assume it is the same product as Polyverse Wider until verified.
Prince Boydo custom plugins	ChronoVerb, HelloShift, Wahwood and Prince Violin Distortion are treated as custom tools; their precise DSP controls were not inferred.

Official manufacturer references

SOURCE	USED FOR	LINK
S1 · Kilohearts Essentials + Snapin docs	Product list and effect behaviour (EQ, Dynamics, Distortion, Ensemble, etc.).	Open official page
S2 · TDR Nova	Dynamic equalizer overview and manual links.	Open official page
S3 · Techivation free plugins	T-Saturator, T-De-Esser 2 and Tilt EQ.	Open official page
S4 · UAD plug-ins	LA-2A, 1176, 610 series, Century channel strip, Pure Plate and instruments.	Open official page
S5 · Valhalla DSP	ValhallaRoom and Supermassive product information.	Open official page
S6 · Lunacy Audio BEAM	BEAM and its standalone Filter, Haze, Space and Time modules.	Open official page
S7 · CHOW Tape Model	Official project page, if your installed plugin is that product.	Open official page
S8 · Softube Saturation Knob	Manufacturer product information.	Open official page
S9 · Wave Arts Convology XT	Convolution-reverb product information.	Open official page
S10 · Eventide Quadravox (not part of your inventory)	Reference for the general concept of a four-voice diatonic harmonizer; no purchase is required for the three chains in this document.	Open official page

Closing principle

Keep the plugin inventory as a toolbox. Save three separate presets, build each from the simplest working signal path, then audition one change at a time. The correct chain is the one that supports your playing and the song—not the one with the most plugins.

Arranged by **Prince Baidya, also known as Violin Prince** | **YouTube** | **Official website**