Laporan Praktikum 2. TCP/IP Model

Kegiatan : Identifikasi OSI Layer


Nama : Baihaqi Ali Supriatman

NRP : 5325600022


DNS

Data Layer


Application layer




Host-to-host layer



Internetwork layer



Network Interface layer



Laporan Praktikum 2. TCP/IP Model

Kegiatan : Identifikasi OSI Layer

Nama : Baihaqi Ali Supriatman

NRP : 5325600022


FTP

Data Layer

Application layer



Host-to-host layer



```
▾ [Timestamps]
    [Time since first frame in this TCP stream: 34.591865300 seconds]
    [Time since previous frame in this TCP stream: 4.052691100 seconds]
▾ [SEQ/ACK analysis]
    [iRTT: 1.835860700 seconds]
    [Bytes in flight: 7]
    [Bytes sent since last PSH flag: 7]
  [Client Contiguous Streams: 1]
  [Server Contiguous Streams: 1]
  TCP payload (7 bytes)
```

Internetwork layer

```
▾ Internet Protocol Version 4, Src: 202.9.85.80, Dst: 10.252.135.187
    0100 .... = Version: 4
    .... 0101 = Header Length: 20 bytes (5)
  ▾ Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
      0000 00.. = Differentiated Services Codepoint: Default (0)
      .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
    Total Length: 148
    Identification: 0xd916 (55574)
  ▾ 010. .... = Flags: 0x2, Don't fragment
      0... .... = Reserved bit: Not set
      .1.. .... = Don't fragment: Set
      ..0. .... = More fragments: Not set
    ...0 0000 0000 0000 = Fragment Offset: 0
    Time to Live: 63
    Protocol: TCP (6)
    Header Checksum: 0xb03c [validation disabled]
    [Header checksum status: Unverified]
    Source Address: 202.9.85.80
    Destination Address: 10.252.135.187
    [Stream index: 1290]
```

Network Interface layer

```
Ethernet II, Src: VMware_b5:55:03 (00:50:56:b5:55:03), Dst: Intel_a7:51:ac (28:a4:4a:a7:51:ac)
▾ Destination: Intel_a7:51:ac (28:a4:4a:a7:51:ac)
    .... ..0. .... .... .... .... = LG bit: Globally unique address (factory default)
    .... ...0 .... .... .... .... = IG bit: Individual address (unicast)
▾ Source: VMware_b5:55:03 (00:50:56:b5:55:03)
    .... ..0. .... .... .... .... = LG bit: Globally unique address (factory default)
    .... ...0 .... .... .... .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
  [Stream index: 475]
```

Laporan Praktikum 2. TCP/IP Model

Kegiatan : Identifikasi OSI Layer

Nama : Baihaqi Ali Supriatman

NRP : 5325600022


HTTP

Data Layer


Application layer



Host-to-host layer



Internetwork layer



Network Interface layer

